ORDER

6200.4F

TEST EQUIPMENT MANAGEMENT HANDBOOK

AUGUST 20, 1997

DEPARTMENT OF TRANSPORTATION

FEDERAL AVIATION ADMINISTRATION

FOREWORD

This update is the result of the consolidation of the functions of the test equipment Program Office and the FAA Logistics Center. It addresses the changes due to reorganization of FAA Headquarters and Regions. This revision builds upon the previous Order and continues our commitment to improve the implementation and management of the FAA test equipment program.

Norman Bowles
Program Director
FAA Logistics Center

TABLE OF CONTENTS

	Page No.
CHAPTER 1. GENERAL	1
1. Purpose	1
2. Distribution	1
3. Cancellation	1
4. Explanation	1
5. Forms	1
6. Definitions	1
CHAPTER 2. GUIDELINES	5
7. General	5
8. Remote Maintenance Monitoring (RMM)	6
9. Central Maintenance	6
10. FAA Logistics Center (FAALC)	6
11. Calibration Laboratories	6
12. Test Equipment Database	7
13. Order of Precedence of Documentation	7
14.-19. Reserved	7
CHAPTER 3. PROGRAM RESPONSIBILITIES	9
20. Program Offices	9
21. FAA Logistics Center (FAALC)	9
22. NAS Program and Financial Management	11
23. Reserved	11
24. Regional Airway Facilities (AF) Divisions	11
25. AF System Management Offices (SMO)	13
26.-29. Reserved	14
CHAPTER 4. NEW NAS PROJECT TEST EQUIPMENT REQUIREMENTS	15
30. General	15
31. Definition of Technical Requirements	15
32. Funding and Quantity Requirements	15
33. Special Test Equipment	16
34. Field Evaluation of Test Equipment	16
35. Logistics Support Requirements	16
36. Acquisition of a Non-Federal Facility	16
37.-39. Reserved	16
CHAPTER 5. ACQUISITION	17
40. Responsibility	17
41. Funding	17
42. Procurement	17
43. Distribution	18
44.-49. Reserved	18

CHAPTER 6. CALIBRATION 19

50. General 19
51. General Requirements 20
52. Calibration Interval 20
53. Calibration-Exempt Items 20
54. Calibration Standards 20
55. Calibration Sources 20
56. Calibration Quality Assurance 20
57. Repair of Test Equipment During Calibration 20
58. Calibration Records 21
59.-69. Reserved 21

CHAPTER 7. MAINTENANCE 23

70. General 23
71. Procedures for Exchange and Repair (E&R) 23
72. Procedures for Repair and Return (R&R) 23
73. Packaging, Handling, Storage, and Transportation 24
74. Equipment Accessories 24
75.-79. Reserved 24

CHAPTER 8. REPLACEMENT 25

80. Responsibilities 25
81. Procedures for Replacing Items Lost, Stolen, or Destroyed 25
82. Procedures for Emergency Initial Issue Requisitions 25
83. Items Uneconomical to Repair 26
84. Items Considered Inadequate or Obsolete 26
85. National Test Equipment Replacement Program 27
86.-89. Reserved 28

CHAPTER 9. CALIBRATION QUALITY ASSURANCE 29

90. General 29
91. Applicable Documents 29
92. Quality Assurance Program Requirements 29
93. National Calibration Requirements 30
94. Responsibilities 31
95. Accountability 33
96. Interagency Agreement 33

APPENDIX 1. CALIBRATION CYCLE REQUIREMENTS TEST EQUIPMENT LIST (Including No Calibration Required) (95 pages) 1

APPENDIX 2. RESPONSIBILITY FOR PROCUREMENT OF TEST EQUIPMENT (1 page) 1

APPENDIX 3. RESPONSIBILITY FOR FUNDING OF TEST EQUIPMENT (1 page) 1

APPENDIX 4. ACRONYMS (1 page) 1

APPENDIX 5. REFERENCES (2 pages) 1

Chapter 1. GENERAL

1. PURPOSE. This order defines the organizational responsibilities and general procedures required for the effective management and control of the FAA test equipment program. It provides program management procedures and guidelines for:

a. Establishing test equipment requirements.

b. Procuring and distributing test equipment.

c. Calibrating test equipment.

d. Repairing and replacing test equipment.

2. DISTRIBUTION. This order is distributed to office level in all Washington headquarters; to branch level within the regional Airway Facilities divisions; to division level within the regional Air Traffic, Flight Standards, Airports, and Logistics divisions; to section level at the FAA Logistics Center and FAA Academy; to division level within the Engineering, Test, and Evaluation Service at the FAA Technical Center; to regional System Management Offices and System Support Centers with a limited distribution; and to the NAS Implementation Engineering Center and Service Centers.

3. CANCELLATION. Order 6200.4E, Test Equipment Management Handbook, dated November 26,1991 is canceled.

4. EXPLANATION OF CHANGES. This revision re-identifies organizations and consolidates responsibilities due to re-organization and transfer of the National Test Equipment Program Office to the FAA Logistics Center. Chapter 9, Calibration Quality Assurance, has been added and Appendix 1 updated.

5. FORMS. DD Form 1949-3, Logistics Support Analysis Data Selection Sheets referenced in Paragraph 20c may be obtained from the NAILS Management Division. FAA Form 4630-8, Report of Survey, referenced in paragraph 81b and FAA Form 4250-5, Equipment Return Document, referenced in paragraph 84c(3)(a), may be obtained from the FAA Logistics Center under NSN 0052-00-093-9002 in units of sets and 0052-00-630-5001 in units of sheets respectively.

6. DEFINITIONS. The following terms are defined or explained as they are used in this order. The purpose of defining them here is to clarify the text and to resolve any differences or conflicts in usage by organizational elements concerned.

a. Built-In Test (BIT). Software test procedures built into systems. BIT provides control instructions to built-in test equipment (BITE).

b. Built-In Test Equipment (BITE). BITE is of two types:

(1) Off-the-shelf test equipment that has been integrated into National Airspace System (NAS) systems or equipment and that is controlled by BIT software within the NAS equipment for the purpose of maintaining, troubleshooting, or certifying the NAS equipment

(2) Integrated test equipment that is designed as part of a NAS system. Such test equipment is part of the NAS system's circuitry and is not covered by this order.

c. Calibration. The comparison of a unit of test equipment or a measurement standard of unknown accuracy (the item to be calibrated) to a measurement standard of known accuracy (the calibration standard) to detect, correlate, report, or eliminate by adjustment any variation in the accuracy of the instrument being compared.

d. Calibration Codes. Calibration codes identify test equipment according to usage.

(1) PPIMS no longer uses Critical (C) and Non-critical (N) codes.

(2) All calibration codes are now shown in Appendix 1.

(a) Calibration frequency (shown in months).

(b) NCR (no calibration required)

(c) User calibrated (calibrated by FAA technicians).

e. Calibration-Exempt Test Equipment. Test equipment that requires no calibration and is listed in the calibration cycle requirements in appendix 1.

f. Calibration Manual. A document that contains the technical specifications of the device to be calibrated, a description of the calibration procedures, and a list of the calibration standards or instruments necessary to accomplish calibration.

g. Calibration Procedure. The specific steps and operations to be followed in the performance of an instrument calibration.

h. Calibration Standard. A device or instrument used as a basis to calibrate, measure, gauge, test, inspect, or otherwise examine basic accuracy values. The standard has a higher order of accuracy than the examined item and is traceable to the National Institute of Standards and Technology (NIST).

i. Commercial off-the-Shelf Test Equipment (COTS). Test equipment that normally can be bought from commercial vendors.

j. Maintenance Work Center. A location where one or more groups of employees responsible for maintenance of NAS facilities reports to work. Each work group is responsible for a particular maintenance area, such as navigation/communications or radar.

k. National Test Equipment Database (NTEDB). The automated FAA test equipment management information system. The NTEDB consists of equipment characteristics information and calibration code information. The NTEDB is a management tool used to determine test equipment requirements at specific NAS locations.

l. Reference Standard. A basis from which the accuracy of other measurements may be determined.

m. Special Test Equipment. Test equipment designed to support a specific system. Special test equipment is not ordinarily manufactured or available except with the supported system. It is comparable to Department of Defense "peculiar support equipment."

n. Support equipment. Items that are not test equipment or test, measurement, and diagnostic equipment. The following items sometimes are mistakenly categorized as test equipment. They are not managed as test equipment or recognized as test equipment within the test equipment program. These items include:

(1) Office or shop furniture.

(2) Communications equipment.

(3) Software and software support items, except in specific cases.

(4) Shop equipment not used directly in the test or repair of technical systems.

(5) Hand tools, including powered hand tools.

(6) Equipment procured under the remote maintenance monitoring (RMM) program, unless specifically designated for management under the test equipment program.

(7) Automated data processing (ADP) equipment and maintenance data terminals (i.e., computers).

o. Test Equipment (TE). Portable, stand-alone (not a component of a system) electrical, electronic, mechanical, hydraulic, or pneumatic equipment that is required to perform the checkout function, align, troubleshoot, or calibrate a operational NAS system.

p. Test, Measurement, and Diagnostic Equipment (TMDE). Any system or device used to evaluate the operating condition of a system or equipment to identify or isolate any actual or potential malfunction.

This Page Intentionally

Left Blank

Chapter 2. GUIDELINES

7. GENERAL. Test equipment that is used to maintain and support all systems under the purview of the FAA and operating in the NAS and that provides essential information for the safe movement of aircraft shall be maintained and calibrated in accordance with this order. Test equipment shall be positioned at designated sites to support operation and maintenance activities. These guidelines will ensure that equipment performance and availability will enhance safety, optimize service to the users, and contribute to the efficiency of the FAA.

a. Manned work centers that support one or more systems, subsystems, or pieces of equipment will receive a minimum of one set of test equipment.

b. Servicing Airway Facilities (AF) work sites requiring additional sets of test equipment will be designated based on the following criteria:

(1) Difficulty of access of the service site as determined by distance from the work site (e.g., if the service site is more than 2 hours' distance under normal conditions), special access requirements (e.g., if the service site is accessible only by Snow Cat or helicopter), or routinely hazardous access (e.g., if the service site is in a hazardous location or is routinely subject to adverse weather conditions).

(2) Criticality of the work site either as determined by its high visibility requiring immediate restoration or as identified by Air Traffic as critical to safety or capacity.

(3) Support of the service site's facility restoration code.

c. In order to satisfy the above requirements, the test equipment program office will work with the regions and regional program offices to identify those sites or high visibility locations that will require site test equipment.

d. The Product Team will develop a test equipment support plan and submit it to the Supply Management Division, AML-600, for review and comment.

e. Management of the test equipment program can be achieved only through the joint efforts of regions,ANI, NAS Implementation, the FAA Logistics Center, and Washington headquarters. Active participation of the Regional, and ANI Test Equipment Program Manager(s) (RTEPM(s)) is necessary. Key components of the test equipment program are:

(1) Replacement of test equipment.

(2) Optimization of test equipment distribution.

(3) Management of the test equipment inventory.

(4) Calibration of test equipment.

(5) Implementation and maintenance of the NTEDB.

(6) Establishment of test equipment requirements for new NAS facilities using national airspace integrated logistics support (NAILS).

(7) Management of the test equipment loan pool.

(8) Management of rented and leased test equipment.

f. The major NAS program activities that will affect the test equipment program are:

(1) Acquisition of new systems.

(2) Replacement of existing systems.

(3) Implementation of the maintenance monitoring system (MMS).

(4) Development of facility test equipment requirements for each NAS system.

(5) Management of calibration programs.

8. REMOTE MAINTENANCE MONITORING. Field facilities that are remotely monitored normally will not require dedicated test equipment on site, except for test equipment that is too heavy, bulky, or sensitive for central positioning. The maintenance philosophy of the 1990's calls for more rapid restoration and avoidance of lost service by extensive use of plug-in line replaceable units (LRU). The defective LRU's will be localized using either the RMM equipment or test equipment transported to the site by the attending technician. The more complex repairs requiring specific test and repair facilities not available to field activities will be accomplished at the FAA Logistics Center (FAALC) or Interim Contractor Depot Level Support/Contractor Depot Level Support (ICDLS/CDLS) facility.

9. CENTRAL MAINTENANCE. The types and numbers of test equipment items at a maintenance work center will be determined by the types and numbers of facilities maintained by the work center. As much as possible, work centers will have standardized test equipment based on equipment types supported by those work centers.

10. FAA LOGISTICS CENTER. The FAALC is the organization primarily responsible for repair of high-technology items in support of the regional system maintenance offices. The functions of the FAALC include the operation and maintenance of automated test equipment (ATE), providing exchange and repair (E&R) of modules and components, diagnosing and repairing failed or defective printed circuit board assemblies and other modules, and conducting repair and calibration on test equipment. In some cases, the FAALC maintenance function will be accomplished by contract.

11. CALIBRATION LABORATORIES. In order to accomplish repair and calibration of regional and ANI test equipment, fixed or mobile calibration laboratories may be established at the discretion of the region and ANI. FAA, military, or commercial sources of calibration may be used. Calibration laboratories

should be in compliance with ANSI/NCSL Z540-1-1994, Calibration Systems Requirements, and MIL-Q-9858A, Quality Program Requirements.

12. TEST EQUIPMENT DATABASE. The NTEDB has been established to facilitate field and headquarters management of the test equipment program. This database contains technical information, descriptions, calibration history, and location of FAA test equipment. The database will be used to manage the calibration, maintenance, and location of test equipment. The National Test Equipment Database (NTEDB), utilizing BCATS shall, interface and intergrate with the NAS Infrastructure Management System (NIMS).

13. ORDER OF PRECEDENCE OF DOCUMENTATION. In the event of a conflict between maintenance documents, the order of precedence of the documents will be as specified in the latest edition of Order 6000.15, General Maintenance Handbook for Airway Facilities.

14.-19. RESERVED.

This Page Intentionally

Left Blank

Chapter 3. PROGRAM RESPONSIBILITIES

20. PRODUCT TEAMS. The NAS program offices shall:

a. Develop and coordinate a maintenance concept for each new system to be incorporated into the NAS in coordination with the FAALC.

b. Budget for and provide the funds necessary to evaluate, procure, and distribute the following items for new programs:

(1) Initial test equipment for new systems or equipment.

(2) Initial test equipment for new installations of existing systems or equipment.

(3) Initial test equipment required for facilities and equipment (ANI) funded modernization, modifications, or improvements.

(4) Initial test equipment and accessories for the FAA Logistics Center spares inventory to provide E&R support.

(5) Initial test equipment to establish repair and calibration capabilities for the FAA logistics Center to provide E&R, R&R, and SS support.

(6) Test equipment required for training by the FAA Academy.

(7) Documentation covering operation, calibration, and repair.

(8) Training documentation.

(9) Initial calibration of F&E (ANI) test equipment. Cost estimate for initial calibration can be provided by the test equipment porgram office.

c. Ensure that DD Form 1949-3 is completed in accordance with NAILS policy.

21. FAA LOGISTICS CENTER. The FAALC is responsible for the overall direction of the national test equipment program. The Supply Management Division, AML-600, shall:

a. Budget for and provide the funds necessary to evaluate, procure, and distribute the following test equipment requirements:

(1) Test equipment to replace items that no longer meet revised measurement requirements.

(2) Test equipment to replace items in the regions and ANI that are no longer supportable (obsolete).

(3) Test equipment to replace items in the regions and ANI that are lost, stolen, or destroyed.

(4) Test equipment to replace items in the regions and ANI determined to be uneconomical to repair.

(5) Test equipment to maintain E&R stock levels in sufficient quantities to meet anticipated regional requirements.

(6) Test equipment to replace obsolete or uneconomical to repair items used in support of the Exchange and Repair (E&R), Return and Repair (R&R), and the Supply Support (SS) programs at the FAALC.

(7) Regional calibration requirements under the National Test Calibration Program.

(8) Additional maintenance requirements.

b. Designate a chairperson for the support equipment subcommittee of the NAILS management team (NAILSMT). The chairperson will ensure that NAS systems are deployed with test equipment meeting the functional requirements of the NAS system and that sufficient quantities of test equipment are acquired to ensure required restoration levels.

c. Ensure that DD Form 1949-3 is completed in accordance with Life Cycle Support Scenario.

d. Make provisions for test equipment support stock for new ANI installations using ANI funds.

e. Support, plan and execute procurement of test equipment required to support the field maintenance program. This includes E&R expenditures for procurement of replacements.

f. Serve as the agency focal point and provide a leadership role for ongoing test equipment activities involving the regions, the FAALC, the FAA Technical Center, and the National Airway Facilities Engineering Field Support Division (AOS-200).

g. Determine test equipment to be scheduled for replacement based on requirements and in conjunction with AOS-200, the appropriate headquarters program office, and the regions.

h. Determine the need for evaluation of candidate test equipment submitted by the regions, the FAALC, FAA Technical Center, or AOS-200. Develop an evaluation plan for new test equipment as necessary.

i. Forward requests and funds for equipment evaluations to the regions, FAA Technical Center, AOS-100 thru AOS-600, or the FAALC as appropriate.

j. Assess results and select test equipment that meets measurement requirements at minimum projected life cycle cost of ownership.

k. Procure test equipment and operating and technical manuals in accordance with , General Specification for Test Equipment for Use with Electrical and Electronic Equipment; ANSI/NCSL Z540-1-1994, Logistic Support

Analysis; DOD Requirements for a Logistics Support Analysis Record; and other technical documentation as appropriate.

l. Disseminate information relative to the Test Equipment Program to FAA headquarters, the FAALC, AOS-100 thru AOS-600, FAA Technical Center, and regions.

m. Review and update the calibration cycle requirements list (appendix 1) as necessary.

n. Adjust calibration intervals for optimum effectiveness based on test equipment reliability and calibration history as documented in the calibration records of the NTEDB.

o. Coordinate and monitor the contents of the appendices of this directive with affected organizations.

p. Maintain liaison with the NIST in regard to FAA interest areas.

q. Provide training to the regions and FAA logistics center for new test equipment.

r. Develop and distribute video tapes and other training aids for sophisticated test equipment.

s. Provide for calibration in support of the E&R and ANI programs ensuring that test equipment shipped from the FAALC has a minimum of 90 days remaining before its calibration expires.

t. Assure timely availability and distribution of F&E acquired test equipment in support of the project implementation schedule.

22. NAS PROGRAM MANAGEMENT SERVICE. The NAS Program and Financial Management shall:

a. Verify the availability of ANI program and operations funds required to procure test equipment and maintain stock levels to support the test equipment E&R program.

b. Issue project authorizations transferring funds to the FAALC when required.

23. RESERVED.

24. REGIONAL AF DIVISIONS AND ANI. Through their RTEPM's, regional AF divisions, in conjunction with other regional divisions, shall:

a. Provide any necessary supplemental guidance to system maintenance offices appropriate to the administration of the test equipment program within the region.

b. Review project material lists (PML) for adequacy of test equipment to be provided through the ANI program. Continuously monitor project status reports (PSR) and follow up with cognizant headquarters elements to ensure that adequate test equipment is furnished in a timely manner.

c. Consolidate, review, and forward the system maintenance offices' requirements for replacement equipment as submitted on FAA Form 6200-5, Electronic Test Equipment Replacement Program, to AML-640. Indicate priority for replacement to help allocate equipment to those areas of greatest need.

d. Inform AML-640 when an item of test equipment no longer serves the purpose for which it was furnished. Specify the tests that cannot be performed and include a concise analysis of the deficiencies of the instrument. If feasible, recommend a replacement item.

e. Coordinate with AML-640 and the FAALC prior to procurement of any test equipment to reduce proliferation of equipment types and ensure the FAALC's support. Procure or lease test equipment with regional funds or local ANI funds within the following guidelines:

(1) When safety may be in jeopardy unless a test equipment item is immediately available.

(2) To meet unique or unusual local requirements that cannot be funded by headquarters. When the requirements are of a short-term nature, consider leasing.

(3) Before procuring test equipment using regional or local ANI funds, determine whether the items will be supported by the FAALC under the E&R program. If so, include procurement of calibration and/or maintenance manuals, spare parts, and additional stock for E&R.

(4) Provide AML-640 with the manufacturer, part number, national stock number, noun, description, manufacturer's recommended calibration interval and 2 copies of the calibration and/or maintenance manuals for test equipment that is not listed in appendix 1 of this Order.

f. Conduct field evaluation of candidate test equipment prior to national procurement when tasked.

g. Strive for maximum economy in management and utilization of test equipment.

h. Redistribute test equipment within the region to improve effectiveness and economy without compromising safety.

i. Estimate calibration funds required and provide input in response to annual call for estimates.

j. Provide calibration and repair cost information for entry into the FAA NTEDB.

k. Coordinate with AML-640 in the development of calibration procedures to be adopted for national use.

l. Evaluate System Management Offices level of calibration to ensure that national and regional requirements are implemented. Ensure that calibration measurements are traceable to NIST standards, and conduct a quality assurance program to maintain appropriate margins of calibration precision and accuracy.

m. Select an RTEPM who will have direct responsibility for the ANI Engineering Centers and Service Centers (EC and SC) test equipment program.

n. Budget for unique regional/ANI test equipment and for test equipment not associated with specific systems.

o. Ensure that excess equipment is reported promptly.

p. Provide interface between regional facilities, Washington headquarters, and the FAALC in the test equipment area.

q. Develop and forward regional long-range test equipment requirements to AML-640.

r. Advise AML-640 of regional test equipment requirements above and beyond approved test equipment allowances.

s. Identify and report to AML-640 test equipment requiring replacement that has not been identified for replacement by AML-640. Justification is to be included with such reports.

t. Keep field personnel informed of test equipment program procedures.

u. Manage the regional test equipment loan pool.

v. Monitor the NTEDB to ensure accuracy of data.

w. Maintain the NTEDB in conjunction with the system maintenance offices.

x. Manage the regional test equipment rental program.

25. SYSTEM MAINTENANCE OFFICES. Subject to regional guidance, the system maintenance offices (SMO) shall:

a. Ensure all test equipment that requires calibration is calibrated within the appropriate specified interval. Calibration requirements and specified intervals are identified in Appendix 1.

b. Ensure that the calibration records as defined in paragraph 58 are maintained within each System Maintenance Office.

c. Update the NTEDB with calibration data.

d. Ensure the integrity of the calibration program.

e. Requisition new or replacement test equipment in accordance with the latest edition of Order 4250.9, Field Inventory Management and Replenishment Handbook, or other established regional procedures.

f. Dispose of replaced test equipment in accordance with the latest edition of Order 4800.2, Utilization and Disposal of Excess and Surplus Personal Property, when the replacement items are received, and after receiving confirmation from the FAALC that there is no requirement to retain the item for cannibalization.

g. Report new, replaced, transferred, or excessed items of test equipment in accordance with the latest edition of Order 4650.7, Management of Project Materiel (when ANI funded), or Order 4650.21B, Management and Control of In-Use Personal Property (when operations funded).

h. Ensure that the deadline for shipping discrepant assets to the FAALC for E&R exchange is adhered to in accordance with Order 4250.9.

26.-29. RESERVED.

Chapter 4. NEW NAS PROJECT TEST EQUIPMENT REQUIREMENTS

30. GENERAL. This chapter deals with the development of requirements for test equipment to support new systems or newly modified systems. The types of requirements referred to include technical requirements, quantity and funding requirements, and logistics support requirements. Requirements pertaining to replacement of test equipment that is in service are covered in Chapter 7, Maintenance. Test equipment must be procured to support new or newly modified systems, distributed on a schedule that meets system activation schedules, and provided with its own logistics support. To accomplish this, the need for test equipment must be considered from the earliest stages of the acquisition or modification. This activity, along with the other NAILS activities, will be monitored by the associate program manager for logistics (APML).

31. DEFINITION OF TECHNICAL REQUIREMENTS.

a. The key to defining technical requirements for test equipment is active participation by the contractor in accordance with the contract and under the direction of the acquisition product leader (PL). Therefore, contract statements of work (SOW), procurement descriptions, and other contract documentation must make FAA needs for test equipment clear.

b. The product to be delivered by the contractor is a listing of parameters to be tested and of the types of test equipment that can be used to test those parameters. The listing shall be supported by the support equipment recommendation data (SERD) to ensure that the need for test equipment can be traced to specific maintenance actions. The listing and analysis must cover all types of test equipment.

c. The PL is responsible for ensuring that test equipment technical requirements are derived via the NAILS process. The PL is supported in this task by the APML. The test equipment technical requirements will be produced as part of the logistics support analysis (LSA). Test equipment requirements must be summarized in the integrated logistics support plan (ILSP) and justified in the SERD.

d. Authorized quantities of test equipment will be determined using LSA. LSA will consider the maintenance work center concept of maintenance, collocation of systems using the same test equipment, the need for test equipment to be located on site at remote sites with limited accessibility, the availability of existing test equipment, the portability of test equipment, environmental requirements for transporting test equipment, the category of site restoration, and the number of similar NAS systems located at the maintenance work center. LSA will be a cooperative effort between the NAS program manager, AML-640, and the regions. This operation shall be accomplished early in the NAILS process.

32. FUNDING AND QUANTITY REQUIREMENTS.

a. Funding Estimate. On request, AML-640 will prepare initial estimates of funding requirements for test equipment. The PL then may utilize these estimates in early budget planning.

b. Quantity Requirements. When the SERD is delivered, AML-600 will analyze the current inventory of test equipment at the locations where the system will be supported. AML-640 will identify the test equipment items on hand that meet the requirements of the new system and determine the need for new items required in the field. Through direct liaison with the organizations concerned, AML-640 will determine the quantity requirements for:

(1) The FAALC, including depot maintenance shop requirements and E&R spares requirements. The E&R allowance should be at least 10 percent of the total requirements.
(2) The FAA Academy.
(3) The FAA Technical Center.
(4) AOS-100 thru AOS-600.
(5) The regions.
(6) ANI Engineering Centers and Service Centers(EC and SC)

c. Acquisition Estimates. When quantity requirements have been calculated in accordance with paragraph 3b above, the detailed funding requirements for test equipment to be procured can be ascertained. The PM may break down funding requirements by fiscal years to ensure that test equipment is procured on a schedule consistent with the system activation schedule. Experience has shown that unusual measures are necessary if test equipment is to be procured and delivered less than 18 months after the technical requirements are established.

33. SPECIAL TEST EQUIPMENT. The procurement of special test equipment will be held to the essential minimum. If special test equipment must be procured, the need must be justified in detail. In all cases, the acquisition PM is responsible for ensuring that complete logistics support for the special test equipment is provided. When special test equipment is to be procured from the developer of the supported system, the PM should acquire a procurement data package so that sole-source procurements may be avoided in the future.

34. FIELD EVALUATION OF TEST EQUIPMENT. The introduction of new test equipment makes preliminary field evaluation and pre-award testing necessary. The evaluation may be accomplished by regional, ANI or FAALC organizations. Field evaluations of this nature are funded by AML-640.

35. LOGISTICS SUPPORT REQUIREMENTS. Logistics support resources are acquired at the time the test equipment items are procured. The goal is to ensure that field organizations, the FAALC, and other FAA organizations are provided with all resources necessary to operate and maintain the test equipment in service. Responsibilities for acquiring test equipment and its associated logistics resources are set forth in the next chapter.

36. ACQUISITION OF A NON-FEDERAL FACILITY. When the FAA acquires a non-Federal facility, the RTEPM, AML-600, AOS-100, AOP-300 shall define the test equipment technical requirements. With funding provided by AOP-300, AML-640 shall procure the required test equipment.

37.-39. RESERVED.

Chapter 5. ACQUISITION

40. RESPONSIBILITIES.

a. Overall authority and responsibility for management of the FAA Test Equipment Program and for ensuring that individual items of test equipment are acceptable to the FAA is vested in AML-640. Within that general framework, responsibility for procurement of test equipment is assigned as shown in appendix 2, Responsibility for Procurement of Test Equipment.

b. The responsibility for acquisition of test equipment includes responsibility for identifying and acquiring the logistics resources necessary to support that test equipment.

c. The FAALC support of items procured by the regions will be provided if 10 percent of the procurement is provided to E&R and approval is received from AML-640. Unless the quantity concerned is large enough to justify a support project at the FAALC level, the test equipment items concerned must be supported by the procuring region/ANI. Regions/ANI should coordinate with AML-640 before procuring test equipment under regional/ANI authority.

41. FUNDING. Appendix 3, Responsibility for Funding of Test Equipment, delineates funding responsibilities.

42. PROCUREMENT.

a. FAALC-Procured Standard Test Equipment.

(1) After the technical characteristics of the required standard test equipment are determined (as outlined in chapter 4), AML-640, assisted where necessary by the FAALC or appropriate organization (AOS-100 thru AOS-600), will prepare procurement descriptions or other procurement documents. This process will include determination of quantities to be procured.

(2) AML-640 will incorporate the following into procurement planning:

(a) Evaluation and pre-award test requirements.

(b) Life cycle cost analysis.

(c) Coordination of multiple procurements.

(3) Once the procurement documentation has been prepared, the authority listed in appendix 3 will authorize commitment of the necessary funding, and AML-640 will forward the funded procurement document to the NAS Support Division, ALG-200 (or the FAALC, depending on where the procurement action is to be executed).

b. Special Test Equipment. Special test equipment ordinarily will be procured from the manufacturer of the supported system by the PL under the system acquisition contract.

43. DISTRIBUTION. Items will be shipped as directed by AML-600.

44.-49. RESERVED.

Chapter 6. CALIBRATION

50. GENERAL. This chapter outlines requirements for calibration of test equipment, using MIL-STD-45662A and/or ANSI/NCSL Z540-1-1994 as a guide. All test equipment used to maintain, troubleshoot, adjust, or certify NAS equipment shall be calibrated. Calibration cycles and exceptions are listed in appendix 1. Calibration is required because it provides traceability to a common reference and ensures the accuracy of measurements and adjustments made to NAS systems.

51. GENERAL REQUIREMENTS.

a. Test Equipment Calibration. The calibration requirements for test equipment can be found in a variety of publications and directives. The order of precedence of these documents is as specified in Order 6000.15.

b. Traceability to NIST. The measurement results of a test equipment item or other unit must be traceable to the national reference standard measurement system through an unbroken, documented chain of comparisons, utilizing at each higher level calibration equipment of higher accuracy. The calibration of test equipment must be traceable to reference standards recognized by the NIST.

c. New Test Equipment. New test equipment received through general procurement channels shall not be considered to be calibrated unless a current manufacturer's calibration label is affixed to the unit or a current calibration certification sheet is received with the unit.

d. Un-calibrated Test Equipment. Un-calibrated test equipment other than the calibration-exempt test equipment listed in appendix 1 will be calibrated before use on NAS equipment.

e. E&R Test Equipment. Test equipment received from the FAALC shall not be considered calibrated unless a current calibration label and a "void if removed" seal are affixed to the unit.

f. Calibration Responsibility. The region/ANI is responsible for ensuring that all test equipment used to maintain NAS equipment received in an un-calibrated condition is immediately calibrated.

g. Calibration Labels and Seals.

(1) Calibration Label. A self-adhesive, tamper-proof calibration label shall be affixed on a highly visible location near the front of the test equipment. The label shall provide information on the date the unit was calibrated, the next date the unit is due to be calibrated, and the initials or other identification of the technician certifying the calibration.

(2) Limited-Calibration Label. A self-adhesive, tamper-proof limited calibration label shall be affixed on a highly visible location near the front of the test equipment. The label shall provide information on the date the unit was calibrated, the ranges of the unit that were calibrated, the next date the unit is due for calibration, and the initials or other

identification of the technician certifying the calibration. Limited calibration will be restricted to items specified by the RTEPM, who will furnish a list of such items to the NTEPM, AML-642.

(3) No-Periodic-Calibration-Required or No-Calibration-Required Label. A self-adhesive, tamper-proof, "no periodic calibration required" (NPCR) or no calibration required (NCR) label shall be affixed on a highly visible location near the front of all test equipment listed as NPCR or NCR in appendix 1 of this order.

52. CALIBRATION INTERVAL. Test equipment and reference standards shall be calibrated at periodic intervals. The standard calibration interval shall be determined by AML-640.

a. The RTEPM may adjust calibration intervals by 10 percent to accommodate schedule variations.

b. Schedule extensions beyond the 10 percent allowance must be approved in writing by AML-640.

53. CALIBRATION-EXEMPT ITEMS. The test equipment items listed in the calibration cycle requirements marked "NPCR" or "NCR" in appendix 1 shall be exempted from calibration.

54. CALIBRATION STANDARDS. Calibration standards shall be calibrated according to the manufacturer's recommendations.

55. CALIBRATION SOURCES. Calibration may be conducted by qualified AF organizations, by other Government organizations, or by qualified commercial contractors. The RTEPM's are responsible for selecting qualified sources. A checklist, derived from ANSI/NCSL Z540-1-1994 handbook, Evaluation of Contractor's Calibration System, will be used to aid in qualifying sources.

56. CALIBRATION QUALITY ASSURANCE. Regional/ANI and contractor calibration quality assurance programs shall be in accordance with MIL-Q-9858A. Regional offices shall maintain a copy of their own quality assurance plan, as well as any applicable contractor or interagency calibration quality assurance plans, on file in the RTEPM's office. Calibration quality assurance plans for interagency agreements will conform to the agency's internal requirements for quality assurance. The regional/ANI office shall also have on file a sampling plan to verify the validity of the equipment being calibrated from commercial calibration sources. This sampling plan shall also be maintained at the system maintenance offices for the verification of calibration at the system support centers.

57. REPAIR OF TEST EQUIPMENT DURING CALIBRATION. Commercial contracts and interagency agreements shall provide for the minor repair of test equipment and define minor repairs in terms of cost. When test equipment is calibrated, if it is found to require repairs to return it to a certified state, minor or low-cost repairs shall be made by the calibrating agency. If the test equipment requires more than minor repair to return it to full operational capability, it shall be returned by the contractor or the calibrating agency to the facility to forward to the region's repair contractor or to the FAALC for repair and calibration.

58. CALIBRATION RECORDS. Calibration records shall be maintained at the facility for a period of not less than 3 calibration cycles or calendar years. These records should support traceability of the standards used and link each item of test, measurement, and diagnostic equipment to all of the standards used in its calibration. These records shall contain:

a. A listing of the calibration package or calibration transfer standards used to calibrate each test equipment unit. This listing will include the name of the manufacturer, the model number, the serial number, and the date that the calibration package or transfer standard was last calibrated.

b. A listing of the end-item test equipment "out-of-tolerance" readings if the unit is found to be out of tolerance and corrective action has been taken to return the unit to a fully operational state. The calibration facility shall send out-of-tolerance notices to the appropriate sector office and the RTEMP, on any unit of test equipment found to be significantly out of tolerance during calibration. (Significantly out of tolerance is two times the original manufactures tolerance).This does not include test equipment that is out of tolerance and needing repair.

c. A listing of the calibration facility's environmental conditions at time of calibration.

d. Identification of the procedure used to perform the calibration.

e. A statement attesting to the traceability of the test equipment to NIST or other recognized national or physical standard.

59.-69. RESERVED.

This Page Intentionally

Left Blank

Chapter 7. MAINTENANCE

70. GENERAL. Availability of test equipment is vital to ongoing maintenance to ensure the satisfactory operational status of the NAS.

a. All maintenance of test equipment will be performed in accordance with applicable technical orders.

b. Periodic maintenance will be performed according to established schedules. A scheduling window of 10 percent is allowed to adjust for variations in the schedule. In extraordinary circumstances, AML-640 may extend the maintenance cycle.

c. The FAALC will maintain stock levels of appropriate items to satisfy both routine and emergency field requirements.

71. PROCEDURES FOR E&R. The replacement of defective test equipment shall be accomplished in the following manner:

a. Field requisitions for test equipment shall be submitted in accordance with Order 4250.9.

b. The FAALC shall respond according to the priority code on the requisition when serviceable stock is available.

c. If serviceable stock is not on hand at the FAALC, the defective test equipment will be replaced using R&R procedures defined in paragraph 72.

d. The E&R program normally has assets only to support its own functions, and requests for initial issues cannot be honored. The PM for the specific program shall be contacted concerning initial issue of test equipment.

72. PROCEDURES FOR R&R. When serviceable stock is not available, the following R&R procedures will be used:

a. Routine requisitions will be back-ordered and released as units are received into serviceable stock from repair or acquisition sources.

b. For emergency requisitions (priorities 1 and 2), the FAALC inventory manager will coordinate with the requisitioning office to:

(1) Provide an availability date.

(2) Explain the FAALC R&R procedures and suggest possible substitute equipment if available.

(3) Discuss local repair as an alternative. If the preferred action is commercial repair in the local area:

(a) The FAALC inventory manager shall advise the ordering office to contact a local repair source and obtain a written repair cost estimate at no cost to the Government.

(b) The estimate shall be communicated to the FAALC inventory manager for evaluation and consideration. Copies of written estimates shall be provided to the NAS Acquisition Division, AMQ-200.

(c) The FAALC inventory manager will initiate a procurement request via the Logistics Inventory System (LIS) or DOT Form F 4200.1, reflecting the appropriate fund citation, and forward it to AMQ-200, if the estimate is deemed fair and reasonable.

(d) ALG-300 will contact the local repair source, verify the cost estimate, and award a repair order accordingly.

(e) The field offices shall not proceed with repairs until AMQ-200 issues a purchase order or the inventory manager has confirmed via telephone or dispatch that a purchase order is forthcoming. Costs of repairs made without FAALC/AMQ-200 authorization will be paid by the field from regional funds.

73. PACKAGING, HANDLING, STORAGE, AND TRANSPORTATION. The FAALC procures or fabricates special containers for shipment and storage of test equipment. Initial shipment of test equipment is made in these containers. Field facilities shall retain the containers on site for future use. In the event these special containers are not available, shipment shall be handled in accordance with ANSI/NCSL Z540-1-1994, Packaging of Electronic and Electrical Equipment, Accessories, and Provisional Items (Repair Parts).

74. EQUIPMENT ACCESSORIES. The FAALC will endeavor to furnish the same or equivalent instruments on E&R transactions. There will be occasions when substitute items must be supplied. When such substitution is made, accessories necessary for the operation of the test equipment, such as plug-in converters or termination's, shall be provided by the FAALC. Ancillary items required and not available at the user facility will be requisitioned from the FAALC by the field facility. Where substitution has been made, the field facility shall return all accessories, modification records, and manufacturer's instruction books applicable to the original item to the FAALC.

75.-79. RESERVED.

Chapter 8. REPLACEMENT

80. RESPONSIBILITIES. The FAALC has overall responsibility for replacement of obsolete items and those no longer adequate for measurement requirements. AML-600 shall provide support to the field through the operating material system for items that are lost, stolen, or destroyed.

a. The guidelines outlined in chapter 2 shall be followed in the replacement of test equipment. When a specific piece of test equipment is at a work center, additional units of the same item will be provided only if justified by the workload. When a new system is being added at or physically near a location where the necessary test equipment is already positioned, additional units will be provided only if justified and approved by the PM.

b. Test equipment will be replaced if it does not provide the necessary accuracy, sensitivity, or other measurement capabilities for performing required checks as specified in agency directives or if it has been declared obsolete by AML-640 because it can no longer be repaired.

81. PROCEDURES FOR REPLACING ITEMS LOST, STOLEN, OR DESTROYED.

a. Field facilities shall submit a speed memo or cc:Mail through the RTEPM to AML-640, requesting an initial issue for replacement of the lost, stolen, or destroyed item.

b. Field facilities shall also submit FAA Form 4630-8 to the regional property manager. Procedures for submitting this form are found in the latest edition of Order 4630.3, Survey of Lost, Damaged or Destroyed Government Personal Property.

82. PROCEDURES FOR EMERGENCY INITIAL ISSUE REQUISITIONS.

a. Field facilities should contact the RTEPM.

b. The RTEPM will determine if the test equipment is available elsewhere in the region.

c. If the RTEPM cannot meet the requirement, a speed memo or cc:Mail will be submitted to AML-640 containing the following information:

(1) The national stock number (NSN) and model number of the item required.

(2) A brief justification of the requirement.

(3) The supply support code of the facility.

(4) The name and telephone number of the point of contact.

d. On receipt of the speed memo or cc:Mail, AML-640 will review the E&R stock status to determine if sufficient assets are available for initial issue.

e. If initial issue from E&R stock is not possible, AML-640 will coordinate with the RTEPM to determine the appropriate long-range replacement action.

f. If the FAALC cannot furnish the item, or suitable substitute, it will provide the regional office with GSA contract availability and pricing information to assist with interim support.

83. ITEMS UNECONOMICAL TO REPAIR. Ordinarily this determination is made at the FAALC during repair. The facility shall request replacement of an FAALC-supported item through a normal E&R transaction.

84. ITEMS CONSIDERED INADEQUATE OR OBSOLETE.

a. Deficient Test Equipment. Test equipment that will not provide the necessary accuracy, sensitivity, stability, or other measurement capabilities for performing required checks as outlined in agency directives shall be reported via speed memo or cc:Mail to AML-640. AML-640 will make the final determination and take appropriate action. Replacement of an older-generation item by a new device will be supported solely on a technical or cost-effectiveness basis.

b. FAALC Substitution. A substitute item that is received as a result of an E&R transaction, but cannot perform the required checks, shall be reported to the FAALC in accordance with the latest edition of Order 4680.1, Depot Customer Service Evaluation System, with an information copy to AML-640.

c. Procedures for Replacement of Obsolete Test Equipment Supported by the FAALC Logistics Inventory System (LIS).

(1) The facility should order the obsolete item through LIS.

(2) The FAALC will ship a new item as E&R.

(3) The facility will return the obsolete item using the following procedures:

(a) Circle the NSN on FAA Form 4250-5.

(b) Place an "F" in front of that NSN.

(c) Write the obsolete NSN in the "non-identical NSN" block of FAA Form 4250-5.

(d) Place a "K" in front of the obsolete NSN.

d. Procedures for Replacement of Obsolete Test Equipment Not Supported by the LIS (i.e., if the Obsolete NSN Is Not on Record at the FAALC).

(1) The facility will send a speed memo or cc:Mail, routed through its RTEPM, to AML-640 with the following information:

(a) The NSN, model number, and serial number of the obsolete item.

(b) The NSN and model number of the replacement item desired (If known).

(c) The supply support code of the facility.

(d) The name and telephone number of the point of contact.

(2) The facility should attach a copy of the excess document for the obsolete item to the speed memo, or FAX a copy to AML-640 if cc:Mail is utilized. This will verify that excess action is either in process or completed.

(3) The facility should include a statement "NOT FOR FAA USE" on the excess document.

e. Procedures for Request of Initial Issue or Upgrade of Test Equipment Determined To Be Inadequate.

(1) The facility should contact their RTEPM.

(2) The RTEPM should determine if the test equipment is available elsewhere in the region.

(3) If the requirement cannot be met, the RTEPM should submit a speed memo or cc:Mail to AML-640 with the following information:

(a) The NSN and model number of the item desired.

(b) A brief justification of the requirement.

(c) The supply support code of the facility.

(d) The name and telephone number of the point of contact.

(4) AML-640 will then review E&R stock status and determine if initial issue can be accomplished.

(5) If issue from E&R stock cannot be supported, AML-640 will coordinate with the RTEPM to determine the appropriate long-range issue action.

(6) If the FAALC cannot provide initial issue of the required item, they will provide the facility with GSA contract availability and pricing information to assist with interim support.

85. NATIONAL TEST EQUIPMENT REPLACEMENT PROGRAM

a. Criteria for Test Equipment Replacement.

(1) Repair no longer available (from FAALC or commercial sources).

(a) Test equipment no longer supported by manufacturer.

(b) Parts no longer available for repair.

(c) Cost of repairing equipment exceeds 60 percent of cost to purchase new unit (at today's price).

(2) High Failure Rate Item

(a) Item is unreliable and/or does not hold calibration (AML-640 or regional data).

(b) Physical failures exceed 35 percent per year of field population (OS&D) (ALM-500; quality)

(3) Test equipment no longer meets technical requirements. Item does not provide accuracy, sensitivity or measurement capability for system maintenance.

(4) Life Cycle Replacement. At time of procurements establish life-cycle requirements for replacement.

b. AML Criteria for Determining Allotment per Region. The following factors will be used to determine distribution:

(1) Facilities with highest restoration codes.

(2) Poorest reliability test equipment per region.

(3) Additional test equipment will be supplied for sites with access problems, or facilities with geographical limitations, with justification from the regions.

c. Region/System Management Offices Criteria for Determining Allotment per System Management Office. The following factors will be used to determine distribution:

(1) Facilities with highest restoration codes.

(2) Poorest reliability test equipment per system maintenance offices.

(3) Additional test equipment will be supplied for sites with access problems.

(4) "High visibility" (congressional) sites.

86.-89. RESERVED.

Chapter 9. CALIBRATION QUALITY ASSURANCE

90. GENERAL. Calibration quality assurance. Regional and contractor calibration quality assurance programs shall be in accordance with MIL-Q-9858A. Regional offices shall maintain a copy of their own quality assurance plan, as well as any applicable contractor or interagency calibration quality assurance plans, on file in the RTEPM's office. Calibration quality assurance plans for interagency agreements will conform to the agency's internal requirements for quality assurance. The regional office shall also have on file a sampling plan to verify the validity of the equipment being calibrated from commercial calibration sources. This sampling plan shall also be maintained at the system maintenance offices for the verification of calibration at the system support centers.

91. APPLICABLE DOCUMENTS. Unless otherwise specified, the following documents are the references:

a. Federal Aviation Administration

FAA-STD-013()	Quality Control Program Requirements
FAA-STD-016()	Quality Control System Requirements
FAA ORDER 6040.6()	Airway Facilities

b. Military

MIL-STD-45662()	Calibration System Requirements

c. Other Publications

ANSI/NCSL Z540-1-1994	Calibration laboratories and Measuring and Test Equipment General Requirements

92. QUALITY ASSURANCE PROGRAM REQUIREMENTS. In-house calibration services, contractor services, and interagency agreements shall provide quality assurance in accordance with this order. The reporting of audits, calibration/maintenance, inspections, and schedules shall be required as an integral part of this program.

a. Required Documentation. Documentation required under the quality assurance program shall include:

(1) Calibration certifications of primary/transfer standards.

(2) Records of qualification of metrologists.

(3) Calibrator's quality assurance plan/program.

(4) Test equipment calibration records.

(5) Records of test equipment calibration adjustment.

(6) Records of maintenance of test equipment.

b. Quality Assurance Provisions. All operations performed by a contractor, in-house calibration group, and/or interagency agreement group, in compliance with this order, shall be subject to Government verification at unscheduled intervals.

c. Verification will include but not be limited to the following:

(1) Review of the calibrators' documented calibration system description to determine compliance with the detailed requirements of this order.

(2) Surveillance of calibration operations for conformance to the calibrators' documented system.

(3) Review of calibration results to verify adequacy of the calibrators' calibration process. The calibrators' measuring and measurement standards shall be made available for use by the Government representative, as required. Where conditions warrant, calibrators' personnel shall be made available for operation of such devices.

d. Results of inspections or audits conducted within the last 12 months may be used by the Government in determining calibrators' compliance with this order.

93. NATIONAL CALIBRATION REQUIREMENTS. All measurement standards used in the calibration system shall be supported by certificates, reports, or data sheets attesting to source, data, uncertainty, and the conditions under which the results were obtained. Each document shall be signed by a person attesting to the correctness of the results.

a. Calibrator shall maintain documented evidence that each calibration in the chain of traceability has been carried out.

(1) Calibrator shall maintain records of all calibration and traceability of any and all primary standards and transfer standards used to calibrate test equipment.

(2) Calibrator will maintain a record of all calibrations performed on test equipment in accordance with this order.

(3) Calibrator shall maintain documentation to show the qualifications of his metrology staff.

(4) Calibrator shall maintain a library of all calibration manuals needed to calibrate test equipment.

(5) Calibrator shall maintain sufficient manpower to ensure proper calibration of test equipment.

b. National audit team shall conduct on-site inspection of calibrator. Inspection shall include but not limited to: observed re-calibrations by the calibrator of a minimum of two items of test equipment; and off-site validation of at least four percent of test equipment, by an outside metrology laboratory.

c. Each region shall maintain documented evidence that each calibration in the chain of traceability has been carried out.

(1) Regions shall maintain a current record of all calibration and traceability of any and all primary standards and transfer standards used by the calibrators to calibrate test equipment.

(2) Regions shall maintain a copy of their calibration contract/interagency/in-house calibration directive.

(3) Regions shall maintain a record of all calibrations performed on test equipment in accordance with this order.

d. Each system maintenance offices shall maintain evidence that each calibration has been carried out and is traceable.

e. All regions and system maintenance offices shall comply with the calibration requirements of this order.

94. RESPONSIBILITIES.

a. AML-642 is responsible for:

(1) Conducting test equipment evaluations of the regions. Audits shall be performed on a 3-per-year schedule. Audit reports shall be distributed to the audited region 30 days after completion of the audit.

(2) Updating and maintaining the test equipment quality assurance program in accordance with this order.

(3) Establishing adjusted calibration cycles of test equipment in conjunction with the regions.

(4) Providing an annual report on the state of the test equipment in conjunction with the regions.

(5) Providing RTEPM training for calibration management, and other training pertinent to the task of managing the region's test equipment program.

b. The regions are responsible for:

(1) Establishing a regional quality assurance program in accordance with this order.

(2) Performing periodic audits/inspections of the region's test equipment and calibration program in accordance with this order, using the audit and/or verification reports. (See page 35)

(3) Requesting the national audit team as needed.

(4) Each region's RTEPM or the RTEPM's designee shall periodically monitor the region's calibrator to ensure compliance with this order, in-house calibration service, contractor service, and interagency agreements.

(5) Providing a semi-annual regional calibration report (See page 35) to AML-642; the first report due at the end of the second quarter and the second report due at the end of the fiscal year. The report shall contain the following information:

(a) Total quantity of TMDE due calibration for the reporting period.

(b) Total quantity of TMDE calibrated during the reporting period.

(c) Total quantity of TMDE missed calibration for the reporting period, identify TMDE not calibrated by part number and bar code.

(d) Total quantity of TMDE rejected by calibrator for the reporting period, identify TMDE rejected by part number and bar code.

(e) Total quantity of TMDE requiring adjustment during the reporting period, identify TMDE adjusted by part number and bar code.

(f) Percent of region's total TMDE calibrated for the reporting period.

(g) Total cost of calibration for the reporting period.

(h) Attach results of calibration audits and TMDE verifications conducted during reporting period. Report total number of TMDE verifications performed and total number of TMDE verifications requiring re-calibration, attach report for each unit of TMDE requiring re-calibration.

(i) Deviations from the contract/interagency agreement/in-house directives requested and/or implemented by the calibrator, identify if deviations were approved by the FAA.

(j) Provide comments/remarks relating to the test equipment program.

c. <u>The system management office mamager's are responsible for</u>:

(1) Monitoring the calibrator while on site, and reporting any problems to the systems maintenance office manager and the RTEPM.

(2) Submitting a test equipment quality assurance report to the RTEPM upon completion of site calibration, as required by this order. (See page 35)

(3) Requesting an inspection from the RTEPM as required.

95. ACCOUNTABILITY: AML-642 is accountable for the content of the quality assurance program.

96. INTERAGENCY AGREEMENT: Agreements for the quality assurance reporting from other government agencies performing calibration for the FAA shall meet the minimum requirements of MIL-STD-45662 and/or ASSI/NCLS Z540-1-1994.

SEMI-ANNUAL CALIBRATION REPORT

From: _____ **REGION:** A___ **DATE:** _____

1. Total TMDE due calibration this period: _____

2. Total TMDE calibrated this period: _____

3. TMDE not presented for calibration: Total: _____

Quantity	Model Number	Bar Code
_____	_____	_____
_____	_____	_____
_____	_____	_____

continued on attached page Yes ____ No ____

4. TMDE rejected by calibrator: Total: _____

Quantity	Model Number	Bar Code
_____	_____	_____
_____	_____	_____
_____	_____	_____

continued on attached page Yes ____ No ____

5. TMDE requiring adjustment by calibrator: Total: _____

Model Number	Number Calibrated	Number Adjusted
_____	_____	_____
_____	_____	_____
_____	_____	_____

continued on attached page Yes ____ No ____

6. Percent of region's total TMDE calibrated this period: _____

7. Total cost for calibration this period: $_____

8. Audit/equipment verification conducted this period: Yes ____ No ____
If yes attach audit and/or verification report(s)

9. Calibrator deviated or requested a deviation for period: Yes ___ No ___

_____

_____

continued on attached page Yes ____ No ____

10. Additional Comments/Remarks attached: Yes ____ No ____

APPENDIX 1. CALIBRATION CYCLE REQUIREMENTS

1. All test equipment used to maintain, troubleshoot, adjust, or certify NAS equipment will be calibrated according to this appendix. Calibration cycles and exceptions are listed below.

a. NCR (no calibration required). Test equipment that does not require calibration or is exempted from calibration by this appendix. Test equipment is marked NCR for the following reasons:

(1) The manufacturer recommends NCR or does not have a calibration procedure.

(2) The test equipment is never used to make significant quantitative measurements on NAS equipment.

(3) Proper operation of the test equipment can be verified by monitoring with calibrated equipment.

(4) Any out-of-tolerance condition would be obvious to the user.

Items identified as NCR in this appendix shall not be calibrated without written authorization from the RTEPM and/or the program office. Test equipment designated as NCR shall be clearly marked as such and shall not be used to make significant quantitative measurements on NAS equipment.

b. User(calibration is performed by the user). Calibration is part of the FAA maintenance process or is necessary prior to use of equipment. User shall calibrate the test equipment in accordance with the approved FAA maintenance procedure or the appropriate equipment manufacturer's procedure. All user calibrations shall have a maximum interval of 12MO unless an extended interval is authorized in writing by the RTEPM and/or the program office.

c. ( )MO (calibration cycle). Calibration cycles for FAA test equipment. Each unit will be calibrated to the prescribed interval listed in the appendix. The calibration cycle may be shortened by the user when determined necessary. The user shall provide the RTEPM a report of any such determination and supporting rational.

d. XXXX (equipment no longer supported). Items that are marked XXXX are obsolete and shall not be calibrated. These items have been replaced and should be excessed. Contact RTEPM concerning disposal. These items shall not be calibrated without a written and signed letter from the RTEPM and/or program office.

2. For planning and scheduling purposes the site COTR shall report to the RTEPM and equipment calibrator any additions, deletions, replacement, or change in calibration status effecting their test equipment inventory.

3. Report errors or omissions in this document to the RTEPM. Provide all pertinent information available. After review the RTEPM shall submit changes to AML-642.

4. AML-642 will publish a yearly update to this Appendix. Magnetic media updates will be provided to RTEPMs and equipment calibrators as necessary.

MODEL/PART NUMBER	NSN	CAGE CODE	MANUFACTURER	NAME/DISCRIPTION	EQUIPMENT APP-TO	CALIBR INTER
0-15GR	NSL			GAUGE FORCE		24MO
0-1701/GR	5895-01-003-0981	31550	ITT	TRANSMITTER SYNTHESIZER	AN/GRR 23-24	NCR
0-3GR	NSL			GAUGE FORCE		24MO
0-50GR	NSL			GAUGE FORCE		24MO
001131-0101	NSL		ASII	RECEIVER PIR		12MO
0021-0000			LINEAR	MODULE MILLIVOLT/VO		NCR
01-0255-00		13499	COLLINS	GENERATOR SIGNAL VOR ZIFOR		12MO
010-0207-00	6625-00-477-2653	80009	TEKTRONIX	PROBE CURRENT		NCR
010-0238-00	6625-00-241-0836	80009	TEKTRONIX	PROBE CURRENT AC		NCR
010-6401-01	6625-00-250-3436	80009	TEKTRONIX	PROBE LOGIC		NCR
010202526		02446	GE	POWER SENSOR RF		12MO
010283SC-06	6625-01-443-3360		ST RESEARCH	ISO/GEN		12MO
011-0093-00	NSL	80009	TEKTRONIX	ATTENUATOR 600 OHM		NCR
0117-0003-10		57062	BIOMATION	ANALYZER LOGIC		NCR
015-0338-00	6625-01-236-2245	80009	TEKTRONIX	DETECTOR SUMMING		USER
016-0606-00	6625-01-111-2211	80009	TEKTRONIX	RECORDER CHART PIU	TEST	USER
0223000	NSL	18068	ASTROCOM	T/S DATA MAXICHEK	ATCT	NCR
02463		16902	SIMPSON	TRANSFORMER CURRENT		NCR
03-4-016-7			DIVELPRO	T/S WIND INSTRUMENT		USER
03265		57858	ELECTRO MECHANICAL	T/S BATTERY CELL		USER
047	NSL	03496	ANEMOSTAT	ANEMOMETER AIR FLOW		USER
054483-0001	5985-01-048-5058	65597	WILCOX	ATTENUATOR VAR 1-10dB 10W 328-336MHz		NCR
054483-0002	5985-01-139-3415	65597	WILCOX	ATTENUATOR VAR 0-4dB	GS	NCR
067-0587-01	6625-00-115-6711	80009	TEKTRONIX	CALIBRATION STANDARDIZER		NCR
067-0587-02	6625-01-092-8915	80009	TEKTRONIX	CALIBRATION STANDARDIZER		NCR
067-1039-00	6625-01-289-8715	80009	TEKTRONIX	GENERATOR VIDEO PATTERN	FSAS	12MO
067-1039-01	NSL	80009	TEKTRONIX	GENERATOR VIDEO PATTERN		12MO
069/071		02446	GE	RECORDER AC VOLTMETER		USER
06L1A1B		64467	WEKSLER	RECORDER TEMPERATURE		USER
07370-020	6625-01-314-7700	00752	AIL/EATON	NOISE FIGURE METER	ASR8	36MO
07615	6625-01-041-3144	00752	AIL/EATON	GENERATOR NOISE (ISOLATOR)		24MO
0851	NSL	34942	VAL-TRONICS	T/S INSULATION HV	ATCT	NCR
095-1	6625-00-946-5842	70998	BIRD	WATTMETER RF PIU ELEMENT 1W 95-125MHz		NCR
095-2	6625-00-132-8299	70998	BIRD	WATTMETER RF PIU ELEMENT 2.5W 95-150MHz	RFWM	NCR
09824-0301	NSL	65597	WILCOX	RECEIVER PIR	ILS	12MO
098343-0100	6625-01-034-0942	65597	WILCOX	RECEIVER PIR	ILS	12MO
098380-0200	NSL	65597	WILCOX	RECEIVER PIR	ILS	12MO
098588-0202	5825-01-382-9793	65597	WILCOX	RECEIVER PISA (TYPE 7010)	ILS MARK 20	12MO
098594-0201	NSL	65597	WILCOX	RECEIVER PIR	ILS	12MO
0C51MG	6625-00-336-7430	25284	HIPOTRONICS	T/S DI-ELECTRIC OIL & GLOVE	TEST	NCR
0C60D	6625-01-353-3292	25284	HIPOTRONICS	T/S DI-ELECTRIC OIL & GLOVE	NEXRAD	NCR
0DM1		16665	SINGER	PIU FM MODULATION		12MO
10			MIKRON	THERMOMETER INFRARED		USER
10		60741	TRIPLETT	AMMETER AC CLAMP-ON		24MO

MODEL/PART NUMBER	NSN	CAGE CODE	MANUFACTURER	NAME/DISCRIPTION	EQUIPMENT APP-TO	CALIBR INTER
10-075	6625-00-166-4015	50290	ARGA	AMMETER AC		24MO
10-075-1	NSL	50290	ARGA	AMMETER AC		24MO
10-075-2	NSL	50290	ARGA	AMMETER		24MO
10-5022	NSL	05083	BACHARACH	ANALYZER COMBUSTION		USER
100			ELEC SYS	CALIBRATOR		USER
100		18479	FW BELL	GAUSS METER		USER
100		18479	FW BELL	POWER SUPPLY		NCR
100	6625-01-315-6241	1L767	SKYMART/SEA TECH	CALIBRATOR PIR	ILS	NCR
100-60		15368	SPECTRON	INDICATOR POWER		NCR
1000	6625-01-017-4718	08441	DIELECTRIC COM	WATTMETER RF w/ ELEMENTS		NCR
1000			GRAYBAR EL	METER MOHM AEMC CON		NCR
1000		57705	HUNTRON	T/S SEMICONDUCTOR (TRACKER)		NCR
1000		16734	TIF INSTRU	AMMETER		24MO
1000-A	6625-01-017-4718	08441	DIELECTRIC COM	WATTMETER RF w/ ELEMENTS		NCR
1000ACDC	NSL	15566	AMPROBE	AMMETER AC/DC		24MO
1000DC	NSL	15566	AMPROBE	AMMETER DC		24MO
1000J		70998	BIRD	WATTMETER RF PIU ELEMENT 1000W .95-1.26GHz		NCR
1001A	5895-01-316-0365	62875	WAVETEK	GENERATOR SWEEP	RML	NCR
1001T2	6695-01-268-7547	39428	MCMASTER-CARR	LOCATOR CABLE & PIPE		USER
1005-1S		57705	HUNTRON	T/S SEMICONDUCTOR (TRACKER)		NCR
1005B		57705	HUNTRON	T/S SEMICONDUCTOR (TRACKER)		NCR
1005B-1S	6625-01-115-0395	57705	HUNTRON	T/S SEMICONDUCTOR (TRACKER)	TEST	NCR
100937	NSL	25778	LUCAS AUL	OHMMETER		NCR
1009A		78205	MOTOROLA	CALIBRATOR DEVIATION		USER
100A	6625-00-269-4459	70998	BIRD	WATTMETER RF PIU ELEMENT 100W 25-60MHz		NCR
100A			EMCO	COUPLER DIR		NCR
100A		16786	FEL CORP+D1324	COUPLER DIR		NCR
100A		25284	HIPOTRONICS	T/S CIRCUIT BREAKER		USER
100A	6625-00-237-8594	06811	SYSTRON DONNER	GENERATOR PULSE 0.1Hz-10MHz		NCR
100C	4920-00-007-0439	26483	MONSANTO	COUNTER TIMER		12MO
100C	6625-01-094-5279	06811	SYSTRON DONNER	GENERATOR PULSE		NCR
100C		60741	TRIPLETT	ANALOG MULTIMETER		12MO
100CBR	6625-01-029-6608	25284	HIPOTRONICS	T/S CIRCUIT BREAKER	GEN-AP-T	USER
100F	NSL	07239	AVO BIDDLE	T/S INSULATION		NCR
100H	6625-00-805-7100	70998	BIRD	WATTMETER RF PIU ELEMENT 100W 25-60MHz		NCR
100J	6625-00-502-7441	70998	BIRD	WATTMETER RF PIU ELEMENT 100W 0.95-1.26GHz		NCR
100MW	6625-00-912-0427	70998	BIRD	WATTMETER RF PIU ELEMENT 0.1W 329-335MHz		NCR
100RDM			WHITFIELD	T/S TELEPHONE LINE		NCR
100T		60741	TRIPLETT	MULTIMETER KIT		XXXX
100VT		58505	DAVIS	ANEMOMETER		USER
100VT9110		21268	DATA METRIC	ANEMOMETER		USER
100W		70998	BIRD	WATTMETER RF PIU ELEMENT		NCR
101		51089	FAIRCHILD/TESTLINE	T/S SEMI CONDUCTOR		NCR
101		32661	TII	T/S TUBE CHECKER		NCR

MODEL/PART NUMBER	NSN	CAGE CODE	MANUFACTURER	NAME/DISCRIPTION	EQUIPMENT APP-TO	CALIBR INTER
101/317	6625-00-897-5248	80009	TEKTRONIX	OSCILLOSCOPE 15MHz		12MO
1010A	6625-00-472-9910	50423	BALLANTINE	OSCILLOSCOPE	TEST	XXXX
1010A/49	NSL	50423	BALLANTINE	OSCILLOSCOPE		12MO
1010A/59	6625-01-030-7241	50423	BALLANTINE	OSCILLOSCOPE	TEST	12MO
101124-1		52332	CLIMATRONICS	T/S ANEMOMETER		USER
101477		52332	CLIMATRONICS	MONITOR WIND ALIGN		USER
101635001E	6625-01-298-5148		MESA TECH	EXERCISER	FSAS	NCR
1018A	6625-00-520-5114	58900	GIGA-TRONICS	POWER METER RF PEAK		12MO
1018B	6625-01-063-3086	58900	GIGA-TRONICS	POWER METER RF PEAK		12MO
101A	NSL	80009	TEKTRONIX	OSCILLOSCOPE		12MO
101C	5895-01-095-3840	52542	SYSTRON DONNER	GENERATOR PULSE		NCR
101T			CALIF INST	VOLTMETER OSCILLATOR		12MO
101X2B		02446	GE	ENCODER ASSEMBLY 64		USER
102	6625-01-314-7711	1L767	SKYMART/SEA TECH	CALIBRATOR PIR	ILS	12MO
1020		56273	ECOS	T/S GROUND RESISTANCE (MEGGER)		NCR
1020		54647	MICROTECH	INDICATOR RF		NCR
1020	4910-00-913-9778	82386	SUN ELECT	ANALYZER ENGINE		NCR
1020CT	5950-00-251-3608	83008	STACO ENERGY	TRANSFORMER VAR		NCR
1020T	6625-01-173-1306	82199	POLARAD	GENERATOR SIGNAL MODULATOR		NCR
1021		53714	LEADER	OSCILLOSCOPE		12MO
1022A	NSL	50423	BALLANTINE	OSCILLOSCOPE		12MO
102394-001			MESA TECH	EXERCISER		NCR
102D2526G10		02446	GE	POWER SENSOR RF		12MO
103		23207	DRANETZ	TEST KIT		NCR
1030	6680-01-149-0383	89554	PIONEER	TACHOMETER PHOTO		12MO
1031K17669		18637	YEWTEC	T/S NULL BALANCE		12MO
1037	6625-00-191-9512	06811	SYSTRON DONNER	COUNTER		XXXX
1037M5	6625-00-190-0326	06811	SYSTRON DONNER	COUNTER 50MHz	TEST	XXXX
1037M5J1	6625-00-383-1448	06811	SYSTRON DONNER	COUNTER 12GHZ	TEST	XXXX
104		52212	NUCLEAR INSTR	VOLTMETER		12MO
1040A	6625-01-043-0261	50423	BALLANTINE	OSCILLOSCOPE	TEST	12MO
1040A/49	6625-01-055-7516	50423	BALLANTINE	OSCILLOSCOPE		12MO
1040A/49A	6625-01-055-7516	50423	BALLANTINE	OSCILLOSCOPE	TEST	12MO
1041-1-2		82199	POLARAD	ADAPTER TEST		NCR
1042A	NSL	50423	BALLANTINE	OSCILLOSCOPE		12MO
1042A/49A	6625-01-108-6192	50423	BALLANTINE	OSCILLOSCOPE	VOR	12MO
1050	6625-01-060-3629	30669	DUMONT	OSCILLOSCOPE		XXXX
1052	6625-00-311-3341	50423	BALLANTINE	OSCILLOSCOPE	TEST	12MO
10525T	6625-00-433-4282	28480	HP	PROBE LOGIC TTL/DTL		NCR
10526T	6625-00-170-6196	28480	HP	PROBE LOGIC PULSER TTL/DTL		NCR
10528A	6625-00-495-4013	28480	HP	CLIP LOGIC 16 PIN TTL/DTL		NCR
10529A	6625-00-490-7298	28480	HP	KIT LOGIC COMPARATOR		NCR
105B	6625-01-436-2762	89536	FLUKE	SCOPEMETER 100MHZ		12MO
106139		07295	ROBINAIR	GAUGE VACUUM THERMISTOR		USER

MODEL/PART NUMBER	NSN	CAGE CODE	MANUFACTURER	NAME/DISCRIPTION	EQUIPMENT APP-TO	CALIBR INTER
1062	6625-00-319-2980	30669	DUMONT	OSCILLOSCOPE	GEN-AP-T	XXXX
1063			TECH SERV	HYDROTHERMOMETER		USER
1066/19A	NSL	50423	BALLANTINE	OSCILLOSCOPE		12MO
1066A/49	NSL	50423	BALLANTINE	OSCILLOSCOPE		12MO
1066B	6625-01-043-0262	50423	BALLANTINE	OSCILLOSCOPE 20MHz	TEST	12MO
1066B/49	6625-00-324-3296	50423	BALLANTINE	OSCILLOSCOPE 20MHz		12MO
1066B/49A	6625-00-324-3296	50423	BALLANTINE	OSCILLOSCOPE 20MHz	TEST	12MO
1066B/61	NSL	50423	BALLANTINE	OSCILLOSCOPE 20MHz		12MO
1066S/398	6625-00-148-9406	50423	BALLANTINE	OSCILLOSCOPE 18MHz		12MO
107	6625-00-813-2426	80009	TEKTRONIX	GENERATOR SQ WAVE		12MO
1071		28009	HONEYWELL	BRIDGE WHEATSTONE		NCR
1079		99899	LORAL/NARDA	COUPLER DIR		NCR
10861A	NSL	50423	BALLANTINE	PROBE AC		NCR
108633-1	NSL	00752	AIL/EATON	ADAPTER TEST		NCR
109191	6625-01-059-8146	06811	SYSTRON DONNER	ANALYZER SPECTRUM PIU	762-1	12MO
1096			PHAOSTRON	WATTMETER RF AC RECORDER		NCR
10A3555S		22375	FISCHER	FLOWMETER		USER
10B	6625-00-971-1228	19070	AIR DEVICES	T/S INSULATION BREAKDOWN		NCR
10B	6625-00-733-3702	70998	BIRD	WATTMETER RF PIU ELEMENT 10W 50-125MHz		NCR
10B		02446	GE	T/S INSULATION BREAKDOWN		NCR
10BA	6625-00-971-1228	19070	AIR DEVICES	T/S INSULATION BREAKDOWN		NCR
10C	6625-00-949-5382	70998	BIRD	WATTMETER RF PIU ELEMENT 10W 100-250MHz	ILS	NCR
10D	6625-00-913-5175	70998	BIRD	WATTMETER RF PIU ELEMENT 10W 200-500MHz		NCR
10J		70998	BIRD	WATTMETER RF PIU ELEMENT 10W .95-1.26GHz		NCR
10M	6625-00-971-1228	19070	AIR DEVICES	T/S INSULATION BREAKDOWN	TEST	NCR
10T		60741	TRIPLETT	ANALOG MULTIMETER		12MO
10TC		96795	GOULD	PROBE POD HIGH PERFORMANCE		NCR
10TC/01		57062	BIOMATION	PROBE POD HIGH PERFORMANCE		NCR
10W		70998	BIRD	WATTMETER RF PIU ELEMENT		NCR
10XR		96795	GOULD	PROBE HIGH PERFORMANCE		NCR
11-9016	NSL	05083	BACHARACH	ANALYZER COMBUSTION		USER
110		51644	WEST TECH SYS	TESTER		NCR
1100			PHONETICS	MONITOR SENSAPHONE		NCR
1100-0209/425	6130-01-261-3105	62875	WAVETEK	POWER SUPPLY	RCAG	NCR
11005A	5950-00-678-0343	28480	HP	TRANSFORMER AUDIO FREQUENCY		NCR
1100S		51190	IFR SYS	MONITOR COMMUNICATION SERVICE		12MO
11039A	6625-00-678-0904	28480	HP	DIVIDER VOLT		24MO
11049A	4931-00-130-5379	28480	HP	CONVERTER THERMAL 3V		USER
1104A-101		26483	MONSANTO	COUNTER PIU FREQUENCY CONVERTER		12MO
11050A	4931-00-130-5381	28480	HP	CONVERTER THERMAL 1V		USER
1105A	6625-00-150-6501	28480	HP	GENERATOR PLUSE		NCR
1105B	6625-01-038-2049	82199	POLARAD	GENERATOR SIGNAL .8-2.4GHz		12MO
1105B/1020		82199	POLARAD	GENERATOR SIGNAL w/ MODULATOR		12MO
1105BT		82199	POLARAD	GENERATOR SIGNAL		12MO

MODEL/PART NUMBER	NSN	CAGE CODE	MANUFACTURER	NAME/DISCRIPTION	EQUIPMENT APP-TO	CALIBR INTER
1105E		82199	POLARAD	GENERATOR SIGNAL		12MO
1105E-T		82199	POLARAD	GENERATOR SIGNAL		12MO
1106E-L-M6-F	6625-01-096-2380	82199	POLARAD	GENERATOR SIGNAL		12MO
1106E-N	6625-01-233-6626	82199	POLARAD	GENERATOR SIGNAL		12MO
1107-101		26483	MONSANTO	COUNTER PIU TIME INTERVAL		12MO
1108A	6625-00-433-8508	82199	POLARAD	GENERATOR SIGNAL 6.95-11GHz		12MO
1108A-QS		82199	POLARAD	GENERATOR SIGNAL		12MO
1108E	6625-01-100-1653	82199	POLARAD	GENERATOR SIGNAL 6.95-11GHz		12MO
1108QS		82199	POLARAD	GENERATOR SIGNAL		12MO
11096B	6625-00-471-0575	28480	HP	PROBE HIGH VOLTAGE		NCR
110A		13913	WESTERN RESERVE	T/S ENGINE PERFORMANCE		USER
110B	6625-00-113-6353	15933	DATA PLUSE	GENERATOR PLUSE 5H-50MHz	TEST	NCR
110B	6625-00-113-6353	06811	SYSTRON DONNER	GENERATOR PLUSE 5H-50MHz		NCR
110C	6625-01-061-9115	06811	SYSTRON DONNER	GENERATOR PLUSE 0.5H-50MHz	TEST	NCR
1110A	6625-00-816-9313	28480	HP	PROBE CURRENT		NCR
1110B	6625-01-136-4712	28480	HP	PROBE CURRENT		NCR
1120A	6625-00-150-6965	28480	HP	PROBE 500MHz		NCR
1123A	6625-00-464-7740	28480	HP	PROBE DETECTOR VOLT		USER
1124P4		39739	MERIAM	BELLOWS PORTABLE IN		NCR
112603	NSL	07239	AVO BIDDLE	INDICATOR FREQUENCY		NCR
1130		08994	KOLLSMAN	BAROMETER ALTIMETER		USER
1130-31	6660-00-451-0936	08994	KOLLSMAN	BAROMETER 28-31" HGA		USER
1130009A2			GEN TIME	GENERATOR MARKER		NCR
1130017A1			GEN TIME	T/S FOCUS ALIGNMENT		NCR
1137-0101	NSL		ASII	RECEIVER PISA	ILS	12MO
11412310		96795	GOULD	AMPLIFIER		NCR
1142		02446	GE	DETECTOR LEAK REFRIGERANT		USER
114A	6625-00-041-0095	06811	SYSTRON DONNER	GENERATOR PLUSE	TEST	NCR
115	6625-00-472-2018	80009	TEKTRONIX	GENERATOR PULSE		NCR
115-12-35A			NEWMAN	POWER SUPPLY		NCR
1150-002			FREQ TIME	FREQUENCY STANDARD		NCR
11549A	5985-00-500-8706	28480	HP	COUPLER TRANSMISSION LINE		NCR
11570A	6625-00-197-8483	28480	HP	KIT ACCESSORY (8405)		NCR
11581A	6625-00-484-6354	28480	HP	ATTENUATOR SET 12.4GHz 8491A-(3-20)	NEXRAD	NCR
11582A	5985-01-183-3590	28480	HP	ATTENUATOR SET 18.0GHz 8491B-(3-20)		NCR
116	6625-01-314-7668	57062	BIOMATION	DISPLAY CONTROL ASY	1650D	NCR
116	5950-00-518-4368	58474	SUPERIOR	TRANSFORMER VAR		NCR
1163-1-3			RADIO SHACK	DEVIATION METER FM		NCR
11667A	6625-01-017-2713	28480	HP	DIVIDER POWER SPLITTER 6dB 18GHz		NCR
11683A	6625-01-037-0429	28480	HP	CALIBRATOR POWER METER		USER
11687A	4931-01-030-1457	28480	HP	ADAPTER 50-75 OHM		NCR
11690A	6625-00-528-8593	28480	HP	DOUBLER FREQUENCY		NCR
11692D	5985-01-024-3832	28480	HP	COUPLER DIR		36MO
11693	NSL	28480	HP	LIMITER (REVERSE POWER) 0.1-12.4GHz		NCR

MODEL/PART NUMBER	NSN	CAGE CODE	MANUFACTURER	NAME/DISCRIPTION	EQUIPMENT APP-TO	CALIBR INTER
11693A	6625-00-374-8024	28480	HP	LIMITER (REVERSEPOWER) 0.1-12.4GHz		NCR
117	6625-00-311-3359	06811	SYSTRON DONNER	GENERATOR PLUSE	TEST	NCR
11708A	5985-01-105-6211	28480	HP	ATTENUATOR FX 50.0MHz CAL REF		NCR
11713A	6625-01-081-4153	28480	HP	ATTENUATOR SWITCH DRIVER		NCR
11715A	4931-01-088-2149	28480	HP	TEST SOURCE AM/FM		12MO
11721A	6625-01-140-8523	28480	HP	DOUBLER FREQUENCY		NCR
11722A	6625-01-169-7669	28480	HP	POWER SENSOR MODULE 100KHz-2.6GHz		12MO
11760S-K01	NSL	28480	HP	INTERFACE RF		NCR
11792A	6625-01-296-4527	28480	HP	POWER SENSOR MODULE 50MHZ-26.5GHz		12MO
11793A	6625-01-296-4789	28480	HP	DOWN CONVERTER uWAVE		NCR
1180			EICO	CAPACITANCE DECADE BOX		NCR
118050B	NSL	59912	3M/DYNATEL/PHOTODYNE	T/S FIBEROPTIC		12MO
11812A	6625-01-313-6541	28480	HP	KIT VERIFICATION		NCR
11823C	5985-01-386-7465	28480	HP	KIT ACCESSORY SWR		NCR
1188790001		65597	WILCOX	COUPLER DIR		NCR
11945A	6625-01-303-9160	28480	HP	PROBE SET CLOSE FIE		NCR
11975A	6625-01-223-1273	28480	HP	AMPLIFIER uWAVE 2-18GHz 15-9dB		NCR
11B	6625-00-010-4605		ALECTRA	AUDIO LEVEL METER		XXXX
11XE	6625-01-123-4097	59912	3M/DYNATEL/PHOTODYNE	POWER METER OPTICAL		12MO
12		57822	GW ELECTR	T/S SURGE ARRESTER		USER
12		89554	PIONEER	TACHOMETER PHOTO-T		USER
12-2.5W		70998	BIRD	WATTMETER RF PIU ELEMENT		NCR
12-2L5W		70998	BIRD	WATTMETER RF PIU ELEMENT		NCR
120		70998	BIRD	WATTMETER RF PIU ELEMENT		NCR
120			TESTLINE	T/S SEMI-CONDUCTOR		NCR
1200A		51190	IFR SYS	MONITOR COMMUNICATION SERVICE		12MO
1200S		51190	IFR SYS	MONITOR COMMUNICATION SERVICE		12MO
1201	NSL		AUTO PROD	LOCATOR CABLE FAULTFINDER		USER
1201A	6625-01-190-8359	28480	HP	OSCILLOSCOPE 500Kz		XXXX
1204	NSL	80009	TEKTRONIX	GENERATOR SWEEP		NCR
1205A	NSL		BARCO	METER MAST		NCR
1205A	6625-00-444-4070	28480	HP	OSCILLOSCOPE 500KHz		XXXX
1205F	4935-00-400-7129	82199	POLARAD	GENERATOR SIGNAL		12MO
1206A	6625-00-130-0023	28480	HP	OSCILLOSCOPE 500KHz	TEST	XXXX
1207	6625-01-146-7663	27432	VISUAL INFO	GENERATOR SIGNAL CTV	TEST	12MO
1207A		27432	VISUAL INFO	MIXER CTV BAR/DOT		NCR
120W		70998	BIRD	WATTMETER RF PIU ELEMENT		NCR
120Z6	5210-01-010-4522	57163	STARRETT	CALIPER DIAL		USER
1210	NSL		AUTO PROD	LOCATOR CABLE FAULTFINDER		USER
12105	4910-01-078-5420	55026	SIMPSON	T/S TACHOMETER-DWELL		USER
12105090	NSL	07239	AVO BIDDLE	T/S TACHOMETER		USER
1212.5W		70998	BIRD	WATTMETER RF PIU ELEMENT		NCR
1217C	6625-00-553-4422	16786	FEL CORP	CAVITY TUNED (ECHO BOX)	ANFPS20	NCR
121C	6625-00-955-7689	80138	KAY ELEMETRICS	GENERATOR SWEEP		NCR

MODEL/PART NUMBER	NSN	CAGE CODE	MANUFACTURER	NAME/DISCRIPTION	EQUIPMENT APP-TO	CALIBR INTER
1220A	6625-00-623-3462	28480	HP	OSCILLOSCOPE 15Mz		XXXX
1221A	NSL	28480	HP	OSCILLOSCOPE 15Mz		XXXX
1222A	6625-01-083-0954	28480	HP	OSCILLOSCOPE 15MHz		XXXX
1231	NSL	50665	QUALIMETRICS INC	CALIBRATOR WINDSPEED	AWOS	NCR
12401D1	6625-01-173-0700	80009	TEKTRONIX	ANALYZER LOGIC PIU DATA ACQUISTION	GEN-AP-T	NCR
1247			MILTON	LIGHT TIMING DIGITA		12MO
1248	6625-01-079-3663	08098	B&K PRECISION	GENERATOR DIGITAL		12MO
1250	5820-01-325-2407	21793	RACAL-DANA	SWITCHING UNIT CONTROLLER		USER
1255		65092	WESTON	COUNTER		12MO
1255A	6625-00-190-0329	06811	SYSTRON DONNER	COUNTER PIU 3-12.4GHz	TEST	12MO
12598		12598	RCL ELEC	COUPLER DIR		NCR
12598-M-2565		12598	RCL ELEC	COUPLER BI-DIR		NCR
12679A	5985-01-155-6536	50423	BALLANTINE	ATTENUATOR FX		NCR
127C			PHILCO	SELECTIVE LEVEL METER		12MO
127C		94668	SIERRA ELECT	SELECTIVE LEVEL METER		12MO
127C1		54778	LEAR SIEG	SELECTIVE LEVEL METER		12MO
129		70998	BIRD	WATTMETER RF PIU ELEMENT		NCR
12H15			CORNELL	CONVERTER VIBRATOR		NCR
12N10W-30DB	NSL	64671	INMET CORP	ATTENUATOR FX 30dB 10W 12.4GHz		NCR
12T			LOG TECH	DIGITAL MULTIMETER		XXXX
13-4615-10	5996-01-040-0002	96795	GOULD	RECORDER AMP FOR 210		12MO
1300		06811	SYSTRON DONNER	GENERATOR SIGNAL SYNTH		12MO
13010		07295	ROBINAIR	GAUGE VACUUM THERMISTOR		USER
13023	NSL	70210	AIRESEARCH	METER DIRECTION FLD		USER
1309			PENN TECH	TENSIOMETER		USER
130A		30072	EMERSON/DORIC	ANALYZER CAPACITANCE		NCR
1310A		24655	GENRAD	GENERATOR SIGNAL		12MO
1310B		24655	GENRAD	GENERATOR SIGNAL		12MO
131AS379		62875	WAVETEK	GENERATOR SIGNAL		12MO
1326597	NSL	07239	AVO BIDDLE	T/S INSULATION		NCR
133	NSL	80009	TEKTRONIX	POWER SUPPLY PIU		NCR
1330A		24655	GENRAD	GENERATOR SIGNAL		18MO
134	6625-00-434-7308	80009	TEKTRONIX	AMPLIFIER PROBE		NCR
134B		21461	PRESTON SCIENTIFIC	GENERATOR OSCILLATOR		NCR
135	6625-00-986-4748	28480	HP	RECORDER		USER
135-3905		95325	BRUNO	ATTENUATOR FX 50DB		NCR
1355-8506				INDICATOR FLOW RATE		12MO
1355A4CC3A3B		91556	EMERSON/BROOKS	FLOWMETER		USER
1358	6625-01-059-2433	82199	POLARAD	T/S RADIO 7.1-8.5GHz	TEST	12MO
1358A	6625-01-304-2326	82199	POLARAD	GENERATOR SIGNAL		12MO
1358A-01,02	6625-01-304-2326	82199	POLARAD	GENERATOR SIGNAL	TEST	12MO
1358T		82199	POLARAD	T/S RADIO		12MO
135S			BEMC	DETECTOR RF 10-30 MHZ		USER
1360T7			C DILLON	DYNANOMETER		USER

MODEL/PART NUMBER	NSN	CAGE CODE	MANUFACTURER	NAME/DISCRIPTION	EQUIPMENT APP-TO	CALIBR INTER
13611	6625-01-093-3410	88869	EATON CORP	T/S RADIO		12MO
1395A( )		50423	BALLANTINE	CONVERTER THERMAL 7		USER
139B	NSL	28480	HP	GENERATOR PULSE		NCR
14-0087	NSL	05083	BACHARACH	RECORDER TEMPERATURE		USER
14-2211	6685-00-780-7192	05083	BACHARACH	RECORDER TEMPERATURE		USER
14-7030	NSL	05083	BACHARACH	RECORDER TEMPERATURE		USER
14-7031	NSL	05083	BACHARACH	RECORDER TEMPERATURE		USER
14-7031B	NSL	05083	BACHARACH	RECORDER TEMPERATURE		USER
14-9006	NSL	05083	BACHARACH	RECORDER TEMPERATURE		USER
14002263		05351	PYROTRONICS	T/S PYROALARM SENSITIVITY		USER
1401				METER MODULATION		12MO
14010		07295	ROBINAIR	GAUGE VACUUM THERMISTOR		USER
1401A323	6625-00-165-2137	80009	TEKTRONIX	ANALYZER SPECTRUM MF		12MO
1401B	6625-00-585-3992	24655	GENRAD	CAPACITOR STD 200pF		NCR
1401D	6625-00-585-3991	24655	GENRAD	CAPACITOR STD 1000pF		NCR
1403-12			WILMORE EL	INVERTER DC TO AC 5		NCR
1410			GAW	VOLTMETER DISTORTION		12MO
14111-20		19136	NORSAL IND	COUPLER DIR		NCR
141F	NSL	28480	HP	ANALYZER SPECTRUM MF		XXXX
141T	6625-00-424-4370	28480	HP	ANALYZER SPECTRUM MF	TEST	XXXX
142C817H06	6625-01-155-6552	06466	LARSON	VOLTMETER AC PANEL	ARSR3	NCR
142S527		62875	WAVETEK	GENERATOR FUNCTION		NCR
1432K		24655	GENRAD	RESISTOR DECADE		NCR
1433(ALL)		24655	GENRAD	RESISTOR DECADE		NCR
1433K		24655	GENRAD	RESISTOR DECADE		NCR
1434N	6625-00-935-1470	24655	GENRAD	RESISTOR DECADE		NCR
144		62875	WAVETEK	GENERATOR SWEEP		NCR
145			TECH OIL	TACHOMETER CHRONOMETER		USER
14509-11			TRIMBLE	RECEIVER GPS		USER
1450TA	6625-00-201-8779	24655	GENRAD	ATTENUATOR STEP (110/1) 1W 200KHz 600ohms		NCR
146	6625-00-126-9941	04237	ASSOC RESEARCH	INDICATOR PHASE SEQUENCE		USER
147B		13913	WESTERN RESERVE	LOCATOR CABLE		USER
1482L	6625-00-556-8584	24655	GENRAD	INDUCTOR STD 100mH		NCR
1482M	6625-00-804-4129	24655	GENRAD	INDUCTOR STD 200mH		NCR
1490B		24655	GENRAD	INDUCTOR DECADE		NCR
15-3030E			HYDRODYNAMIC	HYDROMETER DIAL IND		USER
15-6327-50			BRUSH MFG	RECORDER PORTABLE M		USER
150-2	6625-00-132-8293	70998	BIRD	WATTMETER RF PIU ELEMENT 2.5W 150-250MHz	RFWM	NCR
1500A	NSL	50522	MONSANTO	COUNTER		XXXX
1500A101	NSL	50522	MONSANTO	COUNTER		XXXX
15018-1	6625-01-314-0652	21870	GRIM	T/S CIRCUIT PLUG	RCCE	NCR
1502	6625-01-003-5561	80009	TEKTRONIX	METER TDR		12MO
1502/004	6625-01-037-4412	80009	TEKTRONIX	METER TDR	TEST	12MO
1502/004	6625-01-037-4412	80009	TEKTRONIX	METER TDR		12MO

MODEL/PART NUMBER	NSN	CAGE CODE	MANUFACTURER	NAME/DISCRIPTION	EQUIPMENT APP-TO	CALIBR INTER
1502B/004	6625-01-280-9556	80009	TEKTRONIX	METER TDR		12MO
1502DI		08125	FAA	TORQWRENCH		USER
1503	6625-01-036-7821	80009	TEKTRONIX	METER TDR		12MO
1503/004	6625-01-043-9760	80009	TEKTRONIX	METER TDR	TEST	12MO
1503B	6625-01-311-3548	80009	TEKTRONIX	METER TDR		12MO
1503C	6625-01-323-1521	80009	TEKTRONIX	METER TDR		12MO
1503C/03/04	6625-01-355-8085	80009	TEKTRONIX	METER TDR(BATTERY PACK/RCD)	TEST	12MO
1506A		93459	WEINSCHEL	POWER DIVIDER		NCR
15075		07295	ROBINAR	PUMP VACUUM		USER
1509 w/ CASE	6625-01-304-2179	82199	POLARAD	DOUBLER FREQUENCY	1358A	NCR
1509-1		82199	POLARAD	DOUBLER FREQUENCY		NCR
1509121	NSL	07239	AVO BIDDLE	TACHOMETER HAND HELD		USER
1510		82199	POLARAD	DOUBLER FREQUENCY		NCR
15101B		07295	ROBINAIR	PUMP VACUUM		USER
153030E			NEWPORTSCI	HYGROMETER		USER
1531		65092	WESTON	WATTMETER RF		NCR
1531A	6680-00-799-7616	24655	GENRAD	STROBOSCOPE	TEST	USER
15370-11-001				COUPLER DIR		NCR
154AF	6625-00-941-5144	18101	KAY ELECTRONICS	GENERATOR SWEEP	TEST	XXXX
154CFA	6625-00-190-0275	18101	KAY ELECTRONICS	GENERATOR SWEEP	TEST	XXXX
155		65092	WESTON	VOLTMETER		12MO
1551B	6625-00-893-0230	24655	GENRAD	METER SOUND LEVEL		12MO
1551C	6625-00-982-3929	24655	GENRAD	METER SOUND LEVEL		12MO
1562-9701	6625-00-401-6354	24655	GENRAD	CALIBRATOR SOUND LEVEL		12MO
1562A	6625-00-401-6354	24655	GENRAD	CALIBRATOR SOUND LEVEL		12MO
1565A	6625-01-012-9225	24655	GENRAD	METER SOUND LEVEL		12MO
1565B	6625-01-012-9225	24655	GENRAD	METER SOUND LEVEL		12MO
1568		24655	GENRAD	WAVE ANALYZER		12MO
1568-9000	6625-00-162-1940	24655	GENRAD	WAVE ANALYZER	PTE0260	12MO
1568A	6625-00-162-1940	24655	GENRAD	WAVE ANALYZER		12MO
1568A9000		24655	GENRAD	WAVE ANALYZER		12MO
1590	NSL	08098	B&K PRECISION	OSCILLOSCOPE		12MO
1590P	NSL	08098	B&K PRECISION	OSCILLOSCOPE		12MO
15KV	NSL	07239	AVO BIDDLE	T/S INSULATION		NCR
15T			LOG TECH	DIGITAL MULTIMETER THERMOMETER		NCR
160		55026	SIMPSON	ANALOG MULTIMETER		12MO
160			SOLAR ELEX	ANALYZER CAPACITANCE		NCR
160-150FNZ			PHILCO	LOAD DUMMY RF		NCR
1600-1300	6625-01-296-0025	06102	AIRFLO	T/S FLASHER	ALSF2	USER
1600A	6625-01-032-1950	28480	HP	ANALYZER LOGIC STATE 16 CHANNELS		NCR
1600B	6625-00-852-9631	28569	HICKOK	ANALOG MULTIMETER		12MO
1600S	6625-01-032-5876	28480	HP	ANALYZER LOGIC STATE (1600A/1607A) 32 CHANNELS		NCR
1601	6130-01-147-7699	08098	B&K PRECISION	POWER SUPPLY		NCR
1602	6130-01-102-3188	08098	B&K PRECISION	POWER SUPPLY		NCR

MODEL/PART NUMBER	NSN	CAGE CODE	MANUFACTURER	NAME/DISCRIPTION	EQUIPMENT APP-TO	CALIBR INTER
1602		08125	FAA	T/S INSULATION		NCR
1602		96795	GOULD	OSCILLOSCOPE		12MO
1602	6625-00-141-3550	25778	LUCAS AUL	OHMMETER		NCR
1602			NEWARK ELE	POWER SUPPLY HIGH V		NCR
16029A	NSL	28480	HP	TEST FIXTURE LCR BRIDGE f/4265B		NCR
1602DSO	6625-01-304-3413	96795	GOULD	OSCILLOSCOPE	ARTS3A	12MO
1604D25G01	6625-01-313-1552	18323	WESTINGHOUSE	T/S PFN COMPONET	ARSR3	NCR
1604M	6625-00-168-0503	28569	HICKOK	MULTIMETER		24MO
1605B		82199	POLARAD	GENERATOR SIGNAL		12MO
1605BT		82199	POLARAD	GENERATOR SIGNAL		12MO
1605E	6625-01-209-5977	82199	POLARAD	GENERATOR SIGNAL 0.8-2.4GHz		12MO
1605E-T1020T	6625-01-315-6242	82199	POLARAD	GENERATOR SIGNAL	TEST	12MO
1605E1020		82199	POLARAD	GENERATOR SIGNAL		12MO
1605E1020T		82199	POLARAD	GENERATOR SIGNAL		12MO
1605ET1020		82199	POLARAD	GENERATOR SIGNAL		12MO
1606E		82199	POLARAD	GENERATOR PULSE S-B		NCR
1607A	4931-01-026-5533	28480	HP	ANALYZER LOGIC STATE 16 CHANNELS		NCR
1609D75		18323	WESTINGHOUSE	T/S IC RAM		NCR
1609D75G01	6625-01-313-1551	18323	WESTINGHOUSE	T/S IC RAM	ARSR3	NCR
160M		30874	IBM	VOLTMETER		12MO
162	NSL	08098	B&K PRECISION	T/S SEMI-CONDUCTOR		NCR
1620		96795	GOULD	OSCILLOSCOPE		12MO
164		62875	WAVETEK	GENERATOR SWEEP		NCR
1640A/001/002	6625-01-098-3343	28480	HP	ANALYZER SERIAL DATA		NCR
1640B	7035-01-129-7818	28480	HP	ANALYZER SERIAL DATA		NCR
1645A	6625-00-487-0662	28480	HP	ANALYZER DIGITAL DATA		NCR
1646388		18323	WESTINGHOUSE	T/S OIL		USER
1649D59G01	6625-01-182-3652	18323	WESTINGHOUSE	ADAPTER uPROCESSOR	ARSR3	NCR
164BY		54778	SIERRA LSI	MONITOR RF POWER		NCR
1650	NSL		ELDORADO	COUNTER		12MO
16500A	6625-01-306-9711	28480	HP	ANALYZER LOGIC		NCR
1650A		24655	GENRAD	BRIDGE IMPEDANCE		NCR
1650B		24655	GENRAD	BRIDGE IMPEDANCE		NCR
1650C			ELDORADO	COUNTER DIGITAL AUTOREAD		12MO
1650D	6625-01-275-8775	57062	BIOMATION	ANALYZER LOGIC	TEST	NCR
1650D/116	6625-01-066-3359	57062	BIOMATION	ANALYZER LOGIC	TEST	NCR
166	NSL		A&J	T/S ANTENNA		USER
1660	NSL	08098	B&K PRECISION	POWER SUPPLY DC		NCR
16838		82205	BELFORT	ANEMOMETER CALIBRATOR		USER
169		80164	KEITHLEY	DIGITAL MULTIMETER		XXXX
169		49424	PYROMETER	PYROMETER		12MO
16934	6625-01-379-4787	58900	GIGA-TRONICS	POWER SENSOR RF 30MHz-18.5GHz		12MO
16936	6625-01-291-2642	58900	GIGA-TRONICS	POWER SENSOR RF		12MO
1700-0850T	6625-01-345-7448	59912	3M/DYNATEL/PHOTODYNE	PIU LIGHT SOURCE		12MO

MODEL/PART NUMBER	NSN	CAGE CODE	MANUFACTURER	NAME/DISCRIPTION	EQUIPMENT APP-TO	CALIBR INTER
17071	6625-01-378-9673	58900	GIGA-TRONICS	POWER SENSOR RF		12MO
1707B	6625-01-008-2601	28480	HP	OSCILLOSCOPE 35MHz		XXXX
1707B465M	NSL	28480	HP	OSCILLOSCOPE 35MHz		XXXX
1709E		82199	POLARAD	GENERATOR SIGNAL		12MO
1710A	6625-01-061-8910	28480	HP	OSCILLOSCOPE 150MHz		XXXX
17171A	6625-00-460-0185	28480	HP	RECORDER PIU DC PREAMP		USER
17172A	6625-00-441-2022	28480	HP	RECORDER PIU TIME BASE		USER
1720A	6625-01-034-4783	28480	HP	OSCILLOSCOPE 250MHz	TEST	12MO
1720AF/021	6625-01-034-4783	28480	HP	OSCILLOSCOPE 250MHz		12MO
1725A	6625-01-326-6169	28480	HP	OSCILLOSCOPE 275MHz		12MO
1727A	NSL	28480	HP	OSCILLOSCOPE 275MHz STORAGE		12MO
17376	NSL			GENERATOR SIGNAL		12MO
17401A	6625-01-018-6405	28480	HP	RECORDER PIU PREAMP		USER
1740A	6625-01-033-5066	28480	HP	OSCILLOSCOPE 100MHz		12MO
1741A	6625-01-058-0139	28480	HP	OSCILLOSCOPE 100MHZ STORAGE		12MO
1744A	6625-01-171-9861	28480	HP	OSCILLOSCOPE 100MHz STORAGE		12MO
1750A	6625-00-947-7541	28480	HP	OSCILLOSCOPE PIU VRT	175A	XXXX
1750T		59912	3M/DYNATEL/PHOTODYNE	SENSOR GE LIGHT SOURCE		12MO
1751753		80164	KEITHLEY	MULTIMETER		24MO
175A	6625-00-989-5448	28480	HP	OSCILLOSCOPE 50MHz		XXXX
178-A		83490	ELEK BRAZ	T/S		NCR
1781B	6625-00-918-1825	28480	HP	OSCILLOSCOPE PIU TB	175A	XXXX
179A		13259	CLOUGH BRE	GENERATOR AUDIO OSCILLATOR		NCR
179A		80164	KEITHLEY	DIGITAL MULTIMETER		XXXX
17XT	6625-01-298-0976	59912	3M/DYNATEL/PHOTODYNE	T/S FIBER OPTIC CABLE 820,850,1300,1550nM		12MO
180	NSL	80009	TEKTRONIX	GENERATOR TIMEMARK		12MO
1801A	6625-00-234-6117	28480	HP	OSCILLOSCOPE PIU VRT 50MHz	TEST	XXXX
1802A	6625-00-464-7744	28480	HP	OSCILLOSCOPE PIU VRT 50MHz	TEST	XXXX
18043A	6625-01-154-8595	28480	HP	DETECTOR LEAK ULTRA		USER
1805	NSL	07239	AVO BIDDLE	T/S INSULATION		NCR
1809A	6625-01-017-8561	28480	HP	OSCILLOSCOPE PIU VRT 100MHz		12MO
180A	NSL	80009	TEKTRONIX	GENERATOR TIMEMARK		12MO
180AC	NSL	30669	DUMONT	OSCILLOSCOPE MF		12MO
180C	6625-00-135-6977	28480	HP	OSCILLOSCOPE MF		12MO
181	6625-00-805-4724	80009	TEKTRONIX	GENERATOR TIMEMARK		12MO
1811	6625-00-953-9286	17250	MCS CORP	BRIDGE UHF	TEST	NCR
1817			MARVAC	PUMP VACCUM HIGH		USER
18180A	6625-01-297-5624	28480	HP	ANALYZER PROTOCAL		NCR
1818A	6625-01-004-5976	28480	HP	METER TDR		12MO
181A	6625-00-442-3550	28480	HP	OSCILLOSCOPE MF		XXXX
181S1	6625-00-578-5608	80009	TEKTRONIX	GENERATOR TIMEMARK		12MO
181T/TR	6625-01-171-4609	28480	HP	ANALYZER SPECTRUM DISPLAY		XXXX
1825A	6625-00-022-8244	28480	HP	OSCILLOSCOPE PIU TB		XXXX
182C	6625-01-056-4165	28480	HP	OSCILLOSCOPE MF	TEST	12MO

MODEL/PART NUMBER	NSN	CAGE CODE	MANUFACTURER	NAME/DISCRIPTION	EQUIPMENT APP-TO	CALIBR INTER
182T	6625-01-047-7468	28480	HP	OSCILLOSCOPE MF		12MO
1840	NSL	24655	GENRAD	POWER METER AUDIO OUTPUT		36MO
1840-9701	6625-00-937-6156	24655	GENRAD	POWER METER AUDIO OUTPUT	TEST	36MO
1840A	6625-00-937-6156	24655	GENRAD	POWER METER AUDIO OUTPUT		36MO
1840AS1	NSL	24655	GENRAD	POWER METER AUDIO OUTPUT		36MO
18420	NSL	58612	SHORTRIDGE	MULTIMETER AIR DATA		24MO
184A	6625-01-012-5980	28480	HP	OSCILLOSCOPE MF		12MO
185014	6625-01-304-2329	21877	WESTINGHOUSE/NORDON	GENERATOR SIGNAL	SSR-DMTI	12MO
18520083			POWERS	POWER STAK SIMULATOR		NCR
1855	NSL	08098	B&K PRECISION	COUNTER		12MO
1857A	NSL	50012	MOTOROLA	T/S RADIO		12MO
189			BRISTOL	RECORDER TEMPERATURE		USER
1890M		24655	GENRAD	T/S SEMI-CONDUCTOR		NCR
1891	NSL	0G2F8	AMETEK	TACHOMETER		USER
1891M			KERNCO	PHOTOTACH DIGITAL		12MO
19000-00			HACH	DIGITAL METER PH		NCR
1900A	6625-01-049-1844	89536	FLUKE	COUNTER 80MHz		12MO
1901			WESTERN MULT	GENERATOR TONE		NCR
1901C		62875	WAVETEK	OSCILLOSCOPE DISPLAY		12MO
1902	6625-00-389-7404	30669	DUMONT	AMPLIFIER AUDIO/RF		NCR
19045.7	NSL	84147	ANDREW CAL	WAVEGUIDE		NCR
1909-72		18284	DONGAN	T/S TRANSFORMER		NCR
191	6625-01-300-2453	80164	KEITHLEY	DIGITAL MULTIMETER		12MO
191		82386	SUN ELECT.	T/S TACHOMETER		USER
1910A	6625-01-092-8438	89536	FLUKE	COUNTER 125MHz		12MO
1911A	6625-01-064-3855	89536	FLUKE	COUNTER 250MHz		12MO
1912A	NSL	89536	FLUKE	COUNTER 520MHz		12MO
1920A	6625-01-142-6233	89536	FLUKE	COUNTER 520MHz		12MO
1933-9701		24655	GENRAD	METER SOUND LEVEL		12MO
1948A	5895-00-118-9218	06811	SYSTRON DONNER	AMPLIFIER VIDEO		NCR
195		24655	GENRAD	MONITOR NOISE EXPOS		12MO
1950		06811	SYSTRON DONNER	GENERATOR SIGNAL MI		12MO
1950		98648	UNIFAB	DYNAMOMETER		USER
1950A	5963-01-358-5058	28480	HP	OSCILLOSCOPE PIU VRT 100MHz		12MO
1954		24655	GENRAD	METER SOUND LEVEL		12MO
1954-9710	6625-01-041-0293	24655	GENRAD	METER SOUND LEVEL		12MO
1954-9720		24655	GENRAD	METER SOUND LEVEL		12MO
1980A	6625-01-071-0596	89536	FLUKE	COUNTER 515MHz		12MO
1980A-04	6625-01-071-0596	89536	FLUKE	COUNTER 515MHz	TEST	12MO
1980B	6625-01-146-2378	28480	HP	OSCILLOSCOPE MF 100MHz	GEN-AP-T	12MO
1982		24655	GENRAD	METER SOUND LEVEL		12MO
1992	6625-01-255-3189	21793	RACAL-DANA	COUNTER UNIVERSAL 1.3GHz		12MO
19935	NSL	07239	AVO BIDDLE	T/S INSULATION		NCR
1994/41	6625-01-357-9937	21793	RACAL-DANA	COUNTER UNIVERSAL 1.3GHz		12MO

MODEL/PART NUMBER	NSN	CAGE CODE	MANUFACTURER	NAME/DISCRIPTION	EQUIPMENT APP-TO	CALIBR INTER
1996	6625-01-324-4407	21793	RACAL-DANA	COUNTER UNIVERSAL 1.3GHz		12MO
19XT		59912	3M/DYNATEL/PHOTODYNE	ATTENUATOR VARIABLE LIGHT		12MO
1A1	6625-00-796-4851	80009	TEKTRONIX	OSCILLOSCOPE PIU VRT		XXXX
1A1500			DUKANE COR	AMPLIFIER		NCR
1F	6625-00-084-2707	70998	BIRD	WATTMETER RF PIU ELEMENT		NCR
1FE20		33347	SENCORE	VOLTMETER		12MO
1FP		82199	ROHDE & SCHWAR	LOGISCOPE		NCR
1J		70998	BIRD	WATTMETER RF PIU ELEMENT 1W .95-1.26GHz		NCR
1R500			DICKSON	THERMOMETER		USER
1W		70998	BIRD	WATTMETER RF PIU ELEMENT		NCR
2	NSL		BARTON INS	FLOWMETER FLUID		USER
2.5C		70998	BIRD	WATTMETER RF PIU ELEMENT		NCR
2.5D		70998	BIRD	WATTMETER RF PIU ELEMENT		NCR
2.5W		70998	BIRD	WATTMETER RF PIU ELEMENT		NCR
20	6625-01-238-7314	62875	WAVETEK	GENERATOR FUNCTION	TEST	NCR
20-10	5985-00-419-7564	93459	WEINSCHEL	ATTENUATOR FX 10dB 12.4GHz		NCR
20-20	NSL	93459	WEINSCHEL	ATTENUATOR FX 20dB 12.4GHz		NCR
20-30	5985-00-403-1688	93459	WEINSCHEL	ATTENUATOR FX 30dB 12.4GHz		NCR
20-40	5985-00-060-4751	93459	WEINSCHEL	ATTENUATOR FX 40dB 12.4GHz		NCR
20-60	5985-00-106-4256	93459	WEINSCHEL	ATTENUATOR FX 50dB 12.4GHz		NCR
200			DIGILOG	ANALYZER AUTOMATIC		NCR
200		57112	UNIVERSAL DATA SYS	MONITOR DATA LINE		NCR
200 wOPTS		57112	UNIVERSAL DATA SYS	MONITOR COMM SERVICE		NCR
200-2		70998	BIRD	WATTMETER RF PIU ELEMENT 2.5W 200-300MHZ		NCR
200-8710-50	6625-01-313-4375	82199	ROHDE & SCHWAR	POWER SENSOR RF	NAUS80	12MO
2000			CIRRIS	ANALYZER CABLE SIGN		USER
2000		50602	DATA TEST	ANALYZER PORTABLE D		USER
2000			ENERGY EFF	ANALYZER COMBUSTION		USER
2000		28009	HONEYWELL	T/S PRINTER		NCR
2000	6625-01-015-8651	21793	RACAL-DANA	DIGITAL MULTIMETER		XXXX
2000		15368	SPECTRON	ANALYZER MONITOR		USER
2000	6635-01-129-4663	78446	STAVELY	GAUGE THICKNESS DIGITAL		NCR
2000 /A	6625-01-239-4638	57705	HUNTRON	T/S SEMICONDUCTOR (TRACKER)	ACEPS	NCR
200023	6625-00-086-3742	70998	BIRD	WATTMETER RF	RFWM	NCR
2000A		16734	TIF INSTRU	PROBE WATT		NCR
2000AS			OMEGA	PYROMETER INFRARED		USER
2000B		50602	DATA TEST	ANALYZER PORTABLE D		USER
2000D			MAGNUM	MATCHER AUTOMATIC		NCR
2001	9066-00-251-2878	53258	ACUDATA	T/S PWB		NCR
2001	6625-01-155-5696	50602	DATA TEST	PROBE COUNTER DTC		NCR
2001	6625-00-550-7618	62875	WAVETEK	GENERATOR SWEEP		NCR
2001A	6625-00-311-3342	62875	WAVETEK	GENERATOR SWEEP	TEST	NCR
2001B	6625-00-330-6939	62875	WAVETEK	GENERATOR SWEEP	TEST	NCR
2002	NSL	0G2F8	AMETEK	FREQUENCY METER		12MO

MODEL/PART NUMBER	NSN	CAGE CODE	MANUFACTURER	NAME/DISCRIPTION	EQUIPMENT APP-TO	CALIBR INTER
2002A	NSL	62875	WAVETEK	GENERATOR SWEEP		NCR
2005	NSL	62875	WAVETEK	GENERATOR SWEEP		NCR
200AB	6625-00-519-2384	28480	HP	GENERATOR AUDIO OSCILATOR	TEST	NCR
200B	6625-00-186-1388	28480	HP	GENERATOR AUDIO OSCILATOR	TEST	NCR
200BD	NSL	50602	DATA TEST	ANALYZER CIRCUIT		NCR
200C	6625-00-330-6560	30874	IBM	ANALOG MULTIMETER		12MO
200CD	6625-00-575-7737	28480	HP	GENERATOR AUDIO OSCILATOR 5Hz-600KHz	TEST	NCR
200D	6625-00-246-8729	28480	HP	GENERATOR AUDIO OSCILATOR		NCR
200EP	NSL	64805	PROGRESSIVE ELEC	T/S TELEPHONE (INDUCTIVE AMP)		NCR
200G	NSL		WRN KNIGHT	QUADRANT GUNNER		NCR
200GR	NSL	28480	HP	GENERATOR AUDIO OSCILATOR		NCR
201	NSL	04237	ASSOC RESEARCH	T/S GROUND RESISTANCE (MEGGER) VIB		NCR
2011		18637	YEWTEC	AMMETER		24MO
201A		15933	DATA PLUSE	GENERATOR DATA		12MO
201C	6625-00-678-5616	28480	HP	GENERATOR AUDIO OSCILATOR 20Hz-20KHz		NCR
2020/2021S1	6625-00-459-9472	77327	HARRIS	VECTOR VOLTMETER w/HEAD	ILS	12MO
2020S1	6625-01-304-2439	77327	HARRIS	VECTOR VOLTMETER	ILS	12MO
2021S1		77327	HARRIS	HEAD SAMPLING		XXXX
2022N	NSL	24539	AVANTEK	AMPLIFIER		NCR
2022S1A	6625-01-313-4112	77327	HARRIS	PROBE VECTOR VOLTMETER		NCR
2024		90073	MARCONI	GENERATOR SIGNAL 10KHz-2.4GHz		12MO
202A	6625-00-649-2032	28480	HP	GENERATOR AUDIO OSCILATOR		NCR
2030	6625-00-980-8255	93459	DIELECTRIC	WATTMETER RF PIU ELEMENT		NCR
204C	6625-00-489-3732	28480	HP	GENERATOR AUDIO OSCILATOR 5Hz-1.2MHz		NCR
204D	6625-00-427-4513	28480	HP	GENERATOR AUDIO OSCILATOR 5Hz-1.2MHz		NCR
208A	6625-00-229-5257	28480	HP	GENERATOR AUDIO OSCILATOR		NCR
209			WAR KNIGHT	CLINOMETER BOTTLE		USER
2090-3B			CONAIRE	OSCILLOSCOPE		12MO
209A	6625-00-160-1128	28480	HP	GENERATOR AUDIO OSCILLATOR 4Hz-2MHz		NCR
21	NSL	07239	AVO BIDDLE	T/S INSULATION METER		NCR
21	6625-01-310-7438	62875	WAVETEK	GENERATOR FUNCTION	NEXRAD	NCR
21-0	6625-00-448-6900	80138	KAY ELEMETRICS	ATTENUATOR VAR 41dB 1W 1GHz		NCR
21-1J1	NSL	07239	AVO BIDDLE	OHMMETER		NCR
2101A	NSL	04237	ASSOC RESEARCH	T/S INSULATION BREAKDOWN		NCR
210200	NSL	07239	AVO BIDDLE	MEGGER		NCR
210600	NSL	07239	AVO BIDDLE	MEGGER 500-1000VDC (DIGITAL)		NCR
2108-2202		96795	GOULD	RECORDER OSCILLOGRAP		USER
210860		30874	IBM	POWER SUPPLY		NCR
210FA	NSL		B&W	GENERATOR AUDIO OSCILLATOR		NCR
211	6625-00-007-8895	80009	TEKTRONIX	OSCILLOSCOPE		XXXX
21151			WEATHERTRN	ANEMOMETER		USER
21158	6625-00-151-6317	07239	AVO BIDDLE	MEGGER	TEST	NCR
21159	6625-00-141-3558	07239	AVO BIDDLE	MEGGER 1		

MODEL/PART NUMBER	NSN	CAGE CODE	MANUFACTURER	NAME/DISCRIPTION	EQUIPMENT APP-TO	CALIBR INTER
0-15GR	NSL			GAUGE FORCE		24MO
0-1701/GR	5895-01-003-0981	31550	ITT	TRANSMITTER SYNTHESIZER	AN/GRR 23-24	NCR
0-3GR	NSL			GAUGE FORCE		24MO
0-50GR	NSL			GAUGE FORCE		24MO
001131-0101	NSL		ASII	RECEIVER PIR		12MO
0021-0000			LINEAR	MODULE MILLIVOLT/VO		NCR
01-0255-00		13499	COLLINS	GENERATOR SIGNAL VOR ZIFOR		12MO
010-0207-00	6625-00-477-2653	80009	TEKTRONIX	PROBE CURRENT		NCR
010-0238-00	6625-00-241-0836	80009	TEKTRONIX	PROBE CURRENT AC		NCR
010-6401-01	6625-00-250-3436	80009	TEKTRONIX	PROBE LOGIC		NCR
010202526		02446	GE	POWER SENSOR RF		12MO
010283SC-06	6625-01-443-3360		ST RESEARCH	ISO/GEN		12MO
011-0093-00	NSL	80009	TEKTRONIX	ATTENUATOR 600 OHM		NCR
0117-0003-10		57062	BIOMATION	ANALYZER LOGIC		NCR
015-0338-00	6625-01-236-2245	80009	TEKTRONIX	DETECTOR SUMMING		USER
016-0606-00	6625-01-111-2211	80009	TEKTRONIX	RECORDER CHART PIU	TEST	USER
0223000	NSL	18068	ASTROCOM	T/S DATA MAXICHEK	ATCT	NCR
02463		16902	SIMPSON	TRANSFORMER CURRENT		NCR
03-4-016-7			DIVELPRO	T/S WIND INSTRUMENT		USER
03265		57858	ELECTRO MECHANICAL	T/S BATTERY CELL		USER
047	NSL	03496	ANEMOSTAT	ANEMOMETER AIR FLOW		USER
054483-0001	5985-01-048-5058	65597	WILCOX	ATTENUATOR VAR 1-10dB 10W 328-336MHz		NCR
054483-0002	5985-01-139-3415	65597	WILCOX	ATTENUATOR VAR 0-4dB	GS	NCR
067-0587-01	6625-00-115-6711	80009	TEKTRONIX	CALIBRATION STANDARDIZER		NCR
067-0587-02	6625-01-092-8915	80009	TEKTRONIX	CALIBRATION STANDARDIZER		NCR
067-1039-00	6625-01-289-8715	80009	TEKTRONIX	GENERATOR VIDEO PATTERN	FSAS	12MO
067-1039-01	NSL	80009	TEKTRONIX	GENERATOR VIDEO PATTERN		12MO
069/071		02446	GE	RECORDER AC VOLTMETER		USER
06L1A1B		64467	WEKSLER	RECORDER TEMPERATURE		USER
07370-020	6625-01-314-7700	00752	AIL/EATON	NOISE FIGURE METER	ASR8	36MO
07615	6625-01-041-3144	00752	AIL/EATON	GENERATOR NOISE (ISOLATOR)		24MO
0851	NSL	34942	VAL-TRONICS	T/S INSULATION HV	ATCT	NCR
095-1	6625-00-946-5842	70998	BIRD	WATTMETER RF PIU ELEMENT 1W 95-125MHz		NCR
095-2	6625-00-132-8299	70998	BIRD	WATTMETER RF PIU ELEMENT 2.5W 95-150MHz	RFWM	NCR
09824-0301	NSL	65597	WILCOX	RECEIVER PIR	ILS	12MO
098343-0100	6625-01-034-0942	65597	WILCOX	RECEIVER PIR	ILS	12MO
098380-0200	NSL	65597	WILCOX	RECEIVER PIR	ILS	12MO
098588-0202	5825-01-382-9793	65597	WILCOX	RECEIVER PISA (TYPE 7010)	ILS MARK 20	12MO
098594-0201	NSL	65597	WILCOX	RECEIVER PIR	ILS	12MO
0C51MG	6625-00-336-7430	25284	HIPOTRONICS	T/S DI-ELECTRIC OIL & GLOVE	TEST	NCR
0C60D	6625-01-353-3292	25284	HIPOTRONICS	T/S DI-ELECTRIC OIL & GLOVE	NEXRAD	NCR
0DM1		16665	SINGER	PIU FM MODULATION		12MO
10			MIKRON	THERMOMETER INFRARED		USER
10		60741	TRIPLETT	AMMETER AC CLAMP-ON		24MO

MODEL/PART NUMBER	NSN	CAGE CODE	MANUFACTURER	NAME/DISCRIPTION	EQUIPMENT APP-TO	CALIBR INTER
10-075	6625-00-166-4015	50290	ARGA	AMMETER AC		24MO
10-075-1	NSL	50290	ARGA	AMMETER AC		24MO
10-075-2	NSL	50290	ARGA	AMMETER		24MO
10-5022	NSL	05083	BACHARACH	ANALYZER COMBUSTION		USER
100			ELEC SYS	CALIBRATOR		USER
100		18479	FW BELL	GAUSS METER		USER
100		18479	FW BELL	POWER SUPPLY		NCR
100	6625-01-315-6241	1L767	SKYMART/SEA TECH	CALIBRATOR PIR	ILS	NCR
100-60		15368	SPECTRON	INDICATOR POWER		NCR
1000	6625-01-017-4718	08441	DIELECTRIC COM	WATTMETER RF w/ ELEMENTS		NCR
1000			GRAYBAR EL	METER MOHM AEMC CON		NCR
1000		57705	HUNTRON	T/S SEMICONDUCTOR (TRACKER)		NCR
1000		16734	TIF INSTRU	AMMETER		24MO
1000-A	6625-01-017-4718	08441	DIELECTRIC COM	WATTMETER RF w/ ELEMENTS		NCR
1000ACDC	NSL	15566	AMPROBE	AMMETER AC/DC		24MO
1000DC	NSL	15566	AMPROBE	AMMETER DC		24MO
1000J		70998	BIRD	WATTMETER RF PIU ELEMENT 1000W .95-1.26GHz		NCR
1001A	5895-01-316-0365	62875	WAVETEK	GENERATOR SWEEP	RML	NCR
1001T2	6695-01-268-7547	39428	MCMASTER-CARR	LOCATOR CABLE & PIPE		USER
1005-1S		57705	HUNTRON	T/S SEMICONDUCTOR (TRACKER)		NCR
1005B		57705	HUNTRON	T/S SEMICONDUCTOR (TRACKER)		NCR
1005B-1S	6625-01-115-0395	57705	HUNTRON	T/S SEMICONDUCTOR (TRACKER)	TEST	NCR
100937	NSL	25778	LUCAS AUL	OHMMETER		NCR
1009A		78205	MOTOROLA	CALIBRATOR DEVIATION		USER
100A	6625-00-269-4459	70998	BIRD	WATTMETER RF PIU ELEMENT 100W 25-60MHz		NCR
100A			EMCO	COUPLER DIR		NCR
100A		16786	FEL CORP + D1324	COUPLER DIR		NCR
100A		25284	HIPOTRONICS	T/S CIRCUIT BREAKER		USER
100A	6625-00-237-8594	06811	SYSTRON DONNER	GENERATOR PULSE 0.1Hz-10MHz		NCR
100C	4920-00-007-0439	26483	MONSANTO	COUNTER TIMER		12MO
100C	6625-01-094-5279	06811	SYSTRON DONNER	GENERATOR PULSE		NCR
100C		60741	TRIPLETT	ANALOG MULTIMETER		12MO
100CBR	6625-01-029-6608	25284	HIPOTRONICS	T/S CIRCUIT BREAKER	GEN-AP-T	USER
100F	NSL	07239	AVO BIDDLE	T/S INSULATION		NCR
100H	6625-00-805-7100	70998	BIRD	WATTMETER RF PIU ELEMENT 100W 25-60MHz		NCR
100J	6625-00-502-7441	70998	BIRD	WATTMETER RF PIU ELEMENT 100W 0.95-1.26GHz		NCR
100MW	6625-00-912-0427	70998	BIRD	WATTMETER RF PIU ELEMENT 0.1W 329-335MHz		NCR
100RDM			WHITFIELD	T/S TELEPHONE LINE		NCR
100T		60741	TRIPLETT	MULTIMETER KIT		XXXX
100VT		58505	DAVIS	ANEMOMETER		USER
100VT9110		21268	DATA METRIC	ANEMOMETER		USER
100W		70998	BIRD	WATTMETER RF PIU ELEMENT		NCR
101		51089	FAIRCHILD/TESTLINE	T/S SEMI CONDUCTOR		NCR
101		32661	TII	T/S TUBE CHECKER		NCR

MODEL/PART NUMBER	NSN	CAGE CODE	MANUFACTURER	NAME/DISCRIPTION	EQUIPMENT APP-TO	CALIBR INTER
101/317	6625-00-897-5248	80009	TEKTRONIX	OSCILLOSCOPE 15MHz		12MO
1010A	6625-00-472-9910	50423	BALLANTINE	OSCILLOSCOPE	TEST	XXXX
1010A/49	NSL	50423	BALLANTINE	OSCILLOSCOPE		12MO
1010A/59	6625-01-030-7241	50423	BALLANTINE	OSCILLOSCOPE	TEST	12MO
101124-1		52332	CLIMATRONICS	T/S ANEMOMETER		USER
101477		52332	CLIMATRONICS	MONITOR WIND ALIGN		USER
101635001E	6625-01-298-5148		MESA TECH	EXERCISER	FSAS	NCR
1018A	6625-00-520-5114	58900	GIGA-TRONICS	POWER METER RF PEAK		12MO
1018B	6625-01-063-3086	58900	GIGA-TRONICS	POWER METER RF PEAK		12MO
101A	NSL	80009	TEKTRONIX	OSCILLOSCOPE		12MO
101C	5895-01-095-3840	52542	SYSTRON DONNER	GENERATOR PULSE		NCR
101T			CALIF INST	VOLTMETER OSCILLATOR		12MO
101X2B		02446	GE	ENCODER ASSEMBLY 64		USER
102	6625-01-314-7711	1L767	SKYMART/SEA TECH	CALIBRATOR PIR	ILS	12MO
1020		56273	ECOS	T/S GROUND RESISTANCE (MEGGER)		NCR
1020		54647	MICROTECH	INDICATOR RF		NCR
1020	4910-00-913-9778	82386	SUN ELECT	ANALYZER ENGINE		NCR
1020CT	5950-00-251-3608	83008	STACO ENERGY	TRANSFORMER VAR		NCR
1020T	6625-01-173-1306	82199	POLARAD	GENERATOR SIGNAL MODULATOR		NCR
1021		53714	LEADER	OSCILLOSCOPE		12MO
1022A	NSL	50423	BALLANTINE	OSCILLOSCOPE		12MO
102394-001			MESA TECH	EXERCISER		NCR
102D2526G10		02446	GE	POWER SENSOR RF		12MO
103		23207	DRANETZ	TEST KIT		NCR
1030	6680-01-149-0383	89554	PIONEER	TACHOMETER PHOTO		12MO
1031K17669		18637	YEWTEC	T/S NULL BALANCE		12MO
1037	6625-00-191-9512	06811	SYSTRON DONNER	COUNTER		XXXX
1037M5	6625-00-190-0326	06811	SYSTRON DONNER	COUNTER 50MHz	TEST	XXXX
1037M5J1	6625-00-383-1448	06811	SYSTRON DONNER	COUNTER 12GHZ	TEST	XXXX
104		52212	NUCLEAR INSTR	VOLTMETER		12MO
1040A	6625-01-043-0261	50423	BALLANTINE	OSCILLOSCOPE	TEST	12MO
1040A/49	6625-01-055-7516	50423	BALLANTINE	OSCILLOSCOPE		12MO
1040A/49A	6625-01-055-7516	50423	BALLANTINE	OSCILLOSCOPE	TEST	12MO
1041-1-2		82199	POLARAD	ADAPTER TEST		NCR
1042A	NSL	50423	BALLANTINE	OSCILLOSCOPE		12MO
1042A/49A	6625-01-108-6192	50423	BALLANTINE	OSCILLOSCOPE	VOR	12MO
1050	6625-01-060-3629	30669	DUMONT	OSCILLOSCOPE		XXXX
1052	6625-00-311-3341	50423	BALLANTINE	OSCILLOSCOPE	TEST	12MO
10525T	6625-00-433-4282	28480	HP	PROBE LOGIC TTL/DTL		NCR
10526T	6625-00-170-6196	28480	HP	PROBE LOGIC PULSER TTL/DTL		NCR
10528A	6625-00-495-4013	28480	HP	CLIP LOGIC 16 PIN TTL/DTL		NCR
10529A	6625-00-490-7298	28480	HP	KIT LOGIC COMPARATOR		NCR
105B	6625-01-436-2762	89536	FLUKE	SCOPEMETER 100MHZ		12MO
106139		07295	ROBINAIR	GAUGE VACUUM THERMISTOR		USER

MODEL/PART NUMBER	NSN	CAGE CODE	MANUFACTURER	NAME/DISCRIPTION	EQUIPMENT APP-TO	CALIBR INTER
1062	6625-00-319-2980	30669	DUMONT	OSCILLOSCOPE	GEN-AP-T	XXXX
1063			TECH SERV	HYDROTHERMOMETER		USER
1066/19A	NSL	50423	BALLANTINE	OSCILLOSCOPE		12MO
1066A/49	NSL	50423	BALLANTINE	OSCILLOSCOPE		12MO
1066B	6625-01-043-0262	50423	BALLANTINE	OSCILLOSCOPE 20MHz	TEST	12MO
1066B/49	6625-00-324-3296	50423	BALLANTINE	OSCILLOSCOPE 20MHz		12MO
1066B/49A	6625-00-324-3296	50423	BALLANTINE	OSCILLOSCOPE 20MHz	TEST	12MO
1066B/61	NSL	50423	BALLANTINE	OSCILLOSCOPE 20MHz		12MO
1066S/398	6625-00-148-9406	50423	BALLANTINE	OSCILLOSCOPE 18MHz		12MO
107	6625-00-813-2426	80009	TEKTRONIX	GENERATOR SQ WAVE		12MO
1071		28009	HONEYWELL	BRIDGE WHEATSTONE		NCR
1079		99899	LORAL/NARDA	COUPLER DIR		NCR
10861A	NSL	50423	BALLANTINE	PROBE AC		NCR
108633-1	NSL	00752	AIL/EATON	ADAPTER TEST		NCR
109191	6625-01-059-8146	06811	SYSTRON DONNER	ANALYZER SPECTRUM PIU	762-1	12MO
1096			PHAOSTRON	WATTMETER RF AC RECORDER		NCR
10A3555S		22375	FISCHER	FLOWMETER		USER
10B	6625-00-971-1228	19070	AIR DEVICES	T/S INSULATION BREAKDOWN		NCR
10B	6625-00-733-3702	70998	BIRD	WATTMETER RF PIU ELEMENT 10W 50-125MHz		NCR
10B		02446	GE	T/S INSULATION BREAKDOWN		NCR
10BA	6625-00-971-1228	19070	AIR DEVICES	T/S INSULATION BREAKDOWN		NCR
10C	6625-00-949-5382	70998	BIRD	WATTMETER RF PIU ELEMENT 10W 100-250MHz	ILS	NCR
10D	6625-00-913-5175	70998	BIRD	WATTMETER RF PIU ELEMENT 10W 200-500MHz		NCR
10J		70998	BIRD	WATTMETER RF PIU ELEMENT 10W .95-1.26GHz		NCR
10M	6625-00-971-1228	19070	AIR DEVICES	T/S INSULATION BREAKDOWN	TEST	NCR
10T		60741	TRIPLETT	ANALOG MULTIMETER		12MO
10TC		96795	GOULD	PROBE POD HIGH PERFORMANCE		NCR
10TC/01		57062	BIOMATION	PROBE POD HIGH PERFORMANCE		NCR
10W		70998	BIRD	WATTMETER RF PIU ELEMENT		NCR
10XR		96795	GOULD	PROBE HIGH PERFORMANCE		NCR
11-9016	NSL	05083	BACHARACH	ANALYZER COMBUSTION		USER
110		51644	WEST TECH SYS	TESTER		NCR
1100			PHONETICS	MONITOR SENSAPHONE		NCR
1100-0209/425	6130-01-261-3105	62875	WAVETEK	POWER SUPPLY	RCAG	NCR
11005A	5950-00-678-0343	28480	HP	TRANSFORMER AUDIO FREQUENCY		NCR
1100S		51190	IFR SYS	MONITOR COMMUNICATION SERVICE		12MO
11039A	6625-00-678-0904	28480	HP	DIVIDER VOLT		24MO
11049A	4931-00-130-5379	28480	HP	CONVERTER THERMAL 3V		USER
1104A-101		26483	MONSANTO	COUNTER PIU FREQUENCY CONVERTER		12MO
11050A	4931-00-130-5381	28480	HP	CONVERTER THERMAL 1V		USER
1105A	6625-00-150-6501	28480	HP	GENERATOR PLUSE		NCR
1105B	6625-01-038-2049	82199	POLARAD	GENERATOR SIGNAL .8-2.4GHz		12MO
1105B/1020		82199	POLARAD	GENERATOR SIGNAL w/ MODULATOR		12MO
1105BT		82199	POLARAD	GENERATOR SIGNAL		12MO

MODEL/PART NUMBER	NSN	CAGE CODE	MANUFACTURER	NAME/DISCRIPTION	EQUIPMENT APP-TO	CALIBR INTER
1105E		82199	POLARAD	GENERATOR SIGNAL		12MO
1105E-T		82199	POLARAD	GENERATOR SIGNAL		12MO
1106E-L-M6-F	6625-01-096-2380	82199	POLARAD	GENERATOR SIGNAL		12MO
1106E-N	6625-01-233-6626	82199	POLARAD	GENERATOR SIGNAL		12MO
1107-101		26483	MONSANTO	COUNTER PIU TIME INTERVAL		12MO
1108A	6625-00-433-8508	82199	POLARAD	GENERATOR SIGNAL 6.95-11GHz		12MO
1108A-QS		82199	POLARAD	GENERATOR SIGNAL		12MO
1108E	6625-01-100-1653	82199	POLARAD	GENERATOR SIGNAL 6.95-11GHz		12MO
1108QS		82199	POLARAD	GENERATOR SIGNAL		12MO
11096B	6625-00-471-0575	28480	HP	PROBE HIGH VOLTAGE		NCR
110A		13913	WESTERN RESERVE	T/S ENGINE PERFORMANCE		USER
110B	6625-00-113-6353	15933	DATA PLUSE	GENERATOR PLUSE 5H-50MHz	TEST	NCR
110B	6625-00-113-6353	06811	SYSTRON DONNER	GENERATOR PLUSE 5H-50MHz		NCR
110C	6625-01-061-9115	06811	SYSTRON DONNER	GENERATOR PLUSE 0.5H-50MHz	TEST	NCR
1110A	6625-00-816-9313	28480	HP	PROBE CURRENT		NCR
1110B	6625-01-136-4712	28480	HP	PROBE CURRENT		NCR
1120A	6625-00-150-6965	28480	HP	PROBE 500MHz		NCR
1123A	6625-00-464-7740	28480	HP	PROBE DETECTOR VOLT		USER
1124P4		39739	MERIAM	BELLOWS PORTABLE IN		NCR
112603	NSL	07239	AVO BIDDLE	INDICATOR FREQUENCY		NCR
1130		08994	KOLLSMAN	BAROMETER ALTIMETER		USER
1130-31	6660-00-451-0936	08994	KOLLSMAN	BAROMETER 28-31" HGA		USER
1130009A2			GEN TIME	GENERATOR MARKER		NCR
1130017A1			GEN TIME	T/S FOCUS ALIGNMENT		NCR
1137-0101	NSL		ASII	RECEIVER PISA	ILS	12MO
11412310		96795	GOULD	AMPLIFIER		NCR
1142		02446	GE	DETECTOR LEAK REFRIGERANT		USER
114A	6625-00-041-0095	06811	SYSTRON DONNER	GENERATOR PLUSE	TEST	NCR
115	6625-00-472-2018	80009	TEKTRONIX	GENERATOR PULSE		NCR
115-12-35A			NEWMAN	POWER SUPPLY		NCR
1150-002			FREQ TIME	FREQUENCY STANDARD		NCR
11549A	5985-00-500-8706	28480	HP	COUPLER TRANSMISSION LINE		NCR
11570A	6625-00-197-8483	28480	HP	KIT ACCESSORY (8405)		NCR
11581A	6625-00-484-6354	28480	HP	ATTENUATOR SET 12.4GHz 8491A-(3-20)	NEXRAD	NCR
11582A	5985-01-183-3590	28480	HP	ATTENUATOR SET 18.0GHz 8491B-(3-20)		NCR
116	6625-01-314-7668	57062	BIOMATION	DISPLAY CONTROL ASY	1650D	NCR
116	5950-00-518-4368	58474	SUPERIOR	TRANSFORMER VAR		NCR
1163-1-3			RADIO SHACK	DEVIATION METER FM		NCR
11667A	6625-01-017-2713	28480	HP	DIVIDER POWER SPLITTER 6dB 18GHz		NCR
11683A	6625-01-037-0429	28480	HP	CALIBRATOR POWER METER		USER
11687A	4931-01-030-1457	28480	HP	ADAPTER 50-75 OHM		NCR
11690A	6625-00-528-8593	28480	HP	DOUBLER FREQUENCY		NCR
11692D	5985-01-024-3832	28480	HP	COUPLER DIR		36MO
11693	NSL	28480	HP	LIMITER (REVERSE POWER) 0.1-12.4GHz		NCR

MODEL/PART NUMBER	NSN	CAGE CODE	MANUFACTURER	NAME/DISCRIPTION	EQUIPMENT APP-TO	CALIBR INTER
11693A	6625-00-374-8024	28480	HP	LIMITER (REVERSEPOWER) 0.1-12.4GHz		NCR
117	6625-00-311-3359	06811	SYSTRON DONNER	GENERATOR PLUSE	TEST	NCR
11708A	5985-01-105-6211	28480	HP	ATTENUATOR FX 50.0MHz CAL REF		NCR
11713A	6625-01-081-4153	28480	HP	ATTENUATOR SWITCH DRIVER		NCR
11715A	4931-01-088-2149	28480	HP	TEST SOURCE AM/FM		12MO
11721A	6625-01-140-8523	28480	HP	DOUBLER FREQUENCY		NCR
11722A	6625-01-169-7669	28480	HP	POWER SENSOR MODULE 100KHz-2.6GHz		12MO
11760S-K01	NSL	28480	HP	INTERFACE RF		NCR
11792A	6625-01-296-4527	28480	HP	POWER SENSOR MODULE 50MHZ-26.5GHz		12MO
11793A	6625-01-296-4789	28480	HP	DOWN CONVERTER uWAVE		NCR
1180			EICO	CAPACITANCE DECADE BOX		NCR
118050B	NSL	59912	3M/DYNATEL/PHOTODYNE	T/S FIBEROPTIC		12MO
11812A	6625-01-313-6541	28480	HP	KIT VERIFICATION		NCR
11823C	5985-01-386-7465	28480	HP	KIT ACCESSORY SWR		NCR
1188790001		65597	WILCOX	COUPLER DIR		NCR
11945A	6625-01-303-9160	28480	HP	PROBE SET CLOSE FIE		NCR
11975A	6625-01-223-1273	28480	HP	AMPLIFIER uWAVE 2-18GHz 15-9dB		NCR
11B	6625-00-010-4605		ALECTRA	AUDIO LEVEL METER		XXXX
11XE	6625-01-123-4097	59912	3M/DYNATEL/PHOTODYNE	POWER METER OPTICAL		12MO
12		57822	GW ELECTR	T/S SURGE ARRESTER		USER
12		89554	PIONEER	TACHOMETER PHOTO-T		USER
12-2.5W		70998	BIRD	WATTMETER RF PIU ELEMENT		NCR
12-2L5W		70998	BIRD	WATTMETER RF PIU ELEMENT		NCR
120		70998	BIRD	WATTMETER RF PIU ELEMENT		NCR
120			TESTLINE	T/S SEMI-CONDUCTOR		NCR
1200A		51190	IFR SYS	MONITOR COMMUNICATION SERVICE		12MO
1200S		51190	IFR SYS	MONITOR COMMUNICATION SERVICE		12MO
1201	NSL		AUTO PROD	LOCATOR CABLE FAULTFINDER		USER
1201A	6625-01-190-8359	28480	HP	OSCILLOSCOPE 500Kz		XXXX
1204	NSL	80009	TEKTRONIX	GENERATOR SWEEP		NCR
1205A	NSL		BARCO	METER MAST		NCR
1205A	6625-00-444-4070	28480	HP	OSCILLOSCOPE 500KHz		XXXX
1205F	4935-00-400-7129	82199	POLARAD	GENERATOR SIGNAL		12MO
1206A	6625-00-130-0023	28480	HP	OSCILLOSCOPE 500KHz	TEST	XXXX
1207	6625-01-146-7663	27432	VISUAL INFO	GENERATOR SIGNAL CTV	TEST	12MO
1207A		27432	VISUAL INFO	MIXER CTV BAR/DOT		NCR
120W		70998	BIRD	WATTMETER RF PIU ELEMENT		NCR
120Z6	5210-01-010-4522	57163	STARRETT	CALIPER DIAL		USER
1210	NSL		AUTO PROD	LOCATOR CABLE FAULTFINDER		USER
12105	4910-01-078-5420	55026	SIMPSON	T/S TACHOMETER-DWELL		USER
12105090	NSL	07239	AVO BIDDLE	T/S TACHOMETER		USER
1212.5W		70998	BIRD	WATTMETER RF PIU ELEMENT		NCR
1217C	6625-00-553-4422	16786	FEL CORP	CAVITY TUNED (ECHO BOX)	ANFPS20	NCR
121C	6625-00-955-7689	80138	KAY ELEMETRICS	GENERATOR SWEEP		NCR

MODEL/PART NUMBER	NSN	CAGE CODE	MANUFACTURER	NAME/DISCRIPTION	EQUIPMENT APP-TO	CALIBR INTER
1220A	6625-00-623-3462	28480	HP	OSCILLOSCOPE 15Mz		XXXX
1221A	NSL	28480	HP	OSCILLOSCOPE 15Mz		XXXX
1222A	6625-01-083-0954	28480	HP	OSCILLOSCOPE 15MHz		XXXX
1231	NSL	50665	QUALIMETRICS INC	CALIBRATOR WINDSPEED	AWOS	NCR
12401D1	6625-01-173-0700	80009	TEKTRONIX	ANALYZER LOGIC PIU DATA ACQUISTION	GEN-AP-T	NCR
1247			MILTON	LIGHT TIMING DIGITA		12MO
1248	6625-01-079-3663	08098	B&K PRECISION	GENERATOR DIGITAL		12MO
1250	5820-01-325-2407	21793	RACAL-DANA	SWITCHING UNIT CONTROLLER		USER
1255		65092	WESTON	COUNTER		12MO
1255A	6625-00-190-0329	06811	SYSTRON DONNER	COUNTER PIU 3-12.4GHz	TEST	12MO
12598		12598	RCL ELEC	COUPLER DIR		NCR
12598-M-2565		12598	RCL ELEC	COUPLER BI-DIR		NCR
12679A	5985-01-155-6536	50423	BALLANTINE	ATTENUATOR FX		NCR
127C			PHILCO	SELECTIVE LEVEL METER		12MO
127C		94668	SIERRA ELECT	SELECTIVE LEVEL METER		12MO
127C1		54778	LEAR SIEG	SELECTIVE LEVEL METER		12MO
129		70998	BIRD	WATTMETER RF PIU ELEMENT		NCR
12H15			CORNELL	CONVERTER VIBRATOR		NCR
12N10W-30DB	NSL	64671	INMET CORP	ATTENUATOR FX 30dB 10W 12.4GHz		NCR
12T			LOG TECH	DIGITAL MULTIMETER		XXXX
13-4615-10	5996-01-040-0002	96795	GOULD	RECORDER AMP FOR 210		12MO
1300		06811	SYSTRON DONNER	GENERATOR SIGNAL SYNTH		12MO
13010		07295	ROBINAIR	GAUGE VACUUM THERMISTOR		USER
13023	NSL	70210	AIRESEARCH	METER DIRECTION FLD		USER
1309			PENN TECH	TENSIOMETER		USER
130A		30072	EMERSON/DORIC	ANALYZER CAPACITANCE		NCR
1310A		24655	GENRAD	GENERATOR SIGNAL		12MO
1310B		24655	GENRAD	GENERATOR SIGNAL		12MO
131AS379		62875	WAVETEK	GENERATOR SIGNAL		12MO
1326597	NSL	07239	AVO BIDDLE	T/S INSULATION		NCR
133	NSL	80009	TEKTRONIX	POWER SUPPLY PIU		NCR
1330A		24655	GENRAD	GENERATOR SIGNAL		18MO
134	6625-00-434-7308	80009	TEKTRONIX	AMPLIFIER PROBE		NCR
134B		21461	PRESTON SCIENTIFIC	GENERATOR OSCILLATOR		NCR
135	6625-00-986-4748	28480	HP	RECORDER		USER
135-3905		95325	BRUNO	ATTENUATOR FX 50DB		NCR
1355-8506				INDICATOR FLOW RATE		12MO
1355A4CC3A3B		91556	EMERSON/BROOKS	FLOWMETER		USER
1358	6625-01-059-2433	82199	POLARAD	T/S RADIO 7.1-8.5GHz	TEST	12MO
1358A	6625-01-304-2326	82199	POLARAD	GENERATOR SIGNAL		12MO
1358A-01,02	6625-01-304-2326	82199	POLARAD	GENERATOR SIGNAL	TEST	12MO
1358T		82199	POLARAD	T/S RADIO		12MO
135S			BEMC	DETECTOR RF 10-30 MHZ		USER
1360T7			C DILLON	DYNANOMETER		USER

MODEL/PART NUMBER	NSN	CAGE CODE	MANUFACTURER	NAME/DISCRIPTION	EQUIPMENT APP-TO	CALIBR INTER
13611	6625-01-093-3410	88869	EATON CORP	T/S RADIO		12MO
1395A( )		50423	BALLANTINE	CONVERTER THERMAL 7		USER
139B	NSL	28480	HP	GENERATOR PULSE		NCR
14-0087	NSL	05083	BACHARACH	RECORDER TEMPERATURE		USER
14-2211	6685-00-780-7192	05083	BACHARACH	RECORDER TEMPERATURE		USER
14-7030	NSL	05083	BACHARACH	RECORDER TEMPERATURE		USER
14-7031	NSL	05083	BACHARACH	RECORDER TEMPERATURE		USER
14-7031B	NSL	05083	BACHARACH	RECORDER TEMPERATURE		USER
14-9006	NSL	05083	BACHARACH	RECORDER TEMPERATURE		USER
14002263		05351	PYROTRONICS	T/S PYROALARM SENSITIVITY		USER
1401				METER MODULATION		12MO
14010		07295	ROBINAIR	GAUGE VACUUM THERMISTOR		USER
1401A323	6625-00-165-2137	80009	TEKTRONIX	ANALYZER SPECTRUM MF		12MO
1401B	6625-00-585-3992	24655	GENRAD	CAPACITOR STD 200pF		NCR
1401D	6625-00-585-3991	24655	GENRAD	CAPACITOR STD 1000pF		NCR
1403-12			WILMORE EL	INVERTER DC TO AC 5		NCR
1410			GAW	VOLTMETER DISTORTION		12MO
14111-20		19136	NORSAL IND	COUPLER DIR		NCR
141F	NSL	28480	HP	ANALYZER SPECTRUM MF		XXXX
141T	6625-00-424-4370	28480	HP	ANALYZER SPECTRUM MF	TEST	XXXX
142C817H06	6625-01-155-6552	06466	LARSON	VOLTMETER AC PANEL	ARSR3	NCR
142S527		62875	WAVETEK	GENERATOR FUNCTION		NCR
1432K		24655	GENRAD	RESISTOR DECADE		NCR
1433(ALL)		24655	GENRAD	RESISTOR DECADE		NCR
1433K		24655	GENRAD	RESISTOR DECADE		NCR
1434N	6625-00-935-1470	24655	GENRAD	RESISTOR DECADE		NCR
144		62875	WAVETEK	GENERATOR SWEEP		NCR
145			TECH OIL	TACHOMETER CHRONOMETER		USER
14509-11			TRIMBLE	RECEIVER GPS		USER
1450TA	6625-00-201-8779	24655	GENRAD	ATTENUATOR STEP (110/1) 1W 200KHz 600ohms		NCR
146	6625-00-126-9941	04237	ASSOC RESEARCH	INDICATOR PHASE SEQUENCE		USER
147B		13913	WESTERN RESERVE	LOCATOR CABLE		USER
1482L	6625-00-556-8584	24655	GENRAD	INDUCTOR STD 100mH		NCR
1482M	6625-00-804-4129	24655	GENRAD	INDUCTOR STD 200mH		NCR
1490B		24655	GENRAD	INDUCTOR DECADE		NCR
15-3030E			HYDRODYNAMIC	HYDROMETER DIAL IND		USER
15-6327-50			BRUSH MFG	RECORDER PORTABLE M		USER
150-2	6625-00-132-8293	70998	BIRD	WATTMETER RF PIU ELEMENT 2.5W 150-250MHz	RFWM	NCR
1500A	NSL	50522	MONSANTO	COUNTER		XXXX
1500A101	NSL	50522	MONSANTO	COUNTER		XXXX
15018-1	6625-01-314-0652	21870	GRIM	T/S CIRCUIT PLUG	RCCE	NCR
1502	6625-01-003-5561	80009	TEKTRONIX	METER TDR		12MO
1502/004	6625-01-037-4412	80009	TEKTRONIX	METER TDR	TEST	12MO
1502/004	6625-01-037-4412	80009	TEKTRONIX	METER TDR		12MO

MODEL/PART NUMBER	NSN	CAGE CODE	MANUFACTURER	NAME/DISCRIPTION	EQUIPMENT APP-TO	CALIBR INTER
1502B/004	6625-01-280-9556	80009	TEKTRONIX	METER TDR		12MO
1502DI		08125	FAA	TORQWRENCH		USER
1503	6625-01-036-7821	80009	TEKTRONIX	METER TDR		12MO
1503/004	6625-01-043-9760	80009	TEKTRONIX	METER TDR	TEST	12MO
1503B	6625-01-311-3548	80009	TEKTRONIX	METER TDR		12MO
1503C	6625-01-323-1521	80009	TEKTRONIX	METER TDR		12MO
1503C/03/04	6625-01-355-8085	80009	TEKTRONIX	METER TDR(BATTERY PACK/RCD)	TEST	12MO
1506A		93459	WEINSCHEL	POWER DIVIDER		NCR
15075		07295	ROBINAR	PUMP VACUUM		USER
1509 w/ CASE	6625-01-304-2179	82199	POLARAD	DOUBLER FREQUENCY	1358A	NCR
1509-1		82199	POLARAD	DOUBLER FREQUENCY		NCR
1509121	NSL	07239	AVO BIDDLE	TACHOMETER HAND HELD		USER
1510		82199	POLARAD	DOUBLER FREQUENCY		NCR
15101B		07295	ROBINAIR	PUMP VACUUM		USER
153030E			NEWPORTSCI	HYGROMETER		USER
1531		65092	WESTON	WATTMETER RF		NCR
1531A	6680-00-799-7616	24655	GENRAD	STROBOSCOPE	TEST	USER
15370-11-001				COUPLER DIR		NCR
154AF	6625-00-941-5144	18101	KAY ELECTRONICS	GENERATOR SWEEP	TEST	XXXX
154CFA	6625-00-190-0275	18101	KAY ELECTRONICS	GENERATOR SWEEP	TEST	XXXX
155		65092	WESTON	VOLTMETER		12MO
1551B	6625-00-893-0230	24655	GENRAD	METER SOUND LEVEL		12MO
1551C	6625-00-982-3929	24655	GENRAD	METER SOUND LEVEL		12MO
1562-9701	6625-00-401-6354	24655	GENRAD	CALIBRATOR SOUND LEVEL		12MO
1562A	6625-00-401-6354	24655	GENRAD	CALIBRATOR SOUND LEVEL		12MO
1565A	6625-01-012-9225	24655	GENRAD	METER SOUND LEVEL		12MO
1565B	6625-01-012-9225	24655	GENRAD	METER SOUND LEVEL		12MO
1568		24655	GENRAD	WAVE ANALYZER		12MO
1568-9000	6625-00-162-1940	24655	GENRAD	WAVE ANALYZER	PTE0260	12MO
1568A	6625-00-162-1940	24655	GENRAD	WAVE ANALYZER		12MO
1568A9000		24655	GENRAD	WAVE ANALYZER		12MO
1590	NSL	08098	B&K PRECISION	OSCILLOSCOPE		12MO
1590P	NSL	08098	B&K PRECISION	OSCILLOSCOPE		12MO
15KV	NSL	07239	AVO BIDDLE	T/S INSULATION		NCR
15T			LOG TECH	DIGITAL MULTIMETER THERMOMETER		NCR
160		55026	SIMPSON	ANALOG MULTIMETER		12MO
160			SOLAR ELEX	ANALYZER CAPACITANCE		NCR
160-150FNZ			PHILCO	LOAD DUMMY RF		NCR
1600-1300	6625-01-296-0025	06102	AIRFLO	T/S FLASHER	ALSF2	USER
1600A	6625-01-032-1950	28480	HP	ANALYZER LOGIC STATE 16 CHANNELS		NCR
1600B	6625-00-852-9631	28569	HICKOK	ANALOG MULTIMETER		12MO
1600S	6625-01-032-5876	28480	HP	ANALYZER LOGIC STATE (1600A/1607A) 32 CHANNELS		NCR
1601	6130-01-147-7699	08098	B&K PRECISION	POWER SUPPLY		NCR
1602	6130-01-102-3188	08098	B&K PRECISION	POWER SUPPLY		NCR

MODEL/PART NUMBER	NSN	CAGE CODE	MANUFACTURER	NAME/DISCRIPTION	EQUIPMENT APP-TO	CALIBR INTER
1602		08125	FAA	T/S INSULATION		NCR
1602		96795	GOULD	OSCILLOSCOPE		12MO
1602	6625-00-141-3550	25778	LUCAS AUL	OHMMETER		NCR
1602			NEWARK ELE	POWER SUPPLY HIGH V		NCR
16029A	NSL	28480	HP	TEST FIXTURE LCR BRIDGE f/4265B		NCR
1602DSO	6625-01-304-3413	96795	GOULD	OSCILLOSCOPE	ARTS3A	12MO
1604D25G01	6625-01-313-1552	18323	WESTINGHOUSE	T/S PFN COMPONET	ARSR3	NCR
1604M	6625-00-168-0503	28569	HICKOK	MULTIMETER		24MO
1605B		82199	POLARAD	GENERATOR SIGNAL		12MO
1605BT		82199	POLARAD	GENERATOR SIGNAL		12MO
1605E	6625-01-209-5977	82199	POLARAD	GENERATOR SIGNAL 0.8-2.4GHz		12MO
1605E-T1020T	6625-01-315-6242	82199	POLARAD	GENERATOR SIGNAL	TEST	12MO
1605E1020		82199	POLARAD	GENERATOR SIGNAL		12MO
1605E1020T		82199	POLARAD	GENERATOR SIGNAL		12MO
1605ET1020		82199	POLARAD	GENERATOR SIGNAL		12MO
1606E		82199	POLARAD	GENERATOR PULSE S-B		NCR
1607A	4931-01-026-5533	28480	HP	ANALYZER LOGIC STATE 16 CHANNELS		NCR
1609D75		18323	WESTINGHOUSE	T/S IC RAM		NCR
1609D75G01	6625-01-313-1551	18323	WESTINGHOUSE	T/S IC RAM	ARSR3	NCR
160M		30874	IBM	VOLTMETER		12MO
162	NSL	08098	B&K PRECISION	T/S SEMI-CONDUCTOR		NCR
1620		96795	GOULD	OSCILLOSCOPE		12MO
164		62875	WAVETEK	GENERATOR SWEEP		NCR
1640A/001/002	6625-01-098-3343	28480	HP	ANALYZER SERIAL DATA		NCR
1640B	7035-01-129-7818	28480	HP	ANALYZER SERIAL DATA		NCR
1645A	6625-00-487-0662	28480	HP	ANALYZER DIGITAL DATA		NCR
1646388		18323	WESTINGHOUSE	T/S OIL		USER
1649D59G01	6625-01-182-3652	18323	WESTINGHOUSE	ADAPTER uPROCESSOR	ARSR3	NCR
164BY		54778	SIERRA LSI	MONITOR RF POWER		NCR
1650	NSL		ELDORADO	COUNTER		12MO
16500A	6625-01-306-9711	28480	HP	ANALYZER LOGIC		NCR
1650A		24655	GENRAD	BRIDGE IMPEDANCE		NCR
1650B		24655	GENRAD	BRIDGE IMPEDANCE		NCR
1650C			ELDORADO	COUNTER DIGITAL AUTOREAD		12MO
1650D	6625-01-275-8775	57062	BIOMATION	ANALYZER LOGIC	TEST	NCR
1650D/116	6625-01-066-3359	57062	BIOMATION	ANALYZER LOGIC	TEST	NCR
166	NSL		A&J	T/S ANTENNA		USER
1660	NSL	08098	B&K PRECISION	POWER SUPPLY DC		NCR
16838		82205	BELFORT	ANEMOMETER CALIBRATOR		USER
169		80164	KEITHLEY	DIGITAL MULTIMETER		XXXX
169		49424	PYROMETER	PYROMETER		12MO
16934	6625-01-379-4787	58900	GIGA-TRONICS	POWER SENSOR RF 30MHz-18.5GHz		12MO
16936	6625-01-291-2642	58900	GIGA-TRONICS	POWER SENSOR RF		12MO
1700-0850T	6625-01-345-7448	59912	3M/DYNATEL/PHOTODYNE	PIU LIGHT SOURCE		12MO

MODEL/PART NUMBER	NSN	CAGE CODE	MANUFACTURER	NAME/DISCRIPTION	EQUIPMENT APP-TO	CALIBR INTER
17071	6625-01-378-9673	58900	GIGA-TRONICS	POWER SENSOR RF		12MO
1707B	6625-01-008-2601	28480	HP	OSCILLOSCOPE 35MHz		XXXX
1707B465M	NSL	28480	HP	OSCILLOSCOPE 35MHz		XXXX
1709E		82199	POLARAD	GENERATOR SIGNAL		12MO
1710A	6625-01-061-8910	28480	HP	OSCILLOSCOPE 150MHz		XXXX
17171A	6625-00-460-0185	28480	HP	RECORDER PIU DC PREAMP		USER
17172A	6625-00-441-2022	28480	HP	RECORDER PIU TIME BASE		USER
1720A	6625-01-034-4783	28480	HP	OSCILLOSCOPE 250MHz	TEST	12MO
1720AF/021	6625-01-034-4783	28480	HP	OSCILLOSCOPE 250MHz		12MO
1725A	6625-01-326-6169	28480	HP	OSCILLOSCOPE 275MHz		12MO
1727A	NSL	28480	HP	OSCILLOSCOPE 275MHz STORAGE		12MO
17376	NSL			GENERATOR SIGNAL		12MO
17401A	6625-01-018-6405	28480	HP	RECORDER PIU PREAMP		USER
1740A	6625-01-033-5066	28480	HP	OSCILLOSCOPE 100MHz		12MO
1741A	6625-01-058-0139	28480	HP	OSCILLOSCOPE 100MHZ STORAGE		12MO
1744A	6625-01-171-9861	28480	HP	OSCILLOSCOPE 100MHz STORAGE		12MO
1750A	6625-00-947-7541	28480	HP	OSCILLOSCOPE PIU VRT	175A	XXXX
1750T		59912	3M/DYNATEL/PHOTODYNE	SENSOR GE LIGHT SOURCE		12MO
1751753		80164	KEITHLEY	MULTIMETER		24MO
175A	6625-00-989-5448	28480	HP	OSCILLOSCOPE 50MHz		XXXX
178-A		83490	ELEK BRAZ	T/S		NCR
1781B	6625-00-918-1825	28480	HP	OSCILLOSCOPE PIU TB	175A	XXXX
179A		13259	CLOUGH BRE	GENERATOR AUDIO OSCILLATOR		NCR
179A		80164	KEITHLEY	DIGITAL MULTIMETER		XXXX
17XT	6625-01-298-0976	59912	3M/DYNATEL/PHOTODYNE	T/S FIBER OPTIC CABLE 820,850,1300,1550nM		12MO
180	NSL	80009	TEKTRONIX	GENERATOR TIMEMARK		12MO
1801A	6625-00-234-6117	28480	HP	OSCILLOSCOPE PIU VRT 50MHz	TEST	XXXX
1802A	6625-00-464-7744	28480	HP	OSCILLOSCOPE PIU VRT 50MHz	TEST	XXXX
18043A	6625-01-154-8595	28480	HP	DETECTOR LEAK ULTRA		USER
1805	NSL	07239	AVO BIDDLE	T/S INSULATION		NCR
1809A	6625-01-017-8561	28480	HP	OSCILLOSCOPE PIU VRT 100MHz		12MO
180A	NSL	80009	TEKTRONIX	GENERATOR TIMEMARK		12MO
180AC	NSL	30669	DUMONT	OSCILLOSCOPE MF		12MO
180C	6625-00-135-6977	28480	HP	OSCILLOSCOPE MF		12MO
181	6625-00-805-4724	80009	TEKTRONIX	GENERATOR TIMEMARK		12MO
1811	6625-00-953-9286	17250	MCS CORP	BRIDGE UHF	TEST	NCR
1817			MARVAC	PUMP VACCUM HIGH		USER
18180A	6625-01-297-5624	28480	HP	ANALYZER PROTOCAL		NCR
1818A	6625-01-004-5976	28480	HP	METER TDR		12MO
181A	6625-00-442-3550	28480	HP	OSCILLOSCOPE MF		XXXX
181S1	6625-00-578-5608	80009	TEKTRONIX	GENERATOR TIMEMARK		12MO
181T/TR	6625-01-171-4609	28480	HP	ANALYZER SPECTRUM DISPLAY		XXXX
1825A	6625-00-022-8244	28480	HP	OSCILLOSCOPE PIU TB		XXXX
182C	6625-01-056-4165	28480	HP	OSCILLOSCOPE MF	TEST	12MO

MODEL/PART NUMBER	NSN	CAGE CODE	MANUFACTURER	NAME/DISCRIPTION	EQUIPMENT APP-TO	CALIBR INTER
182T	6625-01-047-7468	28480	HP	OSCILLOSCOPE MF		12MO
1840	NSL	24655	GENRAD	POWER METER AUDIO OUTPUT		36MO
1840-9701	6625-00-937-6156	24655	GENRAD	POWER METER AUDIO OUTPUT	TEST	36MO
1840A	6625-00-937-6156	24655	GENRAD	POWER METER AUDIO OUTPUT		36MO
1840AS1	NSL	24655	GENRAD	POWER METER AUDIO OUTPUT		36MO
18420	NSL	58612	SHORTRIDGE	MULTIMETER AIR DATA		24MO
184A	6625-01-012-5980	28480	HP	OSCILLOSCOPE MF		12MO
185014	6625-01-304-2329	21877	WESTINGHOUSE/NORDON	GENERATOR SIGNAL	SSR-DMTI	12MO
18520083			POWERS	POWER STAK SIMULATOR		NCR
1855	NSL	08098	B&K PRECISION	COUNTER		12MO
1857A	NSL	50012	MOTOROLA	T/S RADIO		12MO
189			BRISTOL	RECORDER TEMPERATURE		USER
1890M		24655	GENRAD	T/S SEMI-CONDUCTOR		NCR
1891	NSL	0G2F8	AMETEK	TACHOMETER		USER
1891M			KERNCO	PHOTOTACH DIGITAL		12MO
19000-00			HACH	DIGITAL METER PH		NCR
1900A	6625-01-049-1844	89536	FLUKE	COUNTER 80MHz		12MO
1901			WESTERN MULT	GENERATOR TONE		NCR
1901C		62875	WAVETEK	OSCILLOSCOPE DISPLAY		12MO
1902	6625-00-389-7404	30669	DUMONT	AMPLIFIER AUDIO/RF		NCR
19045.7	NSL	84147	ANDREW CAL	WAVEGUIDE		NCR
1909-72		18284	DONGAN	T/S TRANSFORMER		NCR
191	6625-01-300-2453	80164	KEITHLEY	DIGITAL MULTIMETER		12MO
191		82386	SUN ELECT.	T/S TACHOMETER		USER
1910A	6625-01-092-8438	89536	FLUKE	COUNTER 125MHz		12MO
1911A	6625-01-064-3855	89536	FLUKE	COUNTER 250MHz		12MO
1912A	NSL	89536	FLUKE	COUNTER 520MHz		12MO
1920A	6625-01-142-6233	89536	FLUKE	COUNTER 520MHz		12MO
1933-9701		24655	GENRAD	METER SOUND LEVEL		12MO
1948A	5895-00-118-9218	06811	SYSTRON DONNER	AMPLIFIER VIDEO		NCR
195		24655	GENRAD	MONITOR NOISE EXPOS		12MO
1950		06811	SYSTRON DONNER	GENERATOR SIGNAL MI		12MO
1950		98648	UNIFAB	DYNAMOMETER		USER
1950A	5963-01-358-5058	28480	HP	OSCILLOSCOPE PIU VRT 100MHz		12MO
1954		24655	GENRAD	METER SOUND LEVEL		12MO
1954-9710	6625-01-041-0293	24655	GENRAD	METER SOUND LEVEL		12MO
1954-9720		24655	GENRAD	METER SOUND LEVEL		12MO
1980A	6625-01-071-0596	89536	FLUKE	COUNTER 515MHz		12MO
1980A-04	6625-01-071-0596	89536	FLUKE	COUNTER 515MHz	TEST	12MO
1980B	6625-01-146-2378	28480	HP	OSCILLOSCOPE MF 100MHz	GEN-AP-T	12MO
1982		24655	GENRAD	METER SOUND LEVEL		12MO
1992	6625-01-255-3189	21793	RACAL-DANA	COUNTER UNIVERSAL 1.3GHz		12MO
19935	NSL	07239	AVO BIDDLE	T/S INSULATION		NCR
1994/41	6625-01-357-9937	21793	RACAL-DANA	COUNTER UNIVERSAL 1.3GHz		12MO

MODEL/PART NUMBER	NSN	CAGE CODE	MANUFACTURER	NAME/DISCRIPTION	EQUIPMENT APP-TO	CALIBR INTER
1996	6625-01-324-4407	21793	RACAL-DANA	COUNTER UNIVERSAL 1.3GHz		12MO
19XT		59912	3M/DYNATEL/PHOTODYNE	ATTENUATOR VARIABLE LIGHT		12MO
1A1	6625-00-796-4851	80009	TEKTRONIX	OSCILLOSCOPE PIU VRT		XXXX
1A1500			DUKANE COR	AMPLIFIER		NCR
1F	6625-00-084-2707	70998	BIRD	WATTMETER RF PIU ELEMENT		NCR
1FE20		33347	SENCORE	VOLTMETER		12MO
1FP		82199	ROHDE & SCHWAR	LOGISCOPE		NCR
1J		70998	BIRD	WATTMETER RF PIU ELEMENT 1W .95-1.26GHz		NCR
1R500			DICKSON	THERMOMETER		USER
1W		70998	BIRD	WATTMETER RF PIU ELEMENT		NCR
2	NSL		BARTON INS	FLOWMETER FLUID		USER
2.5C		70998	BIRD	WATTMETER RF PIU ELEMENT		NCR
2.5D		70998	BIRD	WATTMETER RF PIU ELEMENT		NCR
2.5W		70998	BIRD	WATTMETER RF PIU ELEMENT		NCR
20	6625-01-238-7314	62875	WAVETEK	GENERATOR FUNCTION	TEST	NCR
20-10	5985-00-419-7564	93459	WEINSCHEL	ATTENUATOR FX 10dB 12.4GHz		NCR
20-20	NSL	93459	WEINSCHEL	ATTENUATOR FX 20dB 12.4GHz		NCR
20-30	5985-00-403-1688	93459	WEINSCHEL	ATTENUATOR FX 30dB 12.4GHz		NCR
20-40	5985-00-060-4751	93459	WEINSCHEL	ATTENUATOR FX 40dB 12.4GHz		NCR
20-60	5985-00-106-4256	93459	WEINSCHEL	ATTENUATOR FX 50dB 12.4GHz		NCR
200			DIGILOG	ANALYZER AUTOMATIC		NCR
200		57112	UNIVERSAL DATA SYS	MONITOR DATA LINE		NCR
200 wOPTS		57112	UNIVERSAL DATA SYS	MONITOR COMM SERVICE		NCR
200-2		70998	BIRD	WATTMETER RF PIU ELEMENT 2.5W 200-300MHZ		NCR
200-8710-50	6625-01-313-4375	82199	ROHDE & SCHWAR	POWER SENSOR RF	NAUS80	12MO
2000			CIRRIS	ANALYZER CABLE SIGN		USER
2000		50602	DATA TEST	ANALYZER PORTABLE D		USER
2000			ENERGY EFF	ANALYZER COMBUSTION		USER
2000		28009	HONEYWELL	T/S PRINTER		NCR
2000	6625-01-015-8651	21793	RACAL-DANA	DIGITAL MULTIMETER		XXXX
2000		15368	SPECTRON	ANALYZER MONITOR		USER
2000	6635-01-129-4663	78446	STAVELY	GAUGE THICKNESS DIGITAL		NCR
2000 /A	6625-01-239-4638	57705	HUNTRON	T/S SEMICONDUCTOR (TRACKER)	ACEPS	NCR
200023	6625-00-086-3742	70998	BIRD	WATTMETER RF	RFWM	NCR
2000A		16734	TIF INSTRU	PROBE WATT		NCR
2000AS			OMEGA	PYROMETER INFRARED		USER
2000B		50602	DATA TEST	ANALYZER PORTABLE D		USER
2000D			MAGNUM	MATCHER AUTOMATIC		NCR
2001	9066-00-251-2878	53258	ACUDATA	T/S PWB		NCR
2001	6625-01-155-5696	50602	DATA TEST	PROBE COUNTER DTC		NCR
2001	6625-00-550-7618	62875	WAVETEK	GENERATOR SWEEP		NCR
2001A	6625-00-311-3342	62875	WAVETEK	GENERATOR SWEEP	TEST	NCR
2001B	6625-00-330-6939	62875	WAVETEK	GENERATOR SWEEP	TEST	NCR
2002	NSL	0G2F8	AMETEK	FREQUENCY METER		12MO

MODEL/PART NUMBER	NSN	CAGE CODE	MANUFACTURER	NAME/DISCRIPTION	EQUIPMENT APP-TO	CALIBR INTER
2002A	NSL	62875	WAVETEK	GENERATOR SWEEP		NCR
2005	NSL	62875	WAVETEK	GENERATOR SWEEP		NCR
200AB	6625-00-519-2384	28480	HP	GENERATOR AUDIO OSCILATOR	TEST	NCR
200B	6625-00-186-1388	28480	HP	GENERATOR AUDIO OSCILATOR	TEST	NCR
200BD	NSL	50602	DATA TEST	ANALYZER CIRCUIT		NCR
200C	6625-00-330-6560	30874	IBM	ANALOG MULTIMETER		12MO
200CD	6625-00-575-7737	28480	HP	GENERATOR AUDIO OSCILATOR 5Hz-600KHz	TEST	NCR
200D	6625-00-246-8729	28480	HP	GENERATOR AUDIO OSCILATOR		NCR
200EP	NSL	64805	PROGRESSIVE ELEC	T/S TELEPHONE (INDUCTIVE AMP)		NCR
200G	NSL		WRN KNIGHT	QUADRANT GUNNER		NCR
200GR	NSL	28480	HP	GENERATOR AUDIO OSCILATOR		NCR
201	NSL	04237	ASSOC RESEARCH	T/S GROUND RESISTANCE (MEGGER) VIB		NCR
2011		18637	YEWTEC	AMMETER		24MO
201A		15933	DATA PLUSE	GENERATOR DATA		12MO
201C	6625-00-678-5616	28480	HP	GENERATOR AUDIO OSCILATOR 20Hz-20KHz		NCR
2020/2021S1	6625-00-459-9472	77327	HARRIS	VECTOR VOLTMETER w/HEAD	ILS	12MO
2020S1	6625-01-304-2439	77327	HARRIS	VECTOR VOLTMETER	ILS	12MO
2021S1		77327	HARRIS	HEAD SAMPLING		XXXX
2022N	NSL	24539	AVANTEK	AMPLIFIER		NCR
2022S1A	6625-01-313-4112	77327	HARRIS	PROBE VECTOR VOLTMETER		NCR
2024		90073	MARCONI	GENERATOR SIGNAL 10KHz-2.4GHz		12MO
202A	6625-00-649-2032	28480	HP	GENERATOR AUDIO OSCILATOR		NCR
2030	6625-00-980-8255	93459	DIELECTRIC	WATTMETER RF PIU ELEMENT		NCR
204C	6625-00-489-3732	28480	HP	GENERATOR AUDIO OSCILATOR 5Hz-1.2MHz		NCR
204D	6625-00-427-4513	28480	HP	GENERATOR AUDIO OSCILATOR 5Hz-1.2MHz		NCR
208A	6625-00-229-5257	28480	HP	GENERATOR AUDIO OSCILATOR		NCR
209			WAR KNIGHT	CLINOMETER BOTTLE		USER
2090-3B			CONAIRE	OSCILLOSCOPE		12MO
209A	6625-00-160-1128	28480	HP	GENERATOR AUDIO OSCILLATOR 4Hz-2MHz		NCR
21	NSL	07239	AVO BIDDLE	T/S INSULATION METER		NCR
21	6625-01-310-7438	62875	WAVETEK	GENERATOR FUNCTION	NEXRAD	NCR
21-0	6625-00-448-6900	80138	KAY ELEMETRICS	ATTENUATOR VAR 41dB 1W 1GHz		NCR
21-1J1	NSL	07239	AVO BIDDLE	OHMMETER		NCR
2101A	NSL	04237	ASSOC RESEARCH	T/S INSULATION BREAKDOWN		NCR
210200	NSL	07239	AVO BIDDLE	MEGGER		NCR
210600	NSL	07239	AVO BIDDLE	MEGGER 500-1000VDC (DIGITAL)		NCR
2108-2202		96795	GOULD	RECORDER OSCILLOGRAP		USER
210860		30874	IBM	POWER SUPPLY		NCR
210FA	NSL		B&W	GENERATOR AUDIO OSCILLATOR		NCR
211	6625-00-007-8895	80009	TEKTRONIX	OSCILLOSCOPE		XXXX
21151			WEATHERTRN	ANEMOMETER		USER
21158	6625-00-151-6317	07239	AVO BIDDLE	MEGGER	TEST	NCR
21159	6625-00-141-3558	07239	AVO BIDDLE	MEGGER 100-1000VDC (HAND)		NCR
212			EMC TECH	T/S SEMI-CONDUCTOR		NCR

MODEL/PART NUMBER	NSN	CAGE CODE	MANUFACTURER	NAME/DISCRIPTION	EQUIPMENT APP-TO	CALIBR INTER
212	6625-01-061-5519	80009	TEKTRONIX	OSCILLOSCOPE 500KHz		12MO
212159	6625-00-141-3558	07239	AVO BIDDLE	MEGGER 100-1000VDC (HAND)	TEST	NCR
212359	NSL	07239	AVO BIDDLE	MEGGER 100-1000VDC (BATTERY)		NCR
212459	NSL	07239	AVO BIDDLE	MEGGER 100-1000VDC (HAND/LINE)		USER
212559CL	6625-01-392-0211	07239	AVO BIDDLE	MEGGER 100-1000VDC(BAT/LINE)		NCR
2128D	NSL	50423	BALLANTINE	DIGITAL MULTIMETER		XXXX
213	6625-01-025-8808	80009	TEKTRONIX	SCOPEMETER 1MHz		12MO
21359	6625-01-025-5341	07239	AVO BIDDLE	MEGGER 100-1000VDC (HAND/LINE)		NCR
214230			SEARS	TEST KIT (AUTO TUNE)		USER
214A	6625-00-682-7452	28480	HP	GENERATOR PULSE 10Hz-10MHz		NCR
214B	NSL	28480	HP	GENERATOR PULSE 1Hz-15MHz		NCR
215		90435	QUEST	METER SOUND LEVEL		12MO
2150JB	NSL	07239	AVO BIDDLE	T/S INSULATION BREAKDOWN		NCR
216B			POWERSTAT	TRANSFORMER VARIAC		NCR
2177	NSL	07177	ALFORD	REDUCER COMPENSATED		NCR
21800		77327	HARRIS	T/S LINE		NCR
21805	6625-00-376-5105	07239	AVO BIDDLE	MEGGER 600VDC (HAND)		NCR
21808	NSL	07239	AVO BIDDLE	T/S INSULATION BREAKDOWN		NCR
21822	NSL	07239	AVO BIDDLE	MEGGER 500VDC (BATTERY)		NCR
21845	NSL	07239	AVO BIDDLE	OHMMETER		NCR
219B		94668	SIERRA ELECT	T/S SEMI-CONDUCTOR		NCR
21B15K750			CIRCO FLEX	FILTER LOW PASS		NCR
21B3K550			CIRCO FLEX	FILTER LOW PASS		NCR
21J	NSL	07239	AVO BIDDLE	T/S INSULATION METER		NCR
22-214				MULTIMETER		24MO
22-30	5985-01-071-0510	93459	WEINSCHEL	ATTENUATOR FX 30dB 10W 12.4GHz		NCR
22-30-34	5985-01-071-0510	93459	WEINSCHEL	ATTENUATOR FX 30dB 10W 12.4GHz		NCR
22-3200	6625-00-061-1488		BUDD ELECT	DETECTOR RF 0.3-1.2GHz		NCR
220	6625-00-202-3118	96795	GOULD	RECORDER		USER
220			ICC	T/S TRANSMISSION		12MO
220			TRIUMPH	AMPLIFIER AUDIO		NCR
220015	NSL	07239	AVO BIDDLE	T/S DIELECTRIC 15KV DC		NCR
2201	NSL	04237	ASSOC RESEARCH	T/S INSULATION BREAKDOWN		NCR
2205	6625-01-388-8145	80009	TEKTRONIX	OSCILLOSCOPE 20MHz		12MO
22080-047-2	6625-01-017-8317	06811	SYSTRON DONNER	ATTENUATOR STEP 0-60 dB 2W 12.4GHz	MARK1	NCR
221			ORION ELEC	METER PHPH		USER
221	6625-01-009-5340	80009	TEKTRONIX	OSCILLOSCOPE 5MHz		12MO
2210	NSL	80009	TEKTRONIX	OSCILLOSCOPE 50MHz STORAGE		12MO
2213	6625-01-131-7401	80009	TEKTRONIX	OSCILLOSCOPE 60MHz		12MO
2213A	6625-01-131-7401	80009	TEKTRONIX	OSCILLOSCOPE 60MHz		12MO
2215	6625-01-160-0217	80009	TEKTRONIX	OSCILLOSCOPE 60MHz		12MO
2215/ WN	6625-01-212-6470	80009	TEKTRONIX	OSCILLOSCOPE 60MHz	RTC3	12MO
2215/ WV	6625-01-211-9577	80009	TEKTRONIX	OSCILLOSCOPE 60MHz	VOR	12MO
2215A	6625-01-160-0217	80009	TEKTRONIX	OSCILLOSCOPE 60MHz	TEST	12MO

MODEL/PART NUMBER	NSN	CAGE CODE	MANUFACTURER	NAME/DISCRIPTION	EQUIPMENT APP-TO	CALIBR INTER
222	NSL	59912	3M/DYNATEL/PHOTODYNE	DENSITOMETER		USER
222	6625-01-309-5791	80009	TEKTRONIX	OSCILLOSCOPE 10MHz		12MO
2225	6625-01-318-0368	80009	TEKTRONIX	OSCILLOSCOPE 50MHz		12MO
222PS	6625-01-412-3790	80009	TEKTRONIX	OSCILLOSCOPE 10MHz		12MO
2230XFA	6625-01-347-7967	59912	3M/DYNATEL/PHOTODYNE	OPTICAL TDR 825,850,1300,1550nM		12MO
2232	6625-01-416-9143	80009	TEKTRONIX	OSCILLOSCOPE 100MHz		12MO
2235	6625-01-187-7847	80009	TEKTRONIX	OSCILLOSCOPE 100MHz	GEN-AP-T	12MO
2235/01	6625-01-187-7847	80009	TEKTRONIX	OSCILLOSCOPE 100MHz		12MO
2235A	6625-01-371-5069	80009	TEKTRONIX	OSCILLOSCOPE 100MHz	TEST	12MO
2235L/1	6625-01-187-7847	80009	TEKTRONIX	OSCILLOSCOPE 100MHz		12MO
2236	6625-01-245-8406	80009	TEKTRONIX	OSCILLOSCOPE 100MHz		12MO
2236A	6625-01-394-3277	80009	TEKTRONIX	OSCILLOSCOPE 100MHz		12MO
224	NSL	80009	TEKTRONIX	OSCILLOSCOPE		12MO
224585		54647	MICROTECH	COUPLER DIR		NCR
2245A	6625-01-325-8616	80009	TEKTRONIX	OSCILLOSCOPE 100MHz		12MO
2246	6625-01-261-4605	80009	TEKTRONIX	OSCILLOSCOPE 100MHz		12MO
2246 MOD A	6625-01-275-4766	80009	TEKTRONIX	OSCILLOSCOPE 100MHz	TEST	12MO
2246A	6625-01-301-2041	80009	TEKTRONIX	OSCILLOSCOPE 100MHz	SCTRACON	12MO
2246B	NSL	80009	TEKTRONIX	OSCILLOSCOPE 100MHz		12MO
2247A	6625-01-370-2085	80009	TEKTRONIX	OSCILLOSCOPE 100MHz	LDRCL	12MO
225	6685-00-091-6229	15057	GULTON	RECORDER HUMID/TEMP		USER
225-2		70998	BIRD	WATTMETER RF PIU ELEMENT		NCR
225B			COMCO	DIGITAL INDICATOR		NCR
2264A	NSL	80009	TEKTRONIX	OSCILLOSCOPE		12MO
226A	6625-00-494-4119	28480	HP	GENERATOR TIMEMARK		12MO
2286-1	NSL	07177	ALFORD	T/S SLOTTED LINE		NCR
23			METRAFLEX	FLOWMETER		USER
23-20-34		93459	WEINSCHEL	ATTENUATOR FX 20DB 10W 18GHz		NCR
23-22-150	5950-00-893-0573	55814	SOLA BASIC	TRANSFORMER POWER		NCR
23-40-34	5985-01-078-4828	93459	WEINSCHEL	ATTENUATOR FX 40dB 10W 18GHz		NCR
23-7023		55719	SNAP-ON TOOLS	DETECTOR LEAK REFRIGERANT		USER
2300		90073	MARCONI	DEVIATION METER		NCR
2300		16734	TIF INSTRU	POWER METER		12MO
230164-2	6625-00-005-3858	88869	EATON CORP	GENERATOR NOISE (ISOLATOR)		24MO
230240	6625-00-339-9826	00752	AIL/EATON	NOISE FIGURE METER	TEST	36MO
230240/C20	6625-00-339-9826	00752	AIL/EATON	NOISE FIGURE METER	TEST	36MO
230241	6625-00-003-2989	00752	AIL/EATON	GENERATOR NOISE (ISOLATOR)		24MO
230242	6625-00-185-9629	00752	AIL/EATON	NOISE FIGURE METER		36MO
230450	6625-00-291-8085	00752	AIL/EATON	GENERATOR NOISE (ISOLATOR)	ASR7	24MO
230505-7615	6625-01-021-6651	00752	AIL/EATON	GENERATOR NOISE (ISOLATOR)		24MO
230A	6625-00-953-8220	28480	HP	AMPLIFIER RF		NCR
2337	6625-01-147-9894	80009	TEKTRONIX	OSCILLOSCOPE 100MHz		12MO
234-89-00016		72314	LORAL/FAIRCHILD	ANEMOMETER SIMULATOR		USER
2380-004	6625-01-070-7854	05157	COHU	GENERATOR DOT BAR		NCR

MODEL/PART NUMBER	NSN	CAGE CODE	MANUFACTURER	NAME/DISCRIPTION	EQUIPMENT APP-TO	CALIBR INTER
2381-004	6625-00-247-4712	05157	COHU	GENERATOR DOT BAR		NCR
2381-004A	NSL	05157	COHU	GENERATOR DOT BAR		NCR
2393A	NSL	89536	FLUKE	SYSTEM T/C TEMPERAT		NCR
24-1JI	NSL	07239	AVO BIDDLE	OHMMETER DIGITAL LOW RES		NCR
240		55026	SIMPSON	VOLTMETER		24MO
2400			SERVCO	GENERATOR SIGNAL		12MO
2400B		50602	DATA TEST	T/S DTC		NCR
2401		30874	IBM	T/S FIELD		NCR
240111	NSL	07239	AVO BIDDLE	OHMMETER		NCR
2406			PARADYNE	GENERATOR PATTERN		NCR
2407R		62875	WAVETEK	GENERATOR SIGNAL		12MO
240C	6625-00-585-4915	12697	CLAROSTAT	RESISTOR DECADE POWER		NCR
241J	NSL	07239	AVO BIDDLE	OHMMETER DIGITAL LOW RES		NCR
2430	6625-01-257-2868	80009	TEKTRONIX	OSCILLOSCOPE 150MHz STORAGE		12MO
2430A	6625-01-244-9300	80009	TEKTRONIX	OSCILLOSCOPE 150MHz STORAGE	ARTS	12MO
2430A/46	6625-01-258-0022	80009	TEKTRONIX	OSCILLOSCOPE 150MHz STORAGE		12MO
2435			LAND-AIR	LOAD DUMMY RF		NCR
2435A			LOG TECH	MULTIMETER		24MO
2440		09553	MARCONI	COUNTER uWAVE 20MHz	LDRCL	12MO
2440	6625-01-339-2391	80009	TEKTRONIX	OSCILLOSCOPE 300MHz STORAGE		12MO
2440/WD	6625-01-364-6843	80009	TEKTRONIX	OSCILLOSCOPE 300MHz STORAGE		12MO
2442	6625-01-431-4373	09553	MARCONI	COUNTER uWAVE 26.5MHz	LDRCL	12MO
2445/01	6625-01-328-1530	80009	TEKTRONIX	OSCILLOSCOPE 150MHz		12MO
2445/01R	6625-01-314-3579	80009	TEKTRONIX	OSCILLOSCOPE 150MHz		12MO
2445A(B)	6625-01-178-9491	80009	TEKTRONIX	OSCILLOSCOPE 150MHz	ASR9	12MO
2445A/01/22	6625-01-312-4726	80009	TEKTRONIX	OSCILLOSCOPE 150MHz	ASR9	12MO
2445B/01	NSL	80009	TEKTRONIX	OSCILLOSCOPE 150MHz		12MO
2446/A	NSL	80009	TEKTRONIX	OSCILLOSCOPE 150MHz		12MO
245M	6625-00-788-9927	93346	AEL	T/S SEMI-CONDUCTOR		NCR
246			BK	GENERATOR COLOR		NCR
2465A	6625-01-159-3106	80009	TEKTRONIX	OSCILLOSCOPE 350MHz		12MO
2465ACT	6625-01-257-7249	80009	TEKTRONIX	OSCILLOSCOPE 350MHz		12MO
2465B	6625-01-272-8054	80009	TEKTRONIX	OSCILLOSCOPE 400MHz		12MO
2465B/01T	6625-01-363-5262	80009	TEKTRONIX	OSCILLOSCOPE 400MHz	TEST	12MO
2465BCT/1R	6625-01-304-8892	80009	TEKTRONIX	OSCILLOSCOPE 400MHz		12MO
2465CTS	NSL	80009	TEKTRONIX	OSCILLOSCOPE 300MHz		12MO
247000	6625-01-125-3471	07239	AVO BIDDLE	OHMMETER DIGITAL LOW RES 100A		NCR
247000-11	6625-01-237-5872	07239	AVO BIDDLE	OHMMETER DIGITAL LOW RES 100A	ARTS3A	NCR
2485	NSL	07239	AVO BIDDLE	T/S INSULATION		NCR
248543		65092	WESTON	FOOT CANDLE METER		USER
248828		65092	WESTON	FOOT CANDLE METER		USER
249004	NSL	07239	AVO BIDDLE	RESISTOR STD .001 OHMS		USER
24C		25512	DENRO INC	T/S AUDIO		36MO
25		50602	DATA TEST	T/S DATA TRANS		NCR

MODEL/PART NUMBER	NSN	CAGE CODE	MANUFACTURER	NAME/DISCRIPTION	EQUIPMENT APP-TO	CALIBR INTER
25-250FTLB				TORQWRENCH		USER
250		11837	ELECTRO SCIEN	BRIDGE CAPACITANCE		NCR
250		55026	SIMPSON	ANALOG MULTIMETER		12MO
2502-0000			LINEAR	RECORDER CHART DUAL		USER
250220	6625-00-910-0849	07239	AVO BIDDLE	MEGGER NULL BALANCE		NCR
250220-2	6625-01-187-8149	07239	AVO BIDDLE	MEGGER NULL BALANCE 350VAC (HAND)	TEST	NCR
250241	6625-01-074-4696	07239	AVO BIDDLE	MEGGER NULL BALANCE 100VAC (BATTERY)		NCR
250260	NSL	07239	AVO BIDDLE	MEGGER GROUND RESTANCE 50VAC (BATTERY)		NCR
250C		70998	BIRD	WATTMETER RF PIU ELEMENT 250W 100-250MHZ		NCR
250D		70998	BIRD	WATTMETER RF PIU ELEMENT 250W 200-500MHz		NCR
250DA		99163	ESI	BRIDGE CAPACITANCE		NCR
250DE	6625-01-325-2584	11837	ELECTRO SCIEN	BRIDGE IMPEDANCE		NCR
250GW1224			TOPAZ	INVERTER SINE WAVE		NCR
250H	NSL	07239	AVO BIDDLE	TACHOMETER		USER
250H		70998	BIRD	WATTMETER RF PIU ELEMENT 250W 2-30MHz		NCR
250MW		70998	BIRD	WATTMETER RF PIU ELEMENT		NCR
250W		70998	BIRD	WATTMETER RF PIU ELEMENT		NCR
251	NSL	04237	ASSOC RESEARCH	T/S GROUND RESISTANCE (MEGGER)		NCR
2510CT		83008	STACO ENERGY	TRANSFORMER VAR AUTO		NCR
255	6625-00-155-6030	04237	ASSOC RESEARCH	T/S GROUND RESISTANCE (MEGGER)		NCR
2555R				T/S COMMUNICATION		12MO
2559A	NSL	30669	DUMONT	OSCILLOSCOPE		12MO
25845			SEPCO	DEVICE ALIGNMENT		USER
25860			SEPCO	DEVICE AIMING	VASI	USER
259C	6625-01-086-9639	93346	AEL	T/S SEMI-CONDUCTOR		NCR
25C	6625-00-980-8255	70998	BIRD	WATTMETER RF PIU ELEMENT 25W 100-250MHz	ATCTFIXD	NCR
25D		70998	BIRD	WATTMETER RF PIU ELEMENT 25W 100-250MHz		NCR
25F		70998	BIRD	WATTMETER RF PIU ELEMENT		NCR
25MW	6625-00-190-0332	70998	BIRD	WATTMETER RF PIU ELEMENT	RFWM	NCR
25W		70998	BIRD	WATTMETER RF PIU ELEMENT		NCR
26		12115	SIERRA RESEARCH	CALIBRATOR		USER
260			BOUTRUS IN	INDICATOR PHASE SEQUENCE		USER
260			BRUSH MFG	RECORDER DC 6 CHANN		USER
260		55026	SIMPSON	ANALOG MULTIMETER		12MO
260-6XL		55026	SIMPSON	ANALOG MULTIMETER		12MO
260-6XLP		55026	SIMPSON	ANALOG MULTIMETER		12MO
260-6XLPM		55026	SIMPSON	ANALOG MULTIMETER		12MO
260-7		55026	SIMPSON	ANALOG MULTIMETER		12MO
2604400	6625-00-938-6199	06424	ALLIANT TECH	INDICATOR DISTORTION		12MO
260AFP1		55026	SIMPSON	ANALOG MULTIMETER		12MO
263		55026	SIMPSON	ANALOG MULTIMETER		12MO
263A	6625-00-051-2787	04237	ASSOC RESEARCH	T/S GROUND RESISTANCE (MEGGER)		NCR
26600-00			LENKURT	T/S SIGNAL		NCR
26600M1			LENKURT	T/S SIGNAL		NCR

MODEL/PART NUMBER	NSN	CAGE CODE	MANUFACTURER	NAME/DISCRIPTION	EQUIPMENT APP-TO	CALIBR INTER
269			QUEEN PROD	PYROMETER INDICATOR		USER
269		55026	SIMPSON	ANALOG MULTIMETER		12MO
26A		04901	BOONTON	METER CALIBRATOR		12MO
26B		40021	METRON INST	TACHOMETER		USER
27	6625-01-262-4815	89536	FLUKE	DIGITAL MULTIMETER HANDHELD		12MO
27-76	NSL		ALLEN ELEC	ANALYZER COMBUSTION		USER
270		55026	SIMPSON	ANALOG MULTIMETER		12MO
270-2		55026	SIMPSON	VOLTMETER OHM mAMP		24MO
270-4		55026	SIMPSON	ANALOG MULTIMETER		12MO
2700-100	6625-01-069-1238	05157	COHU	GENERATOR SYNCHRONIS		NCR
2700-100-945	NSL	05157	COHU	SYNC MODULE		NCR
2701	5985-01-334-6133	80009	TEKTRONIX	ATTENUATOR FX		NCR
2704DC	NSL	80009	TEKTRONIX	INVERTER		NCR
2717	6660-01-130-2027	31985	GIFFT T H	RECORDER CEILOMETER		USER
2722		02446	GE	DECODER		NCR
277-0123-00	NSL	13499	ROCKWELL	WAVEMETER	RML4	12MO
277D		77327	HARRIS	INDICATOR STANDARD		NCR
278		62875	WAVETEK	GENERATOR FUNCTION		NCR
278001	6625-01-247-5582	07239	AVO BIDDLE	METER AC RMS VOLT/AMP CLAMPON		24MO
2785	6625-00-003-5592	18410	RYCOM	LOCATOR CABLE FAULTFINDER	TEST	USER
2785-1		18410	RYCOM	LOCATOR CABLE FAULTFINDER		USER
2785A		18410	RYCOM	LOCATOR CABLE FAULTFINDER		USER
2792	6625-01-374-4115	80009	TEKTRONIX	ANALYZER SPECTRUM	ASR9	12MO
2794	6625-01-374-4116	80009	TEKTRONIX	ANALYZER SPECTRUM		12MO
28	NSL	08098	B&K PRECISION	VOLTMETER		12MO
2814240-1		96214	TEXAS INST	PROBE BOX, 4 DIPOLE		NCR
2821		30874	IBM	T/S		NCR
28266		65092	WESTON	METER LIGHT		USER
284	6625-00-489-8996	80009	TEKTRONIX	GENERATOR PULSE		NCR
2900			DATA I/O C	SYSTEM PROGRAMING P		NCR
2901	6625-00-483-2619	80009	TEKTRONIX	GENERATOR TIMEMARK		12MO
2901A	NSL		AVTEK	METER TDR		12MO
291			RUSTRAC	RECORDER		USER
291B712A24		18323	WESTINGHOUSE	VOLTMETER		12MO
2947	6625-01-432-6997	90073	MARCONI	T/S COMMUNICATION	TEST	12MO
2955		90073	MARCONI	T/S COMMUNICATION		12MO
2955R	6625-01-329-8160	90073	MARCONI	T/S COMMUNICATION	TEST	12MO
295X		28569	HICKOK	GENERATOR SIGNAL		12MO
299068	NSL	00752	AIL/EATON	NOISE FIGURE METER		36MO
2A		40912	MINE SAFETY	METER EXPLOSIVE GAS		NCR
2A63	6625-00-248-0369	80009	TEKTRONIX	OSCILLOSCOPE PIU DIFFERENTAL AMP		12MO
2A8800A			MITCHELL	DETECTOR LEAK GAS		USER
30		54647	MICROTECH	COUPLER DIR		NCR
30-0	5985-00-831-5991	80138	KAY ELEMETRICS	ATTENUATOR STEP 101dB .5W 500MHz		NCR

MODEL/PART NUMBER	NSN	CAGE CODE	MANUFACTURER	NAME/DISCRIPTION	EQUIPMENT APP-TO	CALIBR INTER
300		05721	BECKMAN	DIGITAL MULTIMETER		12MO
300		18479	FW BELL	GAUSS METER		USER
300		53714	LEADER	OSCILLOSCOPE		12MO
300			NE ELEX	T/S AUDIO		12MO
300			PYRAMID	MULTIMETER		24MO
300		58935	SPERRY A W	AMMETER		24MO
300			WEST ACFT	DEVICE AIMING		USER
3000-20	5985-00-682-8826	99899	LORAL/NARDA	COUPLER DIR 225-460MHz		NCR
3000/TXCO	6625-01-433-2061	5W863	OPTOELECTRONICS	COUNTER UNIVERSAL 3 GHz (HANDHELD)		12MO
3000B		4J835	CT SYSTEMS	MONITOR COMMUNICATION SERVICE		12MO
3000B		62875	WAVETEK	GENERATOR SIGNAL		12MO
3000BMA	6625-01-251-4775	62875	WAVETEK	GENERATOR SIGNAL	TEST	12MO
3000S		62875	WAVETEK	GENERATOR SIGNAL		12MO
3001-20	5985-00-856-3284	99899	LORAL/NARDA	COUPLER DIR 460-950MHz		NCR
3002	6680-00-561-5724	01518	ALNOR INST	ANEMOMETER		USER
3002	6625-01-088-9087	62875	WAVETEK	GENERATOR SIGNAL		12MO
3002-10	5985-00-175-4545	99899	LORAL/NARDA	COUPLER DIR 0.95-2.0GHz		NCR
3002-20	5985-00-578-5747	99899	LORAL/NARDA	COUPLER DIR 0.95-2.0GHz		NCR
3002-30	5985-00-881-1553	99899	LORAL/NARDA	COUPLER DIR 0.95-2.0GHz		NCR
3002B	6625-01-088-9087	62875	WAVETEK	GENERATOR SIGNAL	TEST	12MO
3003-20	5985-00-882-8654	99899	LORAL/NARDA	COUPLER DIR 2-4GHz		NCR
3004	6625-01-304-2327	62875	WAVETEK	GENERATOR SIGNAL 512MHz	TEST	12MO
3004-30	5985-00-485-3741	99899	LORAL/NARDA	COUPLER DIR 4-10GHz		NCR
300B	NSL	65565	ACL INC	METER STATIC CHARGE		NCR
300D	6625-00-752-8226	50423	BALLANTINE	DECIBEL METER		12MO
300H	NSL	28480	HP	MULTIMETER		24MO
3020A	5985-00-053-9111	99899	LORAL/NARDA	COUPLER DIR 0.25-1.0GHz 20dB		NCR
3021			EMCO	NETWORK REJECTION		NCR
3022			EMCO	NETWORK REJECTION		NCR
3023			EMCO	NETWORK REJECTION		NCR
3024	NSL	50423	BALLANTINE	DIGITAL MULTIMETER		XXXX
3028A	6625-01-036-7598	50423	BALLANTINE	DIGITAL MULTIMETER		XXXX
3028A/39	NSL	50423	BALLANTINE	DIGITAL MULTIMETER		XXXX
3028A/39A	6625-01-041-5593	50423	BALLANTINE	DIGITAL MULTIMETER		XXXX
3028B	NSL	50423	BALLANTINE	DIGITAL MULTIMETER		XXXX
302A	6625-00-958-4473	28480	HP	WAVE ANALYZER		12MO
302A/H03	6625-00-974-3558	28480	HP	WAVE ANALYZER	TEST	12MO
302AR	6625-00-845-7183	28480	HP	WAVE ANALYZER		12MO
303	NSL	50423	BALLANTINE	VOLTMETER AC		24MO
303			QUDN-TECH	WAVE ANALYZER		12MO
303-51	NSL	50423	BALLANTINE	VOLTMETER AC		24MO
3032	5985-00-856-3283	99899	LORAL/NARDA	COUPLER DIR 0.95-2.0GHz 3dB		NCR
303B		54778	LEAR SIEG	SELECTIVE LEVEL METER		12MO
303B	6625-00-575-8013	54778	SIERRA LSI	ANALYZER SPECTRUM	GEN-AP-T	12MO

MODEL/PART NUMBER	NSN	CAGE CODE	MANUFACTURER	NAME/DISCRIPTION	EQUIPMENT APP-TO	CALIBR INTER
304		65092	WESTON	VOLTMETER		12MO
3042-10	5985-00-465-8112	99899	LORAL/NARDA	COUPLER DIR 0.92-2.2GHz		NCR
3042-30	5985-00-722-1397	99899	LORAL/NARDA	COUPLER DIR 0.92-2.2GHz		NCR
3042B-20	5985-00-492-7919	99899	LORAL/NARDA	COUPLER DIR 0.92-2.2GHz		NCR
305/DMM	6625-01-086-7005	80009	TEKTRONIX	OSCILLOSCOPE 5MHZ		12MO
3060	NSL	64520	BASIC MEAS INST	ANALYZER POWER LINE PROFILER		NCR
30678	6625-01-338-3053	61141	DYNATECH/TELECOM	INTERFACE DDS DSOA/B	RCL	NCR
30K		89554	PIONEER	STROBOSCOPE		USER
30T85HIS			SQUARE D	TRANSFORMER POWER		NCR
31	NSL	89536	FLUKE	DIGITAL AMMETER RMS CLAMP-ON		12MO
310	NSL	80009	TEKTRONIX	OSCILLOSCOPE		12MO
310/3		60741	TRIPLETT	ANALOG MULTIMETER		12MO
3100A	6625-01-192-7490	50423	BALLANTINE	DIGITAL MULTIMETER		XXXX
3100DCO			PURE-GAS	PRESSURE UNIT CABLE		12MO
31061231		28009	HONEYWELL	RECORDER TEMPERATURE		12MO
310T		60741	TRIPLETT	MULTIMETER CLAMP-ON		24MO
311		65092	WESTON	TRANSFORMER POWER		NCR
311-3		55026	SIMPSON	VOLTMETER VACUUM TUBE		24MO
311U9	6625-01-878-8648	50423	BALLANTINE	VOLTMETER		12MO
312		55026	SIMPSON	ANALOG MULTIMETER		12MO
3128	NSL	50423	BALLANTINE	DIGITAL MULTIMETER		XXXX
3128A/64	6625-01-202-3635	50423	BALLANTINE	DIGITAL MULTIMETER		XXXX
3128D/05	6625-01-171-3769	50423	BALLANTINE	DIGITAL MULTIMETER		XXXX
312A	6625-00-689-7685	28480	HP	SELECTIVE LEVEL METER	TEST	12MO
312B	6625-01-012-1071	28480	HP	SELECTIVE LEVEL METER	TEST	12MO
312B-H55	6625-01-041-5591	28480	HP	SELECTIVE LEVEL METER	TEST	12MO
313-3		55026	SIMPSON	ANALOG MULTIMETER		12MO
3131			ITHACO	T/S RBC AMP		NCR
313A	6625-00-150-6590	28480	HP	GENERATOR TRACKING OSCILLATOR	TEST	12MO
313A-H55	6625-01-040-7625	28480	HP	GENERATOR TRACKING OSCILLATOR	TEST	12MO
314		55026	SIMPSON	VOLTMETER		12MO
314	6625-01-104-3152	80009	TEKTRONIX	OSCILLOSCOPE 10MHz		12MO
3151		60741	TRIPLETT	ANALOG MULTIMETER		12MO
31510		83008	STACO ENERGY	TRANSFORMER VAR AUTO		NCR
317	6625-00-971-1236	80009	TEKTRONIX	OSCILLOSCOPE	TEST	XXXX
318AS1	6625-01-267-9514	80009	TEKTRONIX	ANALYZER LOGIC		NCR
320			ROTEK INST	RESISTOR STD		USER
3205B	6625-01-259-9179	50423	BALLANTINE	METER uOHM		12MO
320B	6625-01-228-0408	05721	BECKMAN	DIGITAL MULTIMETER		12MO
320E			O A R	FINDER DIRECTIONAL		USER
320ETH			O A R	RECEIVER		USER
3213D35		18637	YEWTEC	T/S INSULATION		NCR
321A	6625-00-852-0179	80009	TEKTRONIX	OSCILLOSCOPE		12MO
3221		60336	YOKOGAWA	T/S INSULATION		NCR

MODEL/PART NUMBER	NSN	CAGE CODE	MANUFACTURER	NAME/DISCRIPTION	EQUIPMENT APP-TO	CALIBR INTER
323	6625-00-195-5244	80009	TEKTRONIX	OSCILLOSCOPE 4MHz		12MO
323-01	6625-00-008-7095	50423	BALLANTINE	VOLTMETER		12MO
323-06	6625-00-030-6815	50423	BALLANTINE	VOLTMETER		12MO
3235		60336	YOKOGAWA	T/S EARTH RESISTANCE		NCR
3236		60336	YOKOGAWA	OHMMETER		NCR
324	NSL	50423	BALLANTINE	DIGITAL MULTIMETER		12MO
324	NSL	80009	TEKTRONIX	OSCILLOSCOPE		12MO
3250			SOAR	DIGITAL MULTIMETER		12MO
326	6625-00-395-9393	80009	TEKTRONIX	OSCILLOSCOPE		12MO
3261 S4640				T/S CLAMP		NCR
3295-01		72314	LORAL/FAIRCHILD	ANEMOMETER SIMULATOR		USER
33	6625-01-372-8937	89536	FLUKE	DIGITAL AMMETER RMS CLAMP-ON		12MO
33		89554	PIONEER	TACHOMETER		USER
33		65092	WESTON	MULTIMETER CLAMP ON		24MO
330		05721	BECKMAN	DIGITAL MULTIMETER		12MO
3300		21793	RACAL-DANA	DIGITAL MULTIMETER		XXXX
3300/30		21793	RACAL-DANA	DIGITAL MULTIMETER		XXXX
3302				AMPLIFIER SUMMING		NCR
3306278-01	NSL		AMPEX	T/S		NCR
330A		08125	FAA	BRIDGE CAPACITANCE		NCR
330D	6625-00-827-4258	28480	HP	ANALYZER DISTORTION		12MO
3310B	6625-00-595-7591	28480	HP	GENERATOR FUNCTION 0.5mHz-50KHz		NCR
3311A	7050-01-015-6062	28480	HP	GENERATOR FUNCTION 0.1Hz-1MHz		NCR
3312A	6625-01-028-4989	28480	HP	GENERATOR FUNCTION 0.1-13MHz		NCR
331A	6625-00-913-7711	28480	HP	ANALYZER DISTORTION		12MO
3325A	6625-01-107-8152	28480	HP	GENERATOR FUNCTION SYNTH 1uHz-21MHz		NCR
3325B	6625-01-297-9969	28480	HP	GENERATOR FUNCTION SYNTH 1uHz-21MHz		NCR
332A	6625-00-936-3135	28480	HP	ANALYZER DISTORTION		12MO
332D	6625-01-063-4293	89536	FLUKE	CALIBRATOR DC VOLT		USER
3335A	6625-01-089-6304	28480	HP	GENERATOR SIGNAL SYNTH 200Hz-80MHz		12MO
3336A	6625-01-380-6220	28480	HP	GENERATOR SIGNAL SYNTH 10Hz-21MHz		12MO
3336A-004,005	6625-01-304-3437	28480	HP	GENERATOR SIGNAL SYNTH 10Hz-21MHz	RCL	12MO
3336A-005	6625-01-300-0724	28480	HP	GENERATOR SIGNAL SYNTH 10Hz-21MHz		12MO
3336B	6625-01-223-8356	28480	HP	GENERATOR SIGNAL SYNTH 10Hz-21MHz		12MO
3336C	6625-01-213-8152	28480	HP	GENERATOR SIGNAL SYNTH 10Hz-21MHz	TEST	12MO
333A	6625-00-089-4227	28480	HP	ANALYZER DISTORTION		12MO
334A	6625-00-871-8012	28480	HP	ANALYZER DISTORTION		12MO
335	NSL	07239	AVO BIDDLE	T/S CABLE TELEPHONE		USER
33559			KIENE	INDICATOR PRESSURE		USER
336	NSL	80009	TEKTRONIX	OSCILLOSCOPE 50MHz		12MO
336/01	NSL	80009	TEKTRONIX	OSCILLOSCOPE 50MHz STORAGE		12MO
336A	NSL	80009	TEKTRONIX	OSCILLOSCOPE 50MHz STORAGE		12MO
338	6625-01-224-0738	80009	TEKTRONIX	ANALYZER LOGIC		NCR
3380			DESIGN TCH	TACHOMETER		USER

MODEL/PART NUMBER	NSN	CAGE CODE	MANUFACTURER	NAME/DISCRIPTION	EQUIPMENT APP-TO	CALIBR INTER
339A	6625-01-087-7528	28480	HP	ANALYZER DISTORTION		12MO
3400		51692	DATA PREC	DIGITAL MULTIMETER		XXXX
3400A	6625-00-727-4706	28480	HP	VOLTMETER AC RMS 10Hz-10MHz		12MO
3400R	6625-01-165-9033	51692	DATA PREC	DIGITAL MULTIMETER	CCTV	24MO
3400R/3410B	6625-01-314-9006	51692	DATA PREC	DIGITAL MULTIMETER/TRANSLATOR	GEN-AP-T	24MO
3403C	6625-00-556-5201	28480	HP	VOLTMETER AC/DC		12MO
3406A	6625-00-113-3491	28480	HP	VOLTMETER RF 10KHz-1,2GHz		12MO
3410B		51692	DATA PREC	DIGITAL MULTIMETER TRANSLATOR		24MO
34111A	6625-01-070-2312	28480	HP	PROBE HI VOLTAGE		NCR
3420B	6625-00-759-0970	28480	HP	VOLTMETER DIFFERENTAL		12MO
3421A	4920-01-389-3641	28480	HP	DATA ACQUISITION/CON		NCR
342A	6625-00-892-5286	28480	HP	NOISE FIGURE METER		36MO
34301A	6625-01-312-8810	28480	HP	PROBE RF DETECTOR f/DMM	ASR9	NCR
3430A	6625-00-242-8587	28480	HP	DIGITAL MULTIMETER		12MO
3435A	6625-01-117-0503	28480	HP	DIGITAL MULTIMETER		12MO
3437A	6625-01-061-7669	28480	HP	DIGITAL MULTIMETER		12MO
3438A	6625-01-345-8110	28480	HP	DIGITAL MULTIMETER		12MO
344		60741	TRIPLETT	T/S TUBE CHECKER		NCR
3444	6625-00-991-5179	60741	TRIPLETT	T/S TUBE CHECKER		NCR
3444A		60741	TRIPLETT	T/S TUBE CHECKER		NCR
3455A	6625-01-085-7348	28480	HP	DIGITAL MULTIMETER		12MO
3456A	6625-01-098-2805	28480	HP	DIGITAL MULTIMETER		12MO
3458A	6625-01-317-8373	28480	HP	DIGITAL MULTIMETER		12MO
3465A	6625-01-039-7922	28480	HP	DIGITAL MULTIMETER		12MO
3465B	6625-01-057-1527	28480	HP	DIGITAL MULTIMETER		12MO
3466A	6625-01-234-6873	28480	HP	DIGITAL MULTIMETER		12MO
3466A/001/115	6625-01-146-5037	28480	HP	DIGITAL MULTIMETER	ASR9	12MO
3467A	6625-01-149-2708	28480	HP	DIGITAL MULTIMETER		12MO
3468A	6625-01-146-9612	28480	HP	DIGITAL MULTIMETER		12MO
346A	6625-01-284-6869	28480	HP	GENERATOR NOISE SOURCE 10MHz-18GHz	NEXRAD	24MO
346B	6625-01-256-6124	28480	HP	GENERATOR NOISE SOURCE 10MHz-18GHz		24MO
346C	6625-01-195-8602	28480	HP	GENERATOR NOISE SOURCE 10MHz-26.5GHz	ASDE3	24MO
34702A	6625-00-538-9794	28480	HP	DIGITAL MULTIMETER		12MO
34740A	6625-00-578-6751	28480	HP	DIGITAL MULTIMETER		12MO
3476A	6625-01-041-0218	28480	HP	DIGITAL MULTIMETER		12MO
3478A	6625-01-171-9937	28480	HP	DIGITAL MULTIMETER		12MO
347D		58457	XETEX	RADIOLOGICAL SURVEY		NCR
347D636G01	6625-01-308-7296	18323	WESTINGHOUSE	GENERATOR NOISE SOURCE	ARSR3	24MO
3488A	6625-01-182-2949	28480	HP	SWITCH CONTROL UNIT		NCR
3490A	6625-01-019-0401	28480	HP	DIGITAL MULTIMETER		12MO
349E4000206	6625-01-127-8723	02446	GE	ANALYZER CABLE LOAD		USER
35-30-34	5985-01-120-0419	93459	WEINSCHEL	ATTENUATOR FX 30dB 25W 1.5GHz		NCR
35-5361 43	6625-00-649-5070	70998	BIRD	WATTMETER RF	TEST	NCR
350		16665	SINGER	VOLTMETER		12MO

MODEL/PART NUMBER	NSN	CAGE CODE	MANUFACTURER	NAME/DISCRIPTION	EQUIPMENT APP-TO	CALIBR INTER
3500			CODEX	DATA/CHANNEL SERVICE		NCR
3501	NSL	38047	AMBER/NEUTRIC	ANALYZER DISTORTION		12MO
3501-31000-960	6625-01-312-6923	38047	AMBER/NEUTRIC	ANALYZER DISTORTION	RCL	12MO
3501A	6625-01-260-9228	38047	AMBER/NEUTRIC	ANALYZER DISTORTION		12MO
3504DF		08125	FAA	TORQWRENCH		USER
35058		70998	BIRD	WATTMETER RF PIU ELEMENT		NCR
350A	6625-00-449-3692	28480	HP	ATTENUATOR STEP (110/1)		NCR
350B	6625-00-217-8581	28480	HP	ATTENUATOR STEP 600 ohms		NCR
350D	6625-00-215-4931	28480	HP	ATTENUATOR STEP 1.0MHz (110/1) 600 UNBAL		NCR
350D			SNAPPER	AMMETER AC		24MO
351D	6625-01-028-7026	34257	EIP uWAVE	COUNTER		12MO
351D-S52-1	4931-01-095-5457	34257	EIP uWAVE	COUNTER uWAVE 18GHz		12MO
3530		06811	SYSTRON DONNER	CONTROLLER INST OPT		USER
354A	6625-00-115-6483	28480	HP	ATTENUATOR STEP		NCR
354D525G01	6625-01-061-0386	97942	WESTINGHOUSE	PROBE CONTROL p/ TS-3715G	ARSR3	NCR
355		95325	BRUNO	GENERATOR FACSIMILE		NCR
355-2		95325	BRUNO	GENERATOR FACSIMILE		NCR
3550B	6625-00-244-3032	28480	HP	T/S TRANSMISSION		12MO
3551	5985-00-759-8877	34078	MIDWEST uWAVE	ATTENUATOR SET		NCR
3551A	6625-01-062-0176	28480	HP	T/S TRANSMISSION		12MO
3555A	6625-00-855-1610	28480	HP	T/S TRANSMISSION		12MO
3555B	6625-00-255-1083	28480	HP	T/S TRANSMISSION	TEST	12MO
355A	5985-00-285-6455	28480	HP	ATTENUATOR VHF		NCR
355C	5985-01-214-9684	28480	HP	ATTENUATOR VAR		NCR
355D	5985-01-233-5233	28480	HP	ATTENUATOR STEP 1.0GHz (120/10)		NCR
355D837G01	6625-01-304-2309	97942	WESTINGHOUSE	PROBE SUBASSEMBLY	ARSR3	NCR
3560A		28480	HP	ANALYZER SPECTRUM		12MO
3580A	6625-00-359-1927	28480	HP	ANALYZER SPECTRUM 5Hz-50KHz	HCR	12MO
3581A	6625-01-012-7669	28480	HP	SELECTIVE LEVEL METER	ILS	12MO
3581C	6625-01-146-3558	28480	HP	SELECTIVE LEVEL METER		12MO
3585B	6625-01-118-9963	28480	HP	ANALYZER SPECTRUM 20Hz-40MHz		12MO
3586A	6625-01-316-8668	28480	HP	SELECTIVE LEVEL METER		12MO
3586A/004	6625-01-289-8532	28480	HP	SELECTIVE LEVEL METER	RCL	12MO
3586B	6625-01-139-6741	28480	HP	SELECTIVE LEVEL METER		12MO
3586B/003/004/909	6625-01-211-2106	28480	HP	SELECTIVE LEVEL METER		12MO
3586C	6625-01-096-1726	28480	HP	SELECTIVE LEVEL METER	TEST	12MO
3591A	6625-00-450-0532	28480	HP	SELECTIVE LEVEL METER		12MO
3594A	6625-00-460-0183	28480	HP	GENERATOR SWEEP OSCILLATOR		NCR
35DR		49424	PYROMETER	PYROMETER		USER
36		89554	PIONEER	TACHOMETER PHOTO-T		USER
360-2			NEGRETTI	BAROMETER DIGITAL		USER
3600			FRANKLIN E	ANALYZER POWER LINE		NCR
360A	5915-00-503-1787	28480	HP	FILTER LOW PASS		NCR
360C	5915-00-503-0533	28480	HP	FILTER LOW PASS		NCR

MODEL/PART NUMBER	NSN	CAGE CODE	MANUFACTURER	NAME/DISCRIPTION	EQUIPMENT APP-TO	CALIBR INTER
361R	NSL	15356	DARCY	COUNTER		12MO
36V6A				CHARGER BATTERY		USER
37	6625-01-271-3498	89536	FLUKE	DIGITAL MULTIMETER		12MO
370		53367	SETRA	BAROMETER DIGITAL STD +/- 0.02%	AWOS	12MO
370-02	NSL	00752	AIL/EATON	NOISE FIGURE METER		36MO
37000-510	6625-01-155-6546	06811	SYSTRON DONNER	COMBINER POWER	762-1	NCR
3700A			DOSIMETER	METER RADIATION SUR		NCR
3701/11/12/13/14/18/25-232	6625-01-249-3541	50319	HEKIMIAN	T/S TRANSMISSION		12MO
3701/11/12/13/14/18/41/25-232	6625-01-245-3926	50319	HEKIMIAN	T/S TRANSMISSION	GEN-AP-T	12MO
3711A	6625-01-296-4806	28480	HP	ANALYZER uWAVE LINK (XMITR IF/BB 70&140MHz)		12MO
3712A	6625-01-282-4691	28480	HP	ANALYZER uWAVE LINK (RCVR IF/BB 70&140MHz)		12MO
3726	6625-01-304-5673	50319	HEKIMIAN	T/S TRANSMISSION		12MO
3730B	6625-01-114-0371	28480	HP	DOWN CONVERTER MF		NCR
3730B w/3737B	6625-01-311-6830	28480	HP	DOWN CONVERTER	TEST	NCR
3736B	6625-01-113-9533	28480	HP	GENERATOR DOWN CONV PIU	3730B	NCR
3737B	6625-01-111-4411	28480	HP	GENERATOR DOWN CONV PIU 3.7-8.5GHz	3730B	NCR
3737D	NSL	28480	HP	GENERATOR DOWN CONV PIU		NCR
374		55026	SIMPSON	AMMETER		24MO
3750A	6625-00-047-9555	28480	HP	ATTENUATOR STEP 100MHz (99/1) 75 OHMS		NCR
3800A	6625-00-146-7577	21793	RACAL-DANA	DIGITAL MULTIMETER		XXXX
3800B		21793	RACAL-DANA	DIGITAL MULTIMETER		XXXX
380A	6625-00-951-1820	80138	KAY ELEMETRICS	GENERATOR SWEEP 20-70MHz		NCR
3870			MERIDAN	PHASER-TUNER TRANSMISSION		USER
388-3L		55026	SIMPSON	PYROMETER		USER
3881			MERIDIAN	ATTENUATOR VAR		NCR
389		55026	SIMPSON	THERMOMETER		USER
389-3L	6685-00-079-9115	55026	SIMPSON	THERMOMETER RESISTANCE		USER
39	NSL		BEDFORD	ANTENNA METER RESISTANCE		USER
3900	6625-01-069-7812	50319	HEKIMAN	T/S TRANSMISSION		USER
3901L	6625-01-131-0928	50319	HEKIMIAN	T/S TRANSMISSION	TEST	12MO
3901M	6625-01-084-0207	50319	HEKIMIAN	T/S TRANSMISSION		USER
3910			GEORGE TC	DEVICE DIAGNOSTIC		USER
3910			HLI	MODULE EXPANDER		NCR
3911	6625-01-134-4735	50319	HEKIMIAN	PIU IMPLUSE NOISE	3901	12MO
3912	6625-01-134-7233	50319	HEKIMIAN	PIU DELAY	3901	12MO
3914	6625-01-134-4734	50319	HEKIMIAN	PIU NONLINEAR DISTORTION	3901	12MO
3918	6625-01-134-4733	50319	HEKIMIAN	PIU P/AR	3901	12MO
392	NSL	34078	MIDWEST uWAVE	ATTENUATOR		NCR
392		08086	WAHL INSTR	THERMOMETER		USER
3921	6625-01-135-0349	50319	HEKIMIAN	PIU 3901/2 to 3910 EXPANDER	3901	12MO
3921A	6625-01-215-4580	50319	HEKIMIAN	PIU 3901/2 to 3910 EXPANDER	3901	12MO
3925-232	6625-01-080-4306	50319	HEKIMIAN	PIU CONTROL/VERTICAL	3901	12MO
3925C	NSL	50319	HEKIMIAN	PIU CONTROL/VERTICAL	3901	12MO
3925C01/02	6625-01-311-0514	50319	HEKIMIAN	PIU CONTROL/VERTICAL	3901	12MO

MODEL/PART NUMBER	NSN	CAGE CODE	MANUFACTURER	NAME/DISCRIPTION	EQUIPMENT APP-TO	CALIBR INTER
3926-05	6625-01-079-7719	50319	HEKIMIAN	PIU SELECTIVE LEVEL VOLTMETER	3901	12MO
3928-1	6625-01-316-0369	50319	HEKIMIAN	PIU REMOTE NOISE FILTERS	3901	12MO
3930	NSL	01518	ALNOR INST	ANEMOMETER		USER
393P	NSL	80009	TEKTRONIX	ANALYZER SPECTRUM		12MO
3941A	6625-01-257-9509	50319	HEKIMIAN	MDL MST|SLAVE	3901	NCR
394A	5985-00-919-8548	28480	HP	ATTENUATOR VAR 1.0-2.0GHz (6-120)		NCR
39784	6625-01-022-4709	06811	SYSTRON DONNER	MIXER	TEST	NCR
3980-01	6625-01-079-7660	50319	HEKIMIAN	PIU DISPLAY CRT	3901	NCR
3980A			ROTEK INST	CALIBRATOR PRECISION		12MO
39A			DAVEN	MULTIMETER		24MO
3A0055	5985-01-398-7534	31597	ANAREN	COUPLER DIR	ARSR4	NCR
3A1	6625-00-248-2480	80009	TEKTRONIX	OSCILLOSCOPE PIU VRT		XXXX
3A6	6625-00-988-2583	80009	TEKTRONIX	OSCILLOSCOPE PIU VRT		XXXX
3B3	6625-00-247-4461	80009	TEKTRONIX	OSCILLOSCOPE PIU TB		XXXX
3DPSRDIAL5			MARSH INST	GAUGE COMMUNICATION POUND PRES		NCR
3M013-75		48620	PRINCO	BAROMETER MERCURY		USER
3M015-75		48620	PRINCO	BAROMETER MERCURY		USER
3N017-75		48620	PRINCO	BAROMETER MERCURY		USER
3PN116C	5950-00-933-7423	58474	SUPERIOR	TRANSFORMER VAR		NCR
3PN1510			STENCORD	TRANSFORMER VAR		NCR
3PN1520		83008	STACO ENERGY	TRANSFORMER POWER		NCR
3SCR5BA	9000-00-200-2033			CCRS	CCRS	NCR
3T-4	5985-01-295-4547	93459	WEINSCHEL	ATTENUATOR FXD 4dB 12.4GHz	LDRCL	NCR
3Z634			GRAINGER	T/S BATTERY		USER
4	NSL	07239	AVO BIDDLE	LOCATOR CABLE FAULTFINDER		USER
40	6625-00-921-4460	04237	ASSOC RESEARCH	INDICATOR PHASE SEQUENCE		USER
40	6625-01-415-0262	89536	FLUKE	ANALYZER POWER LINE HARMONICS (HANDHELD)		12MO
400		50602	DATA TEST	T/S PCB		USER
400-125	6625-01-080-5452		BIRD	WATTMETER ELEMENT 40DB SMP		
4000	6685-00-526-5519	01518	ALNOR INST	PYROMETER	ASR	USER
4000			PHOTON KIN	METER TDR MF		NCR
4000		16734	TIF INSTRU	SIGHTGLASS ELECTRONIC		NCR
4000A	6685-00-526-5519	01518	ALNOR INST	PYROMETER	ASR	USER
4001		21793	RACAL-DANA	DIGITAL MULTIMETER		XXXX
4001A			PHOTON KIN	LOGGER PLOTTER		12MO
4002	6625-01-222-1481	06819	NORTHEAST ELECT	T/S NOISE IMPULSE		12MO
400D	6625-00-643-1670	28480	HP	ANALOG VOLTMETER AC		12MO
400E	6625-00-995-7716	28480	HP	ANALOG VOLTMETER AC	TEST	12MO
400E322	6625-00-643-1670	28480	HP	ANALOG VOLTMETER AC		12MO
400EL	6625-00-229-0457	28480	HP	ANALOG VOLTMETER AC		12MO
400F	6625-00-403-6526	28480	HP	ANALOG VOLTMETER AC		12MO
400GL	6625-00-179-8953	28480	HP	ANALOG VOLTMETER AC		12MO
400H	6625-00-557-8261	28480	HP	ANALOG VOLTMETER AC		12MO
400L	6625-00-729-6907	28480	HP	ANALOG VOLTMETER AC		12MO

MODEL/PART NUMBER	NSN	CAGE CODE	MANUFACTURER	NAME/DISCRIPTION	EQUIPMENT APP-TO	CALIBR INTER
400LR	6625-00-801-1329	28480	HP	ANALOG VOLTMETER AC		12MO
401-37570-01			E-SYSTEMS	MADTS UNIT		USER
401AC			CETEC	GENERATOR TONE		NCR
4020		06811	SYSTRON DONNER	POWER METER		12MO
40202	6625-01-301-4591	62072	DYNATECH/TELECOM	BOX INTERCONNECTING	RCL	NCR
4020B	6625-00-649-2647	31922	L & N	RESISTOR STD 1 OHM		USER
4021		06811	SYSTRON DONNER	POWER METER		12MO
4025B	6625-00-540-8845	31922	L & N	RESISTOR STD 10 OHM		USER
4030B	6625-00-490-3075	31922	L & N	RESISTOR STD 100 OHM		USER
4035B	6625-00-649-2781	31922	L & N	RESISTOR STD 1K OHM		USER
404	NSL	30669	DUMONT	GENERATOR PULSE		NCR
404-404D	NSL	30669	DUMONT	GENERATOR PULSE		NCR
4040B	6625-00-097-0425	31922	L & N	RESISTOR STD 10K OHM		USER
4045B	6625-00-807-0259	31922	L & N	RESISTOR STD 100K OHM		USER
4047443-0701	6625-01-313-4107	06845	ALLIED SIGNAL	MODULATOR PLUSE	ATCBI5	NCR
404B	6625-00-802-6409	72314	LORAL/FAIRCHILD	GENERATOR PULSE		NCR
4050		70998	BIRD	LOAD DUMMY RF		NCR
4050	6625-01-017-5636	08441	DIELECTRIC COM	LOAD DUMMY RF (50W)		NCR
4050			SOAR	DIGITAL MULTIMETER		24MO
4050B	6625-00-424-5067	31922	L & N	RESISTOR STD 1M OHM		USER
4053A	6625-00-311-3339	04423	TELONIC	GENERATOR SWEEP	TEST	NCR
4053B		04423	TELONIC	GENERATOR SWEEP		NCR
408646		34309	INST. ENG	T/S PRINTER		NCR
4094NN13		39428	MCMAST&CAR	PYROMETER		USER
409C711A57		02446	GE	WATTMETER RF		NCR
41-01	6625-01-067-9020	50319	HEKIMIAN	T/S TRANSMISSION		12MO
41-103			MARQUETTE	ANALYZER COMBUSTION		USER
41-168		04846	BENRUS	OSCILLOSCOPE		12MO
41-211			MARQUETTE	ANALYZER COMBUSTION		USER
41-4B		04901	BOONTON	WATTMETER RF PIU ELEMENT		NCR
4101	NSL		COMCO	METER MODULATION		12MO
4101-10X		21713	INSTRULAB	THERMOMETER		USER
410A			FXR	WAVEMETER		NCR
410B	6625-00-360-2493	28480	HP	ANALOG VOLTMETER AC/DC/AMP/OHMS		NCR
410C	6625-00-969-4105	28480	HP	ANALOG VOLTMETER AC/DC/AMP/OHMS	TEST	NCR
4112		70998	BIRD	WATTMETER RF 200W/20W 2-30MHzx		NCR
41131	6625-01-338-3050	62072	DYNATECH/TELECOM	INTERFACE DDS LOCAL LOOP	RCL	NCR
411A	6625-00-066-8520	28480	HP	ANALOG VOLTMETER RF mV		12MO
411LA			NAVIGA	AMPLIFIER POWER		NCR
4120K12		21268	DATA METRIC	ANEMOMETER		USER
41440-0	6625-01-338-3051	62072	DYNATECH/TELECOM	INTERFACE T-1/FRACTIONS T-1	RCL	NCR
414A		06811	SYSTRON DONNER	GENERATOR PULSE		NCR
4150ATC		53504	VALHALLA	METER DIGITAL uOHM		12MO
415E	6625-00-993-8843	28480	HP	METER SWR		12MO

MODEL/PART NUMBER	NSN	CAGE CODE	MANUFACTURER	NAME/DISCRIPTION	EQUIPMENT APP-TO	CALIBR INTER
4191A	6625-01-259-8161	28480	HP	ANALYZER RF IMPEDANCE 1MHz-IGHz		USER
4193A	6625-01-166-7238	28480	HP	ANALYZER VECTOR IMPEDANCE 400KHz-110MHz		12MO
419A	6625-01-261-4601	28480	HP	METER NULL DCV		12MO
41B	6625-01-433-2060	89536	FLUKE	ANALYZER POWER LINE HARMONICS (HANDHELD)		12MO
41B	NSL	89536	FLUKE	ANALYZER POWER LINE HARMONICS (HANDHELD)		12MO
42-0312-00			FEDERAL	DYNAMOMETER		USER
4204A	6625-00-130-0068	28480	HP	GENERATOR AUDIO OSCILLATOR 10Hz-1MHz		NCR
420A			RAD ENG	LOCATOR CABLE FAULTFINDER		USER
420C	6625-00-583-1526	28480	HP	DETECTOR RF		NCR
4210-100		70998	BIRD	WATTMETER RF		NCR
4210-41		04901	BOONTON	POWER SENSOR RF		12MO
4210-4E		04901	BOONTON	POWER SENSOR RF		12MO
4210-4ES/2	6625-01-313-1555	04901	BOONTON	POWER SENSOR RF	MRC6500	12MO
4210-S/2		06811	SYSTRON DONNER	POWER METER RF		12MO
4216A	NSL	28480	HP	BRIDGE IMPEDANCE		NCR
422	6625-00-920-3246	80009	TEKTRONIX	OSCILLOSCOPE 15MHz		XXXX
4220-091		70998	BIRD	WATTMETER RF		NCR
422448	NSL	00752	AIL/EATON	NOISE FIGURE METER		36MO
4230-057	6625-00-254-6350	70998	BIRD	WATTMETER RF LINE SECTION	PRTR 43	NCR
423A	6625-00-877-7148	28480	HP	DETECTOR RF	GEN-AP-T	NCR
423B	6625-01-035-0626	28480	HP	DETECTOR RF	TDWR	NCR
424	6625-01-313-4409	62875	WAVETEK	T/S TRANSMISSION	GEN-AP-T	XXXX
425		62875	WAVETEK	T/S TRANSMISSION		XXXX
425020-100A	6625-00-269-4459	70998	BIRD	WATTMETER RF PIU ELEMENT 100W 25-60MHz	RFWM	NCR
425020-1F	6625-00-084-2707	70998	BIRD	WATTMETER RF PIU ELEMENT 1W 105-120MHz	RFWM	NCR
425020-5D	6625-00-929-7995	70998	BIRD	WATTMETER RF PIU ELEMENT 5W 200-500MHz	GEN-AP-T	NCR
425A	6625-00-785-5769	28480	HP	T/S TRANSMISSION		12MO
4260A	6625-00-236-1536	28480	HP	BRIDGE IMPEDANCE		NCR
4265B	NSL	28480	HP	BRIDGE UNIVERSAL		NCR
4274-025	6625-01-080-5452	70998	BIRD	WATTMETER RF PIU ELEMENT 500W 0.025-1GHz	ILS	NCR
4277A	NSL	28480	HP	BRIDGE IMPEDANCE		NCR
427A	6625-00-135-0407	28480	HP	ANALOG VOLTMETER AC/DC/OHMS	TEST	NCR
427A/001	6625-00-135-6990	28480	HP	ANALOG VOLTMETER AC/DC/OHMS		NCR
428B	6625-00-816-9324	28480	HP	ANALOG AMMETER CLAMP-ON 1mA-10A		NCR
42BD		04901	BOONTON	POWER METER RF		12MO
43	NSL	03249	AMES B C	INDICATOR DIAL		NCR
43		70998	BIRD	WATTMETER RF		NCR
430		62875	WAVETEK	MULTIMETER		24MO
430	6625-01-035-0162	65092	WESTON	VOLTMETER	TEST	12MO
430-12	6625-00-106-4293	70998	BIRD	WATTMETER RF PIU ELEMENT 0.3W 105-120MHz		NCR
430-16	6625-01-013-4854	70998	BIRD	WATTMETER RF PIU ELEMENT 250mW 328-336M	GEN-AP-T	NCR
430-20	6625-00-106-4293	70998	BIRD	WATTMETER RF PIU ELEMENT .25W 108-118MHz	RFWM	NCR
430-24	6625-01-003-2342	70998	BIRD	WATTMETER RF PIU ELEMENT .25W 108-118MHz	ILS	NCR
430-26	6625-01-083-8520	70998	BIRD	WATTMETER RF PIU ELEMENT 500mW 105-150M	ILS	NCR

MODEL/PART NUMBER	NSN	CAGE CODE	MANUFACTURER	NAME/DISCRIPTION	EQUIPMENT APP-TO	CALIBR INTER
430-6	6625-00-106-4292	70998	BIRD	WATTMETER RF PIU ELEMENT .1W 105-120MHz	RFWM	NCR
4300	6625-01-444-8847		DRANETZ	ANA/POWER QUALITY		12MO
4300		88865	KROHN-HITE	GENERATOR AUDIO		NCR
4300	6625-01-012-2903	21793	RACAL-DANA	DIGITAL MULTIMETER		12MO
4300A	6625-01-036-0474	88865	KROHN-HITE	GENERATOR SIGNAL	HCR	12MO
4300B		88865	KROHN-HITE	GENERATOR AUDIO		NCR
4301	6625-00-965-7051	70998	BIRD	WATTMETER RF	TEST	NCR
4301	NSL		THERMAL	T/S TEMPERATURE 40		USER
4301	NSL		THERMAL EN	THERMOMETER DIGITAL		USER
4301	NSL	65092	WESTON	T/S RF		NCR
4301-011-1	6625-01-317-6161	70998	BIRD	WATTMETER RF W/CASE	ILS	NCR
4301A	NSL	70998	BIRD	WATTMETER RF		NCR
4303		70998	BIRD	WATTMETER RF		NCR
4304		70998	BIRD	WATTMETER RF		NCR
430A		28480	HP	POWER METER RF		12MO
430A	6625-01-042-9480	93459	WEINSCHEL	GENERATOR SWEEP OSCILLATOR MF	RML	NCR
430C	6625-00-507-3766	28480	HP	POWER METER RF	TEST	12MO
431-102	6625-00-689-5302	70998	BIRD	WATTMETER RF PIU ELEMENT		NCR
4311	6625-00-198-3477	70998	BIRD	WATTMETER RF		NCR
4311-200		70998	BIRD	WATTMETER RF		NCR
4313		70998	BIRD	WATTMETER RF		NCR
4314	6625-00-262-4073	70998	BIRD	WATTMETER RF		NCR
4314B	6625-01-351-2187	70998	BIRD	WATTMETER RF		NCR
43175			EMR TELE	ANEMOMETER		USER
43175			SANGO-WEST	ANEMOMETER SIMULATOR		USER
431A	6625-00-886-1954	28480	HP	POWER METER RF		12MO
431A1		12115	SIERRA RESEARCH	T/S CHANNEL UN		NCR
431ABC		80138	KAY ELEMETRICS	ATTENUATOR VAR 0-41dB 1W 1GHz		NCR
431B	6625-00-892-5263	28480	HP	POWER METER RF		12MO
431C	6625-00-917-3099	28480	HP	POWER METER RF		12MO
431C	NSL	80138	KAY ELEMETRICS	ATTENUATOR FX		NCR
432	NSL	80009	TEKTRONIX	OSCILLOSCOPE		12MO
432		65092	WESTON	WATTMETER RF		NCR
43275	6625-01-124-8269	72314	LORAL/FAIRCHILD	T/S ANEMOMETER	LLWAS	USER
432A	6625-00-436-4883	28480	HP	POWER METER RF	TEST	12MO
432A			WATERVILLE	AMMETER AC 25-125 HZ		24MO
432B	6625-00-138-6522	28480	HP	POWER METER RF	TEST	12MO
432D		80138	KAY ELEMETRICS	ATTENUATOR VAR		NCR
433		13145	BITRONICS	VOLTMETER ANALYZER OG		24MO
433036		65092	WESTON	VOLTMETER AC		12MO
4338A	6625-93-000-0103	28480	HP	METER mOHM	NEXRAD	12MO
433A	6625-01-065-8729	93459	WEINSCHEL	PIU RF 4-8GHz	430A	12MO
433AHF	6625-01-084-1580	93459	WEINSCHEL	PIU RF 4-8GHz	430A	12MO
433F	NSL	07239	AVO BIDDLE	T/S CABLE		USER

MODEL/PART NUMBER	NSN	CAGE CODE	MANUFACTURER	NAME/DISCRIPTION	EQUIPMENT APP-TO	CALIBR INTER
434	6625-00-305-1395	80009	TEKTRONIX	OSCILLOSCOPE 25MHz		12MO
4340		70998	BIRD	WATTMETER RF		NCR
435440		72264	ESTERLINE	WATTMETER RF AC RECORD		NCR
435A	6625-01-033-6593	28480	HP	POWER METER RF		12MO
435AH1		93459	WEINSCHEL	GENERATOR SWEEP OSCILLATOR PIU		NCR
435B	6625-01-394-8792	28480	HP	POWER METER RF		12MO
435F	NSL	07239	AVO BIDDLE	LOCATER CABLE		USER
436A	6625-01-033-5050	28480	HP	POWER METER RF	ARSR	24MO
436A-022	6625-01-220-6729	28480	HP	POWER METER RF	ASR5	24MO
436B		80138	KAY ELEMETRICS	ATTENUATOR VAR		NCR
436BTNC		80138	KAY ELEMETRICS	ATTENUATOR VAR		NCR
437B	6625-01-316-6448	28480	HP	POWER METER RF		12MO
4381	6625-01-097-2246	70998	BIRD	WATTMETER RF DIGITAL		12MO
4383		70998	BIRD	WATTMETER RF W/5 DETE		NCR
4385	6625-00-657-3635	31922	L & N	BOX SHUNT w/ OPTB .0		12MO
438A	6625-01-203-0541	28480	HP	POWER METER RF	ASR9	12MO
438A-002	6625-01-252-0298	28480	HP	POWER METER RF	ASR9	12MO
4391	6625-01-239-6584	70998	BIRD	WATTMETER RF w/ELEMENT	RTC2	12MO
43A6	NSL	07239	AVO BIDDLE	TACHOMETER		USER
43DA		93459	WEINSCHEL	GENERATOR OSCILLATOR		12MO
440	6625-00-773-0049	70998	BIRD	WATTMETER RF		NCR
440		12115	SIERRA RESEARCH	ANEMOMETER		USER
440	6665-00-938-6806	63060	VICTOREEN	METER RADIAC ALPHA/BETA/GAMMA/X-RAY (ION)		12MO
440-677		70998	BIRD	WATTMETER RF		NCR
44030		57737	STICHT	INDICATOR PHASE SEQUENCE		USER
440B		63060	VICTOREEN	METER RADIAC		12MO
440RC		63060	VICTOREEN	METER RADIAC		12MO
440RF	6665-00-780-5507	63060	VICTOREEN	METER RADIAC BETA/GAMA		12MO
440RF/C	6665-01-010-4846	63060	VICTOREEN	METER RADIAC GAMA/X-RAY (IONIZATION)		12MO
440RF/D	6665-01-342-7590	63060	VICTOREEN	METER RADIAC GAMA/X-RAY (IONIZATION)		12MO
4410A	6625-01-260-1915	70998	BIRD	WATTMETER RF		NCR
4411		70998	BIRD	WATTMETER RF		NCR
4412		70998	BIRD	WATTMETER RF		NCR
44188-1		96214	TEXAS INST	T/S CABLE		USER
442		80138	KAY ELEMETRICS	ATTENUATOR VAR		NCR
4420L	NSN	59912	3M/DYNATEL/PHOTODYNE	LOCATOR CABLE FAULTFINDER		12MO
4421			OMEGA	DETECTOR RF		NCR
442D	5985-00-313-9064	80138	KAY ELEMETRICS	ATTENUATOR VAR 1-20dB .5W		NCR
4430	6625-01-092-5822	70998	BIRD	WATTMETER RF		NCR
4437A	5985-01-163-6679	28480	HP	ATTENUATOR STEP 1.0MHz (119.9/.1) 600 UNBAL		NCR
44416		07295	ROBINAIR	GAUGE VACUUM THERMISTOR		USER
446		08125	FAA	N221447-1		USER
44C0125	NSL		ALNAR INST	CALIBRATOR & ALIGN		USER
44D0595	6625-01-100-9202	52025	ADB-ALANCO	DEVICE AIMING		USER

MODEL/PART NUMBER	NSN	CAGE CODE	MANUFACTURER	NAME/DISCRIPTION	EQUIPMENT APP-TO	CALIBR INTER
44D16542	NSL		ALNACO-COL	DEVICE AIMING		USER
44D16861	NSL		ALNACO-COL	T/S FLASHER		USER
44E0570	6625-01-100-6408	52025	ADB-ALNACO	T/S FLASHER	MALSR	USER
45	6625-00-126-9941	04237	ASSOC RESEARCH	INDICATOR PHASE SEQUENCE		USER
45	6625-01-320-0536	89536	FLUKE	DIGITAL MULTIMETER	MULTI AC	12MO
450-072	NSL		ALNACO-COL	DEVICE WINDDIRECTION		USER
450-072	6660-00-939-5325	24067	US WEATHER SERVICE	CALIBRATOR ORIENTATION		USER
450-0726		24067	US WEATHER SERVICE	DEVICE WINDDIRECTION		USER
450-0811	6660-00-931-6733	24067	US WEATHER SERVICE	CALIBRATOR WINDSPEED TRANSMITTER		USER
450-0811REV7	6660-00-925-6682	24067	US WEATHER SERVICE	CALIBRATOR WINDSPEED TRANSMITTER		USER
451	6625-01-038-7124	34257	EIP uWAVE	COUNTER uWAVE PLUSE	TEST	12MO
451-1	6625-00-925-9398	34257	EIP uWAVE	COUNTER uWAVE PLUSE	TEST	12MO
451-P5	6625-01-299-0883	34257	EIP uWAVE	COUNTER uWAVE PLUSE	RADAR	12MO
4511		11332	GEN MICRO	METER uWAVE		12MO
451D	6625-01-033-7965	34257	EIP uWAVE	COUNTER uWAVE PLUSE 18GHz		12MO
452	NSL	80009	TEKTRONIX	OSCILLOSCOPE		12MO
452400		30874	IBM	T/S COMPUTER		NCR
452B	5210-00-252-1356	57163	STARRETT	GAUGE CYLINDER		36MO
453	6625-00-930-6637	80009	TEKTRONIX	OSCILLOSCOPE 50MHz	TEST	12MO
4536		23722	KENNEDY	RESISTOR SPEED TEST		NCR
453A	6625-00-765-9181	80009	TEKTRONIX	OSCILLOSCOPE 50MHz		12MO
453M	NSL	61141	DYNATECH/TELECOM	ANALYZER		12MO
454	6625-00-167-9863	80009	TEKTRONIX	OSCILLOSCOPE 150MHz		12MO
455	NSL	07239	AVO BIDDLE	TACHOMETER MECHANICAL		USER
455		65092	WESTON	VOLTMETER		12MO
4561		94990	MOTOROLA	CHARGER BATTERY		USER
4567P3		13913	WESTERN RESERVE	SENSOR VOLTAGE		USER
46	NSL	04237	ASSOC RESEARCH	INDICATOR PHASE SEQUENCE		USER
46	NSL	65597	WILCOX	RECEIVER PIR	ILS	USER
460D		55026	SIMPSON	DIGITAL MULTIMETER		12MO
4611			MULTI ELEC	DEVICE AIMING		USER
4612			MULTI ELEC	DEVICE AIMING FLASH		USER
4612-02	6625-01-304-5434	80009	TEKTRONIX	COPIER VIDEO	GEN-AP-T	NCR
461A	6625-00-982-2977	28480	HP	AMPLIFIER SOLID STATE		NCR
464	6625-01-026-0598	80009	TEKTRONIX	OSCILLOSCOPE 100MHz		12MO
464DM44-01-1	6625-01-122-2680	80009	TEKTRONIX	OSCILLOSCOPE 100MHz	GEN-AP-T	12MO
465	6625-00-322-8716	80009	TEKTRONIX	OSCILLOSCOPE 100MHz	TEST	12MO
465/04	6625-00-141-8710	80009	TEKTRONIX	OSCILLOSCOPE 100MHz		12MO
465A	NSL	80009	TEKTRONIX	OSCILLOSCOPE 100MHz		12MO
465B	6625-01-090-2312	80009	TEKTRONIX	OSCILLOSCOPE 100MHz		12MO
465B/04	6625-01-104-3151	80009	TEKTRONIX	OSCILLOSCOPE 100MHz		12MO
465B/04 KC	6625-01-104-3151	80009	TEKTRONIX	OSCILLOSCOPE 100MHz	TEST	12MO
465M	6625-01-032-6914	80009	TEKTRONIX	OSCILLOSCOPE 100MHz		12MO
465M/V	NSL	80009	TEKTRONIX	OSCILLOSCOPE 100MHz		12MO

MODEL/PART NUMBER	NSN	CAGE CODE	MANUFACTURER	NAME/DISCRIPTION	EQUIPMENT APP-TO	CALIBR INTER
465M/WN	6625-01-304-2307	80009	TEKTRONIX	OSCILLOSCOPE 100MHz		12MO
466	NSL	08098	B&K PRECISION	T/S CRT		NCR
466	6625-01-020-4203	80009	TEKTRONIX	OSCILLOSCOPE 100MHz		12MO
4661		08539	DATA CONTROL	T/S BIT		USER
4661	5826-01-314-0616	10110	SCIENTIFIC ATLANTA	TRANSMITTER RF NOISE SOURCE	RCL	12MO
466DM44	6625-01-047-0211	80009	TEKTRONIX	OSCILLOSCOPE 100MHz STORAGE		12MO
467	6625-01-094-9531	08098	B&K PRECISION	ANALYZER/RESTORER CRT		NCR
467		55026	SIMPSON	DIGITAL MULTIMETER		12MO
4671	6625-01-314-0636	10110	SCIENTIFIC ATLANTA	ANALYZER IF BASEBAND	RCL	12MO
4673	6625-01-228-7848	10110	SCIENTIFIC ATLANTA	RECORDER X-Y	RCL	USER
467A	5985-00-437-6443	80138	KAY ELEMETRICS	ATTENUATOR VAR 0-12dBm .5W IGHz		NCR
468	6625-01-200-9619	80009	TEKTRONIX	OSCILLOSCOPE 100MHz		12MO
4683	6625-01-304-3412	10110	SCIENTIFIC ATLANTA	ANALYZER	RCL	12MO
46C1/522-7929-003	6625-00-014-4491	13499	COLLINS	FILTER 5MCSTOP	TEST	NCR
47	NSL			POWER SENSOR THERMISTOR		12MO
470	6625-01-038-1877	08098	B&K PRECISION	ANALYZER CRT		NCR
4700/10/20/90	6625-01-257-1345	60157	DATRON	CALIBRATOR POWER AC/DC VOLT/AMP/RES 3PH		USER
4712		70998	BIRD	WATTMETER RF		NCR
471RF	6665-01-142-2415	63060	VICTOREEN	METER RADIAC BETA/GAMA/X-RAY(IONIZATION)		12MO
4725/001/101	6625-01-255-7988	28480	HP	T/S BIT ERROR RATE	SCTRACON	USER
475	6625-01-127-0079	80009	TEKTRONIX	OSCILLOSCOPE 200MHz		12MO
475-04	6625-00-397-4179	80009	TEKTRONIX	OSCILLOSCOPE 200MHz		12MO
475-1	NSL	85274	DWYER INST	MANOMETER DIGITAL		USER
475A	6625-00-616-4902	80009	TEKTRONIX	OSCILLOSCOPE 250MHz		12MO
475A-04	6625-00-397-4179	80009	TEKTRONIX	OSCILLOSCOPE 250MHz	RADAR	12MO
475DM44	6625-01-118-5916	80009	TEKTRONIX	OSCILLOSCOPE 250MHz		12MO
476J1	6625-00-587-9203		COLLINS	VOLTMTR/SELECTIVE LEVEL		12MO
477B	6625-00-519-2414	28480	HP	POWER SENSOR THERMISTOR		12MO
477Z1		13499	ROCKWELL	CALIBRATOR DEVIATION	VOR	12MO
478A	6625-00-495-3447	28480	HP	POWER SENSOR THERMISTOR		12MO
478A/H75	6625-01-257-9470	28480	HP	POWER SENSOR THERMISTOR		12MO
478A1	6625-00-349-0205	13499	COLLINS	RECEIVER VOR RADIAL	VOR	12MO
478A3	6625-01-069-7884	13499	ROCKWELL	RECEIVER VOR RADIAL (ZIFOR III)	VOR	12MO
479S6A	6625-01-075-1814	13499	COLLINS	GENERATOR SIGNAL VOR	478A3	12MO
4800	6625-01-217-3745	64520	BASIC MEAS INST	ANALYZER POWER LINE DISTURBANCE		NCR
4800		32480	JONES IND	TACHOMETER		USER
4800-4	NSL	64520	BASIC MEAS INST	ANALYZER POWER LINE OSCILLOGRAPH		24MO
480B			METROTECH	LOCATOR CABLE & PIPE		USER
485	6625-00-548-8181	80009	TEKTRONIX	OSCILLOSCOPE 350MHz		12MO
485975		40912	MINE SAFETY	MONITORING SYSTEM H		NCR
48620		48620	PRINCO	BAROMETER MERCURY		USER
486A	5985-00-404-0409	28480	HP	POWER SENSOR THERMISTOR 12.4-18GHz		12MO
487B	6625-00-140-9327	28480	HP	POWER SENSOR THERMISTOR		12MO
489A	6625-00-079-7045	28480	HP	AMPLIFIER uWAVE 1-2GHz		NCR

MODEL/PART NUMBER	NSN	CAGE CODE	MANUFACTURER	NAME/DISCRIPTION	EQUIPMENT APP-TO	CALIBR INTER
4900	NSL			ANEMOMETER		USER
4900A	NSL	28480	HP	LOCATOR CABLE		USER
4901A	NSL	07239	AVO BIDDLE	LOCATOR CABLE FAULTFINDER		USER
4901A	6625-00-135-9865	15779	HP/DELCON	LOCATOR CABLE FAULTFINDER		USER
4904A	6625-00-186-0019	28480	HP	LOCATOR CABLE FAULTFINDER		USER
4905A	6625-01-019-7757	28480	HP	DETECTOR ULTRASONIC		NCR
491	6625-00-494-2937	80009	TEKTRONIX	ANALYZER SPECTRUM		12MO
491-139L	6625-01-333-7843	80009	TEKTRONIX	ANALYZER SPECTRUM		12MO
4910		62875	WAVETEK	VOLTAGE STANDARD DC		USER
4917A	NSL	28480	HP	DETECTOR ULTRASONIC		NCR
4918A	6635-00-960-5062	28480	HP	DETECTOR LEAK		USER
492	6625-01-096-6684	80009	TEKTRONIX	ANALYZER SPECTRUM	ARSR1/2	12MO
492/01/02/03	6625-01-104-7816	80009	TEKTRONIX	ANALYZER SPECTRUM	RADAR	12MO
4925/101	6625-01-257-0211	28480	HP	T/S BIT ERROR RATE	TEST	USER
4925A	6625-01-222-2547	28480	HP	T/S BIT ERROR RATE		USER
4925B	6625-01-255-7989	28480	HP	T/S BIT ERROR RATE		USER
4925B/101	6625-01-257-0211	28480	HP	T/S BIT ERROR RATE		USER
4925B/101 & 18185A	6625-01-343-9010	28480	HP	T/S BIT ERROR RATE	DMN	USER
4925B/102	6625-01-343-9011	28480	HP	T/S BIT ERROR RATE	DMN	USER
492A	NSL	80009	TEKTRONIX	ANALYZER SPECTRUM		12MO
492B/01/02/03	NSL	80009	TEKTRONIX	ANALYZER SPECTRUM		12MO
492BP	6625-01-284-3614	80009	TEKTRONIX	ANALYZER SPECTRUM		12MO
492P	6625-01-301-7181	80009	TEKTRONIX	ANALYZER SPECTRUM		12MO
492P VERSION 1.7	6625-01-341-4437	80009	TEKTRONIX	ANALYZER SPECTRUM	ASR9	12MO
492P/01/02	NSL	80009	TEKTRONIX	ANALYZER SPECTRUM		12MO
492P/01/02/03	6625-01-138-0074	80009	TEKTRONIX	ANALYZER SPECTRUM	RADAR	12MO
492PGM	6625-01-333-7843	80009	TEKTRONIX	ANALYZER SPECTRUM	TEST	12MO
4930A	6625-01-067-2869	28480	HP	LOCATOR CABLE FAULTFINDER		USER
4934	NSL	28480	HP	T/S TRANSMISSION		12MO
4934A	6625-01-380-5252	28480	HP	T/S TRANSMISSION	STVS	12MO
4934A/001	6625-01-392-0209	28480	HP	T/S TRANSMISSION	TEST	12MO
4935A	6625-01-252-0319	28480	HP	T/S TRANSMISSION	FSDPS	12MO
4935A/001	6625-01-169-3608	28480	HP	T/S TRANSMISSION	TEST	12MO
4935A/001/002	NSL	28480	HP	T/S TRANSMISSION		12MO
4935A/002	6625-01-289-8580	28480	HP	T/S TRANSMISSION	TEST	12MO
4935A/003	6625-01-123-7379	28480	HP	T/S TRANSMISSION	TEST	12MO
4935A/022	NSL	28480	HP	T/S TRANSMISSION		12MO
4935S	6625-01-176-8561	28480	HP	T/S TRANSMISSION		12MO
4935SI/002	6625-01-176-8561	28480	HP	T/S TRANSMISSION	TEST	12MO
4937A	NSL	28480	HP	T/S TRANSMISSION		12MO
4945A	6625-01-212-9179	28480	HP	T/S TRANSMISSION		12MO
4948A	6625-01-299-9831	28480	HP	T/S TRANSMISSION		12MO
494A/P	6625-01-261-8107	80009	TEKTRONIX	ANALYZER SPECTRUM	GEN-AP-T	12MO
494A06	6625-01-226-8984	52681	PIEZOTRONICS	AMPLIFIER VOLT		NCR

MODEL/PART NUMBER	NSN	CAGE CODE	MANUFACTURER	NAME/DISCRIPTION	EQUIPMENT APP-TO	CALIBR INTER
494P	6625-01-178-0584	80009	TEKTRONIX	ANALYZER SPECTRUM		12MO
4951A	6625-01-196-4266	28480	HP	ANALYZER PROTOCOL/BERT		NCR
4951B	6625-01-249-7200	28480	HP	ANALYZER PROTOCAL		NCR
4951C	6625-01-300-4224	28480	HP	ANALYZER PROTOCAL		NCR
4952A	6625-01-275-7341	28480	HP	ANALYZER PROTOCOL	SCTRACON	NCR
4952A/106	6625-01-331-3284	28480	HP	ANALYZER PROTOCAL	FSDPS	NCR
4957A	6625-01-350-5125	28480	HP	ANALYZER PROTOCOL	FSDPS	NCR
496	6625-01-156-6760	80009	TEKTRONIX	ANALYZER SPECTRUM		12MO
4972A/002/005	6625-01-304-8033	28480	HP	ANALYZER PROTOCOL	SCTRACON	NCR
4KY5A2	NSL	02446	GE	CAVITY FILTER		NCR
4V0044MV2N		31550	ITT	PUMP VACUUM		USER
4Z076			DAYTON	CHARGER BATTERY &TESTER		USER
5	NSL	00752	AIL/EATON	DIODE NOISE		NCR
5			SERDEX	RECORDER TEMPERATURE		USER
5		60741	TRIPLETT	T/S LOOP		12MO
5/3/1995	NSL	93459	WEINSCHEL	ATTENUATOR FX		NCR
50-10	5985-00-655-7589	93459	WEINSCHEL	ATTENUATOR FX 10dB 1W 3GHz		NCR
50-103327ANAN2	6625-00-556-4936	02446	GE	FREQUENCY METER PANEL	MRCS	NCR
50-103327ASAS2	6625-01-221-7460	02446	GE	FREQUENCY METER PANEL	MRCS	NCR
50-190-11A		02446	GE	AMMETER		24MO
50-190411AAA		02446	GE	ANALOG MULTIMETER CLAMP-ON		NCR
50-190511A		02446	GE	ANALOG MULTIMETER CLAMP-ON		NCR
50-190511AAA		02446	GE	ANALOG MULTIMETER CLAMP-ON		NCR
50-190511AAAA1	6625-01-158-3577	02446	GE	ANALOG MULTIMETER CLAMP-ON		NCR
50-202A		97874	TERADO	POWER CONVERTER		NCR
50-3	5985-00-965-6318	93459	WEINSCHEL	ATTENUATOR FX 3dB 2W 3GHz		NCR
50-30	5985-00-777-1382	93459	WEINSCHEL	ATTENUATOR FX 30dB 1W 3GHz		NCR
50-502		97874	TERADO	INVERTER		NCR
50-6	5985-00-615-3104	93459	WEINSCHEL	ATTENUATOR FX 6dB 2W 3GHz		NCR
50-60-1000		09004	TRANS DEVICES	T/S POWER SUPPLY (DYNALOAD)		NCR
50-60-1000A		09004	TRANS DEVICES	T/S POWER SUPPLY (DYNALOAD)		NCR
500		27594	JFC ELECT.	OHMMETER		NCR
5000			BETA	TRANSPONDER ATC		USER
5000A			KRUSE	GENERATOR SIGNAL		12MO
5000A	6625-00-166-9481	29111	TRAK MICROWAVE	GENERATOR SWEEP		USER
5000J	6625-00-441-1922	70998	BIRD	WATTMETER RF PIU ELEMENT 5000W .95-1.26GHz		NCR
5000P1-540			PARATRONIC	ANALYZER LOGIC		NCR
5000W		07998	BIRD	WATTMETER RF PIU ELEMENT		NCR
5001			FIREYE	T/S		NCR
5001			SERVO FLT	FILTER TIME DOMAIN		NCR
500522			TS1	COUNTER		12MO
5006A	6625-01-149-0280	28480	HP	ANALYZER SIGNATURE	GEN-AP-T	NCR
5007		29111	TRAK MICROWAVE	GENERATOR SWEEP PIU		12MO
500A		51190	IFR SYS	T/S COMMUNICATION		12MO

MODEL/PART NUMBER	NSN	CAGE CODE	MANUFACTURER	NAME/DISCRIPTION	EQUIPMENT APP-TO	CALIBR INTER
500AFMAM/8		51190	IFR SYS	GENERATOR SIGNAL		12MO
500AMFM		51190	IFR SYS	GENERATOR SIGNAL		12MO
500AP	NSL	53186	DYNATEL	LOCATOR CABLE		USER
500AW		51190	IFR SYS	T/S LLWAS FREQUE		NCR
500B	NSL		ADJUSTAVOLT	TRANSFORMER VAR		NCR
500B		42161	CXR TELCOM/HALCYON	T/S UNIVERSAL		NCR
500B	NSL		STD ELECT	T/S INSULATION METER		NCR
500C	6625-00-868-4639	70998	BIRD	WATTMETER RF PIU ELEMENT 500W 100-250MHz		NCR
500H		70998	BIRD	WATTMETER RF PIU ELEMENT 500W 2-30MHz		NCR
500J		70998	BIRD	WATTMETER RF PIU ELEMENT 500W .95-1.26GHz		NCR
500MW		70998	BIRD	WATTMETER RF PIU ELEMENT		NCR
500V	NSL	07239	AVO BIDDLE	T/S INSULATION		NCR
501		64805	PROGRESSIVE ELEC	LOCATOR CABLE FAULTFINDER		USER
501		13493	WESTMORE	T/S TUBE CHECKER		NCR
501		65092	WESTON	T/S TUBE CHECKER		NCR
5011G	NSL	28480	HP	KIT LOGIC TROUBLESHOOTING		NCR
5011T	6625-00-327-6512	28480	HP	KIT LOGIC TROUBLESHOOTING TTL/DTL		NCR
5015-2	6625-00-318-6285	01220	SYSTRON DONNER	GENERATOR SWEEP PIU 7-11GHz		12MO
5015T	6625-00-385-1154	28480	HP	KIT LOGIC TROUBLESHOOTING TTL/DTL		NCR
5021A	6625-01-133-3504	28480	HP	KIT LOGIC TROUBLESHOOTING TTL/CMOS		NCR
5022	6630-00-653-8508	05083	BACHARACH	ANALYZER COMBUSTION		USER
50221	NSL	07239	AVO BIDDLE	MEGGER NULL BALANCE		12MO
5022A	6625-01-045-0956	28480	HP	KIT LOGIC TROUBLESHOOTING TTL/CMOS		NCR
5023A	6625-01-072-5084	28480	HP	KIT LOGIC TROUBLESHOOTING TTL/CMOS	GEN-AP-T	NCR
5024A	6625-01-129-6397	28480	HP	KIT LOGIC TROUBLESHOOTING TTL/CMOS	GEN-AP-T	NCR
5025B	NSL	89536	FLUKE	DIGITAL MULTIMETER HANDHELD		12MO
502A		80164	KEITHLEY	OHMMETER		NCR
503	6625-01-181-1078	80009	TEKTRONIX	OSCILLOSCOPE		12MO
5035A	NSL	28480	HP	KIT LOGIC LAB TRAINING AID		NCR
5035T	6910-01-007-8007	28480	HP	KIT LOGIC LAB TRAINING AID		NCR
504	6625-00-066-4384	80009	TEKTRONIX	OSCILLOSCOPE		XXXX
505	NSL	53186	DYNATEL	LOCATOR CABLE FAULTFINDER		USER
505T	6625-01-366-5882	99992	DETECTRON	LOCATOR CABLE FAULTFINDER	SCTRACON	USER
5067L	NSL	97384	AAI CORP	FILTER BAND REJECTION		NCR
5067S	NSL	97384	AAI CORP	FILTER BAND REJECTION		NCR
5087A	6625-01-387-7716	28480	HP	AMPLIFIER DISTRIBUTION		NCR
50893-321J	6625-01-218-2827	09553	MARCONI	POWER METER AUDIO OUTPUT	MRCS	12MO
50893-331T		90073	MARCONI	POWER METER AUDIO OUTPUT	MRCS	36MO
50893-920M		09553	MARCONI	POWER METER AUDIO OUTPUT	MRCS	36MO
508B				OSCILLOSCOPE		12MO
50C		70998	BIRD	WATTMETER RF PIU ELEMENT 50W 100-250MHz		NCR
50D		70998	BIRD	WATTMETER RF PIU ELEMENT 50W 200-500MHz		NCR
50H		70998	BIRD	WATTMETER RF PIU ELEMENT 50W 2-30MHz		NCR
50TA101-377	5985-01-284-3829	52750	ALLEN	ATTENUATOR VAR		NCR

MODEL/PART NUMBER	NSN	CAGE CODE	MANUFACTURER	NAME/DISCRIPTION	EQUIPMENT APP-TO	CALIBR INTER
50TA102-261	NSL	52750	ALAN INDUSTRIES	ATTENUATOR VARIABLE		NCR
50W		70998	BIRD	WATTMETER RF PIU ELEMENT		NCR
510	NSL	07239	AVO BIDDLE	LOCATOR CABLE		USER
5100	NSL	1ES16	AEMC CORP	T/S INSULATION		NCR
5100	NSL	08441	DIELECTRIC COM	TERMINATION RF		NCR
5100B	6625-01-099-2414	89536	FLUKE	METER CALIBRATOR		USER
5100FN	NSL	08441	DIELECTRIC COM	LOAD DUMMY RF		NCR
5103N	6625-01-006-1173	80009	TEKTRONIX	OSCILLOSCOPE MF		XXXX
5103N/502C	6625-00-327-0767	80009	TEKTRONIX	OSCILLOSCOPE	TEST	XXXX
5103N/D10	6625-00-583-6432	80009	TEKTRONIX	OSCILLOSCOPE		XXXX
511	NSL	89536	FLUKE	COUNTER		12MO
511			MINI TUNE	LOAD T/S		NCR
5110		18658	SCANWELL	PHASER		NCR
512M10		30053	MYRON	CONDUCTIVITY METER		NCR
515/011	NSL	89536	FLUKE	METER CALIBRATOR PORTABLE		USER
515A	6625-01-449-9244	42161	CXR TELCOM/HALCYON	T/S TRANSMISSION		USER
515A	6625-01-086-2041	89536	FLUKE	METER CALIBRATOR PORTABLE		12MO
515A	NSL	80009	TEKTRONIX	OSCILLOSCOPE		12MO
515SI	NSL	80009	TEKTRONIX	OSCILLOSCOPE		12MO
516/101	6625-00-897-5248	80009	TEKTRONIX	OSCILLOSCOPE 15MHz		12MO
519A	6625-00-443-8086	42161	CXR TELCOM/HALCYON	T/S TRANSMISSION	ARSR3	60MO
52	6685-01-411-2717	89536	FLUKE	DIGITAL THERMOMETER		12MO
520		58935	SPERRY A W	T/S MEGOHM CABLE		NCR
5200/01/A/B/C/F/G	6625-01-389-8124	42161	CXR TELCOM/HALCYON	T/S TRANSMISSION	LDRCL	12MO
5200/01/A/B/C/F/G/A1	NSL	42161	CXR TELCOM/HALCYON	T/S TRANSMISSION SELECT/SIG		12MO
5201C		24836	MICRO INST	VOLTMETER MEMORY		12MO
520B	6625-01-080-3471	08098	B&K PRECISION	T/S SEMI-CONDUCTOR		NCR
520B-03	6625-01-019-9976	42161	CXR TELCOM/HALCYON	T/S UNIVERSAL		NCR
5212	NSL	04237	ASSOC RESEARCH	T/S INSULATION BREAKDOWN		NCR
5220	6625-00-049-6951	04237	ASSOC RESEARCH	T/S INSULATION BREAKDOWN		NCR
5227929003		13499	COLLINS	FILTER 5 MHZ		NCR
523082	NSL	07239	AVO BIDDLE	T/S INSULATION METER		NCR
5231	NSL	50665	QUALIMETRICS INC	PSYCHROMETER ASSMANN	AWOS	NCR
5245L	6625-00-392-0582	28480	HP	COUNTER MF 50MHz (xfer to 5328A/030)		12MO
524A	6625-00-500-1167	28480	HP	FREQUENCY METER		48MO
524AD	6625-00-801-1309	80009	TEKTRONIX	OSCILLOSCOPE		12MO
5250FN	5985-01-018-1778	08441	DIELECTRIC COM	LOAD DUMMY RF (250W)		NCR
5253B	6625-00-140-8197	28480	HP	COUNTER PIU 512MHz	5245L	12MO
5255		09043	KINN ELEC	LINE SECTION		NCR
5255A	6625-00-058-3042	28480	HP	COUNTER PIU 3GHz-12.4GHz		12MO
5262A	6625-00-967-0460	28480	HP	COUNTER PIU TIME INTERVAL	5245L	12MO
528		65092	WESTON	VOLTMETER AC		12MO
52955-321		90073	MARCONI	T/S RADIO		12MO
52B		65092	WESTON	VOLTMETER AC		12MO

MODEL/PART NUMBER	NSN	CAGE CODE	MANUFACTURER	NAME/DISCRIPTION	EQUIPMENT APP-TO	CALIBR INTER
530	NSL		AW SPERRY	T/S INSULATION		NCR
5300A	6625-01-047-4582	28480	HP	COUNTER MF (xfer to 5328A/030)		12MO
5300B	6625-01-018-6361	28480	HP	COUNTER MF		12MO
5301		00346	CRESCENT	METER MODULATION IL		USER
5301A	6625-01-007-4745	28480	HP	COUNTER PIU 10MHz		12MO
5301B		00346	CRESCENT	METER MODULATION		NCR
5302A	6625-00-298-9676	28480	HP	COUNTER PIU UNIVERSAL 50MHz		12MO
5303B	6625-00-321-5175	28480	HP	COUNTER PIU 525MHz		12MO
5304A	6625-01-095-2972	28480	HP	COUNTER PIU UNIVERSAL10MHz		12MO
5305			NORTHRUP	BRIDGE WHEATSTONE		NCR
5305B	6625-01-040-5758	28480	HP	COUNTER PIU 1.3GHz		12MO
530AS			BITVIEW	MONITOR DATA LINE T		NCR
53131A/010/030/H09	6625-01-399-22998	28480	HP	COUNTER UNIVERSAL 3GHZ		12MO
5314A	6625-01-342-6523	28480	HP	COUNTER UNIVERSAL 100MHz		12MO
5315A	6625-01-295-6385	28480	HP	COUNTER UNIVERSAL 100MHz		12MO
5316A	6625-01-181-4395	28480	HP	COUNTER UNIVERSAL 100MHz		12MO
531P	NSL	59756	SIEMENS	ANALYZER DISTORTION		12MO
5327A	6625-01-039-9489	28480	HP	COUNTER		12MO
5327C	6625-00-409-7590	28480	HP	COUNTER		12MO
5328A	6625-01-062-9750	28480	HP	COUNTER UNIVERSAL 100MHz		24MO
5328A/030	6625-01-164-0519	28480	HP	COUNTER UNIVERSAL 512MHz		24MO
5328A/031	6625-01-042-8157	28480	HP	COUNTER UNIVERSAL 1.3GHz		24MO
5328A/096	NSL	28480	HP	COUNTER UNIVERSAL 500MHz		24MO
5328A/E42	6625-01-061-8928	28480	HP	COUNTER UNIVERSAL 512MHZ		24MO
5328A/H42	6625-01-061-8929	28480	HP	COUNTER UNIVERSAL 500MHz (xfer to 5328A/030)		24MO
5328AF/096	6625-01-039-0086	28480	HP	COUNTER UNIVERSAL 500MHz (xfer to 5328A/030		24MO
5328AF/H99	6625-01-039-0086	28480	HP	COUNTER UNIVERSAL 500MHz		24MO
5328B	6625-01-253-2332	28480	HP	COUNTER UNIVERSAL 100MHz		24MO
5328B/031	NSL	28480	HP	COUNTER UNIVERSAL 1.3GHz		24MO
532B			PARATRONIC	ANALYZER INTELLIGENCE		NCR
533		28569	HICKOK	T/S TUBE CHECKER		NCR
53310A	6625-01-383-3534	28480	HP	ANALYZER MODULATION DOMAIN		12MO
5334A	7025-01-248-0383	28480	HP	COUNTER UNIVERSAL 100MHz		12MO
5335A	6625-01-127-4955	28480	HP	COUNTER UNIVERSAL 200MHz		12MO
5335A/030	NSL	28480	HP	COUNTER UNIVERSAL 512MHZ		12MO
5340A	6625-01-099-7068	28480	HP	COUNTER uWAVE 18GHz		12MO
5342A	6625-01-081-3402	28480	HP	COUNTER uWAVE 18GHz		12MO
5343A	6625-01-104-0504	28480	HP	COUNTER uWAVE 26.5GHz		12MO
5345A	6625-00-531-4752	28480	HP	COUNTER MF 500MHz		12MO
5345A/012	6625-01-138-0361	28480	HP	COUNTER MF 500MHz	GEN-AP-T	12MO
5347A	6625-01-385-4918	28480	HP	COUNTER		12MO
5348A /006/E01	6625-01-322-0705	28480	HP	COUNTER /POWER MTR		12MO
5348A/002/011/060/915	6625-01-318-7659	28480	HP	COUNTER/POWER MTR		12MO
5350A	6625-01-248-0384	28480	HP	COUNTER uWAVE 20GHZ		12MO

MODEL/PART NUMBER	NSN	CAGE CODE	MANUFACTURER	NAME/DISCRIPTION	EQUIPMENT APP-TO	CALIBR INTER
5350B	6625-01-267-4887	28480	HP	COUNTER uWAVE 20GHZ	NEXRAD	12MO
5350B/001	6625-01-275-6268	28480	HP	COUNTER uWAVE 20GHZ	ASDE3	12MO
5351B	6625-01-267-3713	28480	HP	COUNTER uWAVE 26.5GHz		12MO
5355A	6625-01-111-1074	28480	HP	COUNTER PIU 0.4-1.6GHz		12MO
5356195		30874	IBM	TERMINATOR		NCR
5356A	6625-01-111-1052	28480	HP	COUNTER HEAD 1.5-18GHz		60MO
5356B	6625-01-261-4441	28480	HP	COUNTER HEAD 1.5-26.5GHz		60MO
536	6625-00-971-1227	28569	HICKOK	T/S TUBE CHECKER		NCR
5361A	6625-01-343-5134	28480	HP	COUNTER uWAVE PLUSE		12MO
5361A/001	NSL	28480	HP	COUNTER uWAVE PLUSE		12MO
5361B	6625-01-337-8124	28480	HP	COUNTER uWAVE		12MO
5361B/026	6625-01-389-7416	28480	HP	COUNTER uWAVE PULSE 26.5GHz	LDRCL	12MO
536A	6625-00-966-6728	28480	HP	WAVEMETER 0.96-4.2GHz	TEST	60MO
537A	6625-00-930-9687	28480	HP	WAVEMETER 3.7-12.4GHz		60MO
5381A	6625-01-021-3072	28480	HP	COUNTER 80MHz		12MO
5382A	6625-01-056-2137	28480	HP	COUNTER 225MHz		12MO
5383A	7025-01-137-5807	28480	HP	COUNTER 520MHz		12MO
5385A	6625-01-176-8354	28480	HP	COUNTER 1GHZ		12MO
5386A	6625-01-305-0440	28480	HP	COUNTER 3GHz		12MO
54			TELEQUIPMENT	OSCILLOSCOPE		12MO
54001A	6625-01-259-9832	28480	HP	OSCILLOSCOPE PIU POD 1GHz		12MO
54003A	6625-01-277-0809	28480	HP	OSCILLOSCOPE PIU POD 300MHz		12MO
54011-001	6680-00-139-8287	05518	BEARING	ANEMOMETER		USER
54110D	6625-01-255-3322	28480	HP	OSCILLOSCOPE 1GHz		12MO
54200A	6625-01-222-6444	28480	HP	OSCILLOSCOPE 50MHz		12MO
5420330		30874	IBM	ANALYZER MAGNETIC TAPE		NCR
5430A		31922	L & N	BRIDGE RESISTANCE		NCR
5430AM1		31922	L & N	BRIDGE RESISTANCE		NCR
5440C	6625-01-241-1888	31637	LOCKHEED	NOISE FIGURE METER		36MO
54501A	6625-01-304-7317	28480	HP	OSCILLOSCOPE 100MHz		12MO
545A	6625-01-125-2566	34257	EIP uWAVE	COUNTER uWAVE 18GHz		12MO
5467032G5		02446	GE	INDICATOR PHASE SEQUENCE		NCR
546A	6625-01-072-5085	28480	HP	PROBE LOGIC PULSER TTL/CMOS		NCR
547A	6625-01-045-0376	28480	HP	PROBE LOGIC CURRENT TRACER		NCR
548	6625-01-137-2985	34257	EIP uWAVE	COUNTER uWAVE 26.5GHz		12MO
54D			TELEQUIPMENT	OSCILLOSCOPE		12MO
5500A	6625-01-039-6998	50423	BALLANTINE	COUNTER		XXXX
5500B	6625-01-165-7864	50423	BALLANTINE	COUNTER	GEN-AP-T	XXXX
550330			MULTI ELEC	DEVICE AIMING UNIVERSAL		USER
550530			MULTI ELEC	DEVICE AIMING		USER
551482		77327	HARRIS	T/S TELEPHONE		NCR
553	6625-00-715-3888	72314	LORAL/FAIRCHILD	OSCILLOSCOPE	TEST	XXXX
554	NSL	07239	AVO BIDDLE	TACHOMETER		USER
555				SWITCH COMMUNICATION		NCR

MODEL/PART NUMBER	NSN	CAGE CODE	MANUFACTURER	NAME/DISCRIPTION	EQUIPMENT APP-TO	CALIBR INTER
5559			MULTI-ELEC	WALKER BAR		USER
5559-9			MULTI-ELEC	DEVICE AIMING		USER
5575A			MICRO SYS	T/S		12MO
560400	6625-01-167-3698	07239	AVO BIDDLE	T/S MOTOR & PHASE 25-400Hz	ACEPS	NCR
560A	6625-01-285-3481	20944	WILTRON	NETWORK ANALYZER	RCL	12MO
560FM			MEASUREMNT	GENERATOR SIGNAL		12MO
561000		14481	WINSLOW	T/S INSULATION		NCR
561A	NSL	80009	TEKTRONIX	OSCILLOSCOPE		12MO
5636	6625-00-877-9484	28480	dYMEC	T/S POWER RF		USER
564	6625-00-965-8362	80009	TEKTRONIX	OSCILLOSCOPE		12MO
566		23667	BENDIX	PSYCHROMETER		USER
5700A/03	6625-01-292-7347	89536	FLUKE	METER CALIBRATOR		USER
5712439		30874	IBM	T/S BIAS		NCR
5725A	6625-01-333-9512	89536	FLUKE	AMPLIFIER POWER PRECISION VOLT/AMP		USER
573	6625-01-221-0086	53186	DYNATEL	LOCATOR CABLE FAULTFINDER		USER
575		57163	STARRETT	MICROMETER		NCR
5760	6625-01-304-2438	50423	BALLANTINE	COUNTER		XXXX
5760A/103	6680-01-312-7516	50423	BALLANTINE	COUNTER		XXXX
578/123		34257	EIP uWAVE	COUNTER		12MO
583A	NSL	24655	GENRAD	DIGITAL MULTIMETER		12MO
585B	6625-01-358-4903	34257	EIP uWAVE	COUNTER uWAVE PLUSE 20GHz	TEST	12MO
585BP		57163	STARRETT	MICROMETER		NCR
5890	NSL	30669	DUMONT	METER RADIO		NCR
58C	6625-00-336-7429	06819	NORTHERN TELECON	METER SOUND LEVEL		NCR
59	6625-00-649-3072	58880	MEGGIT AVIONICS	METER GRID DIP		NCR
594	6685-00-602-6867	23667	BENDIX	HYGROTHERMOGRAPH		USER
59401A	6625-01-056-0952	28480	HP	ANALYZER BUS SYSTEM		NCR
5A	6625-00-062-2288	70998	BIRD	WATTMETER RF PIU ELEMENT 5W 25-60MHz	RFWM	NCR
5A23N	6625-00-201-6143	80009	TEKTRONIX	OSCILLOSCOPE PIU VRT		XXXX
5AAX1K81C47581-O	5950-01-310-8486	64159	CONTROLED POWER	TRANSFORMER POWER		NCR
5B			ECM CORP.	METER MODULATION FM		12MO
5B13N	NSL	80009	TEKTRONIX	OSCILLOSCOPE PIU TB		XXXX
5BT100			K&L	FILTER TUNABLE BAND		NCR
5C		70998	BIRD	WATTMETER RF PIU ELEMENT 5W 100-250MHz		NCR
5D		70998	BIRD	WATTMETER RF PIU ELEMENT 5W 200-500MHZ		NCR
5TYPE2				T/S LOOP		12MO
5VF1500		23042	TRILITHIC/TEXSCAN	FILTER BANDPASS		NCR
5VF190		23042	TRILITHIC/TEXSCAN	FILTER BANDPASS TUN		NCR
5VF200-400		23042	TRILITHIC/TEXSCAN	FILTER BANDPASS		NCR
5VF750		23042	TRILITHIC/TEXSCAN	FILTER BANDPASS		NCR
5VF95-190		23042	TRILITHIC/TEXSCAN	FILTER BANDPASS		NCR
5VF95/190150AA		23042	TRILITHIC/TEXSCAN	FILTER TUNABLE VHF		NCR
5W		70998	BIRD	WATTMETER RF PIU ELEMENT	RFWM	NCR
60		60741	TRIPLETT	ANALOG MULTIMETER		12MO

MODEL/PART NUMBER	NSN	CAGE CODE	MANUFACTURER	NAME/DISCRIPTION	EQUIPMENT APP-TO	CALIBR INTER
60	6680-00-908-2385	30107	WHITTAKER	ANEMOMETER		12MO
60-65			INTL DATA	T/S BIT ERROR RATE		USER
600			DIGILOG	ANALYZER PROTOCOL W		NCR
600		18479	FW BELL	GAUSS METER		USER
600		89077	GOLDAK	LOCATOR CABLE		USER
600			LIEBERT	ANALYZER POWER LINE DISTURBANCE		USER
600-0134	6625-01-319-2902			MDL	TEST	NCR
600/10-18CONF158	6625-01-273-1259	58900	GIGA-TRONICS	GENERATOR SIGNAL	GPETE	12MO
6000			LYNN	ANALYZER COMBUSTION		USER
6000		65092	WESTON	DIGITAL MULTIMETER		24MO
6000-1			JOHN ICHI	T/S TORQUE GAUGE		NCR
6000A	6625-00-945-2712	28569	HICKOK	T/S TUBE CHECKER		NCR
6000AP	6680-00-139-8287	01518	ALNOR INST	ANEMOMETER		USER
6000B	6680-00-410-0575	01518	ALNOR INST	ANEMOMETER	F420	USER
6000B1	6635-00-921-7963	06880	DATA INSTR	T/S TORQUE GAUGE		NCR
6010A	NSL	89536	FLUKE	GENERATOR SIGNAL		12MO
6020	NSL	06811	SYSTRON DONNER	COUNTER		12MO
602F		24655	GENRAD	RESISTOR DECADE		NCR
602K		24655	GENRAD	RESISTOR DECADE		NCR
603		60741	TRIPLETT	VOLTMETER		12MO
6030A	NSL	89536	FLUKE	DIGITAL MULTIMETER		12MO
603145		60741	TRIPLETT	ANALOG MULTIMETER		12MO
603NM			MC JONES	LOAD DUMMY RF		NCR
604			TCM	PRESELECTOR		NCR
604A		23207	DRANETZ	ANALYZER POWER LINE DISTURBANCE		NCR
605-2		55026	SIMPSON	RECORDER CHART		USER
605/2-8	6625-01-361-4133	58900	GIGA-TRONIC	GENERATOR SIGNAL 2-8GHz	TEST	12MO
6051		52542	SYSTRON DONNER	GENERATOR TIMING		12MO
6052	6625-00-315-9589	06811	SYSTRON DONNER	COUNTER 512MHz	TEST	XXXX
6053/11/15	6625-01-313-1624	06811	SYSTRON DONNER	COUNTER 500MHz		12MO
6054B	6625-01-055-2827	06811	SYSTRON DONNER	COUNTER		12MO
6054B/18	6625-01-312-4731	06811	SYSTRON DONNER	COUNTER	TRACO	12MO
6057	6625-00-318-6433	06811	SYSTRON DONNER	COUNTER uWAVE 18GHz	TEST	12MO
606-3	6625-01-082-1128	23207	DRANETZ	ANALYZER POWER LINE RECORDER 3PH	TEST	NCR
606-3-101	6625-01-019-9918	23207	DRANETZ	ANALYZER POWER LINE		NCR
606-PA-6004	6625-01-105-9497	23207	DRANETZ	ANALYZER POWER LINE ADPT IMPLS		NCR
6060A-4881570187	6625-01-200-3003	89536	FLUKE	GENERATOR SIGNAL	GEN-AP-T	12MO
6060A/AN	6625-01-222-5007	89536	FLUKE	GENERATOR SIGNAL 520MHz	DF	12MO
6061A	5955-01-350-4904	89536	FLUKE	GENERATOR SIGNAL 1.05GHz		12MO
6062A	6625-01-276-6509	89536	FLUKE	GENERATOR SIGNAL 2.1GHz		12MO
6068692A16		18323	WESTINGHOUSE	VOLTMETER		12MO
606A	6625-00-819-0472	28480	HP	GENERATOR SIGNAL		12MO
606B	6625-00-494-8565	28480	HP	GENERATOR SIGNAL 50KHz-65MHz		12MO
6070A	6625-01-304-3182	89536	FLUKE	GENERATOR SIGNAL 520MHz		12MO

MODEL/PART NUMBER	NSN	CAGE CODE	MANUFACTURER	NAME/DISCRIPTION	EQUIPMENT APP-TO	CALIBR INTER
6071A-607XA-870	6625-01-138-4605	89536	FLUKE	GENERATOR SIGNAL 1.04GHz		12MO
6080			GEOPHONE	LOCATOR PIPE LEAK PH		NCR
6080A/AN	6625-01-285-9218	89536	FLUKE	GENERATOR SIGNAL 1.05GHz	TEST	12MO
608D	6625-00-649-5262	28480	HP	GENERATOR SIGNAL		12MO
608E	6625-00-857-4352	28480	HP	GENERATOR SIGNAL 10-480MHz	TEST	12MO
6092	NSL	06811	SYSTRON DONNER	COUNTER		12MO
6099	6660-01-133-2545	82205	BELFORT	BAROMETER ANEROID 736.6-1252.4 mBAR		USER
60NA		60741	TRIPLETT	ANALOG MULTIMETER		12MO
60NA/2	6625-01-149-9725	60741	TRIPLETT	ANALOG MULTIMETER		12MO
60TF			TRUE TIME	COMPARATOR DIGITAC		NCR
60W		70998	BIRD	WATTMETER RF PIU ELEMENT		NCR
610	6625-01-314-0649	51336	ACRODYNE	GENERATOR AUDIO OSCILATOR		NCR
610			SCHNEIDER	VOLTMETER DIG		12MO
610		56289	SPRAGUE	LOCATOR INTERFERENC		USER
6100/03/06/19	6625-01-377-8179	58900	GIGA-TRONICS	GENERATOR SIGNAL 0.01-8.0GHz	ASR	12MO
6100/8-20	6625-01-345-4047	58900	GIGA-TRONIC 10-20 GHZ			
610CTST	NSL		ATR MFG CO	POWER SUPPLY RECTIF		NCR
610D	6625-01-041-9399	20944	WILTRON	GENERATOR SWEEP	RCL	12MO
612		70998	BIRD	WATTMETER RF		NCR
6135-50	NSL	06811	SYSTRON DONNER	COUNTER		12MO
614		65092	WESTON	FOOT CANDLE METER		USER
61460		65092	WESTON	FOOT CANDLE METER		USER
614A	6625-00-351-5958	28480	HP	GENERATOR SIGNAL UHF	TEST	12MO
615		18479	FW BELL	GAUSS METER	TEST	USER
615		65092	WESTON	METER LIGHT		USER
6150	6625-00-471-3258	06811	SYSTRON DONNER	COUNTER		12MO
6152	6625-00-315-9609	06811	SYSTRON DONNER	COUNTER 512MHz	TEST	XXXX
6152A	6625-00-148-8021	06811	SYSTRON DONNER	COUNTER 512MHz	TEST	12MO
6153	NSL	06811	SYSTRON DONNER	COUNTER		12MO
6153-50	6625-00-350-5714	06811	SYSTRON DONNER	COUNTER 3GHz	TEST	12MO
6153-50A	NSL	06811	SYSTRON DONNER	COUNTER 3GHz		12MO
615WHTG108608	6625-01-243-1961	18479	FW BELL	GAUSS METER	TEST	USER
616		12115	SIERRA RESEARCH	FLOWMETER		USER
616A	6625-00-650-6363	28480	HP	GENERATOR SIGNAL 1.8-4.8GHz	TEST	12MO
616B	6625-00-752-8622	28480	HP	GENERATOR SIGNAL	TEST	12MO
61A100			LANAGAN	T/S INSULATION		NCR
620			INTELCO	ANALYZER SPECTRUM		12MO
6205C	6130-00-437-4861	28480	HP	POWER SUPPLY		NCR
6209B	6130-00-458-4585	28480	HP	POWER SUPPLY		NCR
620C	NSL		ATR MFG CO	POWER SUPPLY RECTIF		NCR
620CELIT	NSL		ATR MFG CO	POWER SUPPLY		NCR
62101	6625-00-059-4412	13297	MAGNASYNC	POWER METER AUDIO OUTPUT		36MO
6214A	6130-01-063-4933	28480	HP	POWER SUPPLY		NCR
6214B	NSL	28480	HP	POWER SUPPLY 0-12 V		NCR

MODEL/PART NUMBER	NSN	CAGE CODE	MANUFACTURER	NAME/DISCRIPTION	EQUIPMENT APP-TO	CALIBR INTER
6218A	6625-00-195-1635	28480	HP	POWER SUPPLY		NCR
6218B	6130-01-291-9373	28480	HP	POWER SUPPLY		NCR
6224B	6130-00-995-7668	28480	HP	POWER SUPPLY 18V		NCR
6228B	6130-00-146-1525	28480	HP	POWER SUPPLY		NCR
622A			LENKURT	DECIBEL METER		NCR
6236B	6130-01-067-1655	28480	HP	POWER SUPPLY		NCR
623B	6625-00-074-3751	28480	HP	GENERATOR SIGNAL	TEST	12MO
6243A	NSL	52542	SYSTRON DONNER	COUNTER		12MO
6244A	6625-01-221-6762	52542	SYSTRON DONNER	COUNTER 4.5GHz		12MO
6252		52542	SYSTRON DONNER	COUNTER		12MO
625M	NSL	80009	TEKTRONIX	OSCILLOSCOPE		12MO
626	6625-01-225-7433	23207	DRANETZ	ANALYZER POWER LINE DISTRUBANCE MF		NCR
626-101	6625-01-144-2464	23207	DRANETZ	ANALYZER POWER LINE DISTRUBANCE/IMPLS MF		NCR
626-40	5985-00-973-5854	93459	WEINSCHEL	ATTENUATOR FX 40dB 1W 2GHz		NCR
626-GP	6625-01-298-6867	23207	DRANETZ	ANALYZER POWER LINE DISTRUB PIU PRINTER		NCR
626-PA-6001-1	6625-01-139-2884	23207	DRANETZ	ANALYZER POWER LINE DISTRUB PIU 1PH		NCR
626-PA-6001-1-101	6625-01-225-7437	23207	DRANETZ	ANALYZER POWER LINE DISTRUB/IMPLS PIU 1PH		NCR
626-PA-6002-A1	NSL	23207	DRANETZ	ANALYZER POWER LINE DISTRUB PIU 80VDC		NCR
626-PA-6002-A1-101	6625-01-226-2864	23207	DRANETZ	ANALYZER POWER LINE DISTRUB/IMPLS PIU 80VDC		NCR
626-PA-6002A-2	6625-01-344-2596	23207	DRANETZ	ANALYZER POWER LINE DISTRUB PIU 600VDC		NCR
626-PA-6002A-2-101	6625-01-260-3517	23207	DRANETZ	ANALYZER POWER LINE DISTRUB/IMPLS PIU 600VDC		NCR
626-PA-6003-1	6625-01-139-0281	23207	DRANETZ	ANALYZER POWER LINE DISTRUB PIU 1PH 50HZ		NCR
626-PA-6006-1	6625-01-139-0282	23207	DRANETZ	ANALYZER POWER LINE DISTRUB PIU NTRL-GND		NCR
6264B	6130-01-040-7113	28480	HP	POWER SUPPLY		NCR
6266A			HARRISON	POWER SUPPLY		NCR
6266B	6130-00-137-0167	28480	HP	POWER SUPPLY		NCR
6267B	6130-00-415-0300	28480	HP	POWER SUPPLY VARIAB		NCR
626A	6625-00-445-6917	28480	HP	GENERATOR SIGNAL 10-15.5GHz		12MO
626G-PEAK G-KM	6625-01-343-2539	23207	DRANETZ	ANALYZER POWER LINE		NCR
6274B	6130-00-160-0827	28480	HP	POWER SUPPLY		NCR
6289A	6130-00-165-3838	28480	HP	POWER SUPPLY		NCR
6291A	6130-00-179-7718	28480	HP	POWER SUPPLY		NCR
6296A	6130-01-067-3777	28480	HP	POWER SUPPLY		NCR
6299A	6130-00-408-9668	28480	HP	POWER SUPPLY		NCR
630		60741	TRIPLETT	ANALOG MULTIMETER		12MO
630A		60741	TRIPLETT	ANALOG MULTIMETER		12MO
630A/4		60741	TRIPLETT	ANALOG MULTIMETER		12MO
630A/PL		60741	TRIPLETT	ANALOG MULTIMETER		12MO
630NA	6625-00-846-6583	60741	TRIPLETT	ANALOG MULTIMETER	FSAS	12MO
630NA/2		60741	TRIPLETT	ANALOG MULTIMETER		12MO
630NA/3		60741	TRIPLETT	ANALOG MULTIMETER		12MO
630NS		60741	TRIPLETT	ANALOG MULTIMETER		12MO
630PL		60741	TRIPLETT	ANALOG MULTIMETER		12MO
630PLK		60741	TRIPLETT	ANALOG MULTIMETER		12MO

MODEL/PART NUMBER	NSN	CAGE CODE	MANUFACTURER	NAME/DISCRIPTION	EQUIPMENT APP-TO	CALIBR INTER
631B		24655	GENRAD	STROBOSCOPE		USER
63220	6625-00-910-0849	07239	AVO BIDDLE	MEGGER NULL BALANCE 160VDC (HAND)		NCR
63241	6625-01-074-4696	07239	AVO BIDDLE	MEGGER NULL BALANCE 160VDC (BATTERY)		NCR
633		65092	WESTON	AMMETER		24MO
633-2901003	NSL	15566	AMPROBE	AMMETER		24MO
633N		60674	MICROWAVE DEVICES	LOAD DUMMY RF		NCR
64		93459	WEINSCHEL	ATTENUATOR VAR		NCR
64-7001	4910-01-099-1793	05083	BACHARACH	T/S FUEL INJECTION		24MO
641-1		82199	POLARAD	ADAPTER FM		NCR
643-4101	6625-01-304-5061	00816	HUGHES	CAMERA MODIFIED 35mm	TEST	NCR
6434B	6130-00-006-5224	28480	HP	POWER SUPPLY		NCR
6448B	6130-00-516-8623	28480	HP	POWER SUPPLY		NCR
6465	NSL	01518	ALNOR INST	KIT BALOMETER		NCR
647A	6625-00-103-2037	80009	TEKTRONIX	OSCILLOSCOPE 100MHz		XXXX
64A	5895-00-927-4466	93459	WEINSCHEL	ATTENUATOR STEP		NCR
65-0030	4910-00-910-6666	05083	BACHARACH	T/S DIESEL FUEL INJECTOR		24MO
65-030D		05083	BACHARACH	T/S CYLINDER COMPRESSION		USER
650	NSL	08098	B&K PRECISION	T/S TUBE CHECKER		NCR
650-4167-1	5855-01-116-8905	00816	PALOMAR	VIEWER PROBEYE INFRARED		USER
650-50	5985-00-820-8892		DAVEN	ATTENUATOR STEP (100/1) .25W		NCR
6500		88865	KROHN-HITE	METER DIGITAL PH		12MO
65021A			WESTERN UNION	T/S RELAY		NCR
650A	6625-00-539-8584	28480	HP	GENERATOR AUDIO OSCILATOR	TEST	NCR
651-73	5895-00-476-0515	58880	ARMTEC/RAGEN	ATTENUATOR		NCR
651103	NSL	07239	AVO BIDDLE	DETECTOR ACCOUSTIC		NCR
651113	NSL	07239	AVO BIDDLE	DETECTOR BALLISTIC		NCR
651200	NSL	07239	AVO BIDDLE	LOCATOR CABLE FAULTFINDER		USER
651401	6625-01-212-9048	07239	AVO BIDDLE	LOCATOR CABLE FAULTFINDER		USER
651A	6625-00-999-5261	28480	HP	GENERATOR TEST OSCILATOR 10Hz-10MHz		12MO
651B	6625-00-937-4961	28480	HP	GENERATOR TEST OSCILATOR 10Hz-10MHz	TEST	12MO
651C1	6635-00-921-7963	06880	DATA INSTR	T/S TORQUE GAUGE		NCR
6520	6625-01-318-0355	52542	SYSTRON DONNER	COUNTER/RF MICROWATTMETER 20GHz		12MO
6522A	6130-00-498-1131	28480	HP	POWER SUPPLY DC		NCR
652A	6625-00-054-3483	28480	HP	GENERATOR TEST OSCILATOR 10Hz-10MHz		12MO
6530		52542	SYSTRON DONNER	COUNTER		12MO
654A	6625-00-450-7590	28480	HP	GENERATOR TEST OSCILLATOR 10Hz-10MHz		12MO
654B	NSL	28480	HP	GENERATOR TEST OSCILLATOR 10Hz-10MHz		12MO
655763-1	NSL	07239	AVO BIDDLE	BRIDGE RESISTANCE		NCR
656601	NSL	07239	AVO BIDDLE	LOCATOR CABLE		USER
656610-1	6625-01-219-3830	07239	AVO BIDDLE	GENERATOR TONE		NCR
656A	NSL	23207	DRANETZ	ANALYZER POWER LINE		NCR
658-400	6625-01-358-0166	23207	DRANETZ	ANALYZER POWER LINE QUALITY 50/60/400HZ		NCR
658-OS-2001	7030-01-358-1270	23207	DRANETZ	ANALYZER POWER LINE QUALITY SOFTWARE		NCR
658MF	6625-01-376-0295	23207	DRANETZ	ANALYZER POWER LINE		NCR

MODEL/PART NUMBER	NSN	CAGE CODE	MANUFACTURER	NAME/DISCRIPTION	EQUIPMENT APP-TO	CALIBR INTER
66			RFL IND	MODULE W/CARRYI		NCR
660		65092	WESTON	MULTIMETER		24MO
6600			LYNN	ANALYZER COMBUSTION		USER
6609A	6625-01-296-4465	20944	WILTRON	GENERATOR SWEEP	RCL	12MO
6641R		96214	TEXAS INST	GENERATOR PULSE		NCR
666		65092	WESTON	MULTIMETER		24MO
667W			EICO	T/S TUBE CHECKER		NCR
6685S3		77327	HARRIS	WATTMETER RF		NCR
67		70998	BIRD	LOAD DUMMY RF		NCR
670A		54294	SHALLCROSS	METER uOHM		12MO
6717A		20944	WILTRON	GENERATOR SIGNAL	RCL	12MO
680	6625-00-489-1280	28480	HP	RECORDER CHART		USER
6808	NSL	89536	FLUKE	INTERFACE POD		NCR
6809	NSL	89536	FLUKE	ADAPTER TEST INTER		NCR
6827A	6130-01-303-0451	28480	HP	POWER SUPPLY/AMP		NCR
68369B	6625-01-425-2550	0T1F7	ANRITSU/WILTRON	GEN SWEEP 10MHz-40GHz		12MO
686-4167-2	5855-01-254-3110	00816	PALOMAR	SENSOR/VIEWER HEAT INFRARED		USER
691	NSL	28480	HP	GENERATOR SWEEP OSCILLATOR		NCR
6910	6625-01-278-5134	09553	MARCONI	POWER SENSOR 18 GHZ		12MO
6920	6625-01-278-5135	09553	MARCONI	POWER SENSOR 10MHz-20GHz -70 to -20dBm		12MO
6920B	6625-00-107-2098	28480	HP	T/S METER CALIBRATOR		12MO
6930	9000-00-200-2804	09553	MARCONI	POWER SENSOR 10MHz-18GHz -15 to +35dBm		12MO
69441			RITCHIE	SCANNER FLUORESCENT		NCR
696BW	5210-00-867-4968	57163	STARRETT	GAUGE CRANK DISTORTION		NCR
6970	6625-01-426-4166	09553	MARCONI	POWER METER RF HANDHELD (BAT OP)		12MO
699		00816	HUGHES	SENSOR/VIEWER PROBEYE INFRED		USER
699-4167		00816	HUGHES	SENSOR/VIEWER PROBEYE INFRED		USER
6C46	6625-00-247-2756	09552	ATEC	COUNTER		12MO
6X277		02446	GE	DETECTOR LEAK REFRIGERANT		USER
6X313			UTICA	METER TORQUE		NCR
70-051201			OTRONA	CONTROLLER TE		NCR
70-7003	4910-00-257-5550	05083	BACHARACH	T/S CYLINDER COMPRESSION		USER
7000		52542	SYSTRON DONNER	DISPLAY UNIT		NCR
7005			THERMAL	CHARGE CHECKER		USER
7008			SERVCO	T/S SIMULATOR		NCR
7010	6625-01-370-3100	65597	WILCOX	RECEIVER PISA	ILS	12MO
70147	NSL	07239	AVO BIDDLE	T/S INSULATION		NCR
701A		42161	CXR TELCOM/HALCYON	T/S TRANSMISSION		12MO
701A-01		42161	CXR TELCOM/HALCYON	T/S TRANSMISSION		12MO
701A-02	6625-01-269-7949	42161	CXR TELCOM/HALCYON	T/S TRANSMISSION		12MO
701A-03		42161	CXR TELCOM/HALCYON	T/S TRANSMISSION		12MO
701A-03,700		42161	CXR TELCOM/HALCYON	T/S TRANSMISSION		12MO
701A-03,700A		42161	CXR TELCOM/HALCYON	T/S TRANSMISSION		12MO
701A-03,700A1		42161	CXR TELCOM/HALCYON	T/S TRANSMISSION		12MO

MODEL/PART NUMBER	NSN	CAGE CODE	MANUFACTURER	NAME/DISCRIPTION	EQUIPMENT APP-TO	CALIBR INTER
701A-03,700A11	6625-01-296-2103	42161	CXR TELCOM/HALCYON	T/S TRANSMISSION	TEST	12MO
701A-700A11	6625-01-174-7992	42161	CXR TELCOM/HALCYON	T/S TRANSMISSION	TEST	12MO
701B	NSL	30669	DUMONT	OSCILLOSCOPE		12MO
7025		79409	WOODHEAD	T/S CONTINUITY		NCR
7034A	6625-01-008-1664	28480	HP	RECORDER SIGNAL DATA		USER
7040				T/S IMPEDANCE GR		USER
7045A	NSL	28480	HP	PLOTTER X-Y		USER
7045A/001	6625-01-124-5001	28480	HP	RECORDER SIGNAL DATA		USER
7046A	6625-01-057-0041	28480	HP	PLOTTER X-Y		USER
705	NSL	07239	AVO BIDDLE	T/S INSULATION		NCR
7050	6625-00-184-3454	52542	SYSTRON DONNER	VOLTMETER		12MO
705B99	5985-00-530-2601	99899	LORAL/NARDA	ATTENUATOR FX 2W 18GHz		NCR
705PI			HARD ENGIN	T/S DATA COMMUNICATION		NCR
7090A/91695541	6625-01-191-9338	28480	HP	PLOTTER RECORDER	RCL	USER
7095007 7002B/001-8555	6130-01-101-2147	33322	HFS INC	POWER SUPPLY	CCMS	NCR
70A1MW	6625-00-716-3570	13499	COLLINS	PROBE BALANCED		NCR
70D2-1MW	6625-00-131-2755	13499	COLLINS	CALIBRATOR FREQUENCY	RML5	NCR
70E1MW	6625-00-880-1936	13499	COLLINS	T/S DELAY	RML6	NCR
70E2MW	6625-00-068-0729	13499	COLLINS	T/S DELAY	RML6	NCR
70G1MW	6625-00-068-0730	13499	COLLINS	T/S DELAY	RML6	NCR
70H3MW	6625-00-936-3124	13499	COLLINS	T/S MONITOR	RML6	NCR
70N14	NSL	28480	HP	DIVIDER RESISTIVE		NCR
70N1MW	6625-00-257-1061	13499	COLLINS	T/S RADIO	RML6	NCR
70N2-2MW	NSL	13499	COLLINS	T/S CARRIER NULL		NCR
71		04901	BOONTON	GENERATOR SQ WAVE		12MO
710	NSL	51336	ACRODYNE	BRIDGE CAPACITANCE		NCR
710A	6625-00-753-2110	89536	FLUKE	BRIDGEIMPEDANCE		NCR
710B	6625-01-242-2068	53186	DYNATEL	LOCATOR CABLE FAULTFINDER		USER
711			TECRIT/GUL	RECORDER HIGH SPEED		USER
7110		26192	CUSHMAN	MONITOR COMMUNICATION SERVICE		12MO
7119		06811	SYSTRON DONNER	ANALYZER MIXER ASSEMBLY		12MO
712-1 / 809-1		06811	SYSTRON DONNER	OSCILLOSCOPE		XXXX
7120		26192	CUSHMAN	MONITOR COMMUNICATION SERVICE		12MO
7127		06811	SYSTRON DONNER	GENERATOR AUDIO TWO		NCR
712A	6130-00-635-4993	28480	HP	POWER SUPPLY		NCR
7132A	6625-01-007-9171	28480	HP	RECORDER CHART		USER
716		64204	WEBBER GAUGE	T/S STRIP		NCR
7185	6625-01-314-7713	25778	LUCAS AUL	T/S POWER		NCR
7186	NSL	25778	LUCAS AUL	DOUBLER FREQUENCY		NCR
71A2MW	6625-00-753-0504	13499	COLLINS	ANALYZER POWER		12MO
72-310	6625-00-350-3531	07239	AVO BIDDLE	POTENTIOMETER		NCR
72-6348	NSL	07239	AVO BIDDLE	RESISTOR DECADE MEG		NCR
7208K	NSL	58505	DAVIS	COUNTER		12MO
720A	6625-00-445-3329	89536	FLUKE	DIVIDER VOLT DC		USER

MODEL/PART NUMBER	NSN	CAGE CODE	MANUFACTURER	NAME/DISCRIPTION	EQUIPMENT APP-TO	CALIBR INTER
721A	6625-00-445-3330	89536	FLUKE	COMPENSATOR LEAD		USER
721A	6130-00-445-6933	28480	HP	POWER SUPPLY		NCR
7220A	6625-01-304-2215	89536	FLUKE	COUNTER 1.3GHz	FSAS	12MO
7220A-010	6625-01-193-1450	89536	FLUKE	COUNTER 1.3GHz		12MO
7220A-111	NSL	89536	FLUKE	COUNTER 1.3GHz		12MO
7220B	NSL	89536	FLUKE	COUNTER 1.3GHz		12MO
7229K21		57737	STICHT	T/S INSULATION		NCR
7250A	6625-01-176-1269	89536	FLUKE	COUNTER UNIVERSAL 80MHz		12MO
7250A-521	NSL	89536	FLUKE	COUNTER UNIVERSAL 80MHz		12MO
7260A	6625-01-128-4823	89536	FLUKE	COUNTER UNIVERSAL 125MHz		12MO
7271S1		77327	HARRIS	HEAD SAMPLING		XXXX
72A1MW	6625-00-074-3756	13499	COLLINS	PROBE 5MHZ	RML4	NCR
73	6625-01-365-8316	11837	ELECTRO SCIEN	TRANSFORMER RATIO 7 DECADES		NCR
7300	NSL	00752	AIL/EATON	NOISE FIGURE METER		36MO
730815		15566	AMPROBE	THERMOMETER		USER
7313	6625-00-324-3295	80009	TEKTRONIX	OSCILLOSCOPE MF	TEST	12MO
7320		65092	WESTON	DIGITAL MULTIMETER		12MO
732A	6625-01-175-1193	89536	FLUKE	VOLTAGE STANDARD DC REFERENCE 10 VOLT		USER
732B	6625-01-370-5576	89536	FLUKE	VOLTAGE STANDARD DC REFERENCE 10 VOLT		USER
734A-7001	NSL	89536	FLUKE	MAINFRAME INSTRUMENT		NCR
735	6625-01-222-5713	53186	DYNATEL	LOCATOR CABLE FAULTFINDER		USER
735		18410	RYCOM	LOCATOR CABLE FAULTFINDER		USER
7360-20	6625-00-756-7423	14100	STROMBERG-CARLSON	COUNTER	TEST	12MO
7370	6625-01-126-7497	00752	AIL/EATON	NOISE FIGURE METER		36MO
7370-02	NSL	00752	AIL/EATON	NOISE FIGURE METER		36MO
7370-S02	NSL	00752	AIL/EATON	NOISE FIGURE METER		36MO
7370-S02-488	NSL	00752	AIL/EATON	NOISE FIGURE METER		36MO
737PR	NSL	04237	ASSOC RESEARCH	METER TDR		12MO
738BR	6625-00-823-4984	28480	HP	METER CALIBRATOR		12MO
74-03A		72314	LORAL/FAIRCHILD	OSCILLOSCOPE PIU TB		XXXX
74-13A	6625-01-003-2911	30669	DUMONT	OSCILLOSCOPE PIU TB		XXXX
74-13A	6625-00-892-5279	72314	LORAL/FAIRCHILD	OSCILLOSCOPE PIU TB		XXXX
7402A	6625-00-502-2894	28480	HP	RECORDER CHART		USER
7403N	6625-00-270-8448	80009	TEKTRONIX	OSCILLOSCOPE MF 60MHz	TEST	12MO
7405554P1		02446	GE	LOAD DUMMY RF		NCR
741	NSL	34423	CLARKE-HESS	GENERATOR FUNCTION		NCR
7413A	6625-00-892-5279	80009	TEKTRONIX	OSCILLOSCOPE MF		12MO
742A/1	6625-01-354-0582	89536	FLUKE	RESISTOR STD 1 OHM		USER
742A/10K	6625-01-359-9098	89536	FLUKE	RESISTOR STD 10K OHM		USER
744	6625-01-313-1589	34423	CLARKE-HESS	GENERATOR FUNCTION	RCAG	NCR
744S	NSL	34423	CLARKE-HESS	GENERATOR FUNCTION		NCR
745KSR			FED DATA	SILENT 700		NCR
7470A	7025-01-182-5942	28480	HP	PLOTTER GRAPHICS		NCR
748	6625-01-313-1588	34423	CLARKE-HESS	GENERATOR FUNCTION	TEST	NCR

MODEL/PART NUMBER	NSN	CAGE CODE	MANUFACTURER	NAME/DISCRIPTION	EQUIPMENT APP-TO	CALIBR INTER
749		65092	WESTON	ANALOG MULTIMETER		12MO
749VA/1				AMMETER		24MO
75	6625-00-185-9629	00752	AIL/EATON	NOISE FIGURE METER		36MO
750		28569	HICKOK	T/S TUBE CHECKER		NCR
750			PENN TECH	TENSIOMETER		USER
750		65092	WESTON	GENERATOR TACHOMETER		NCR
7503	NSL	80009	TEKTRONIX	OSCILLOSCOPE PIU DIFFERENTAL AMP		12MO
750A	6625-00-445-3332	89536	FLUKE	DIVIDER REFERENCE		USER
750T	6625-01-313-4381	34423	CLARKE-HESS	GENERATOR FUNCTION	TEST	NCR
751		83008	STACO ENERGY	TRANSFORMER VAR		NCR
751B		06811	SYSTRON DONNER	ANALYZER SPECTRUM		12MO
752		28569	HICKOK	T/S TUBE CHECKER		NCR
752A	6625-00-982-7812	28569	HICKOK	T/S TUBE CHECKER		NCR
752D	NSL	28480	HP	COUPLER DIR		NCR
756		65092	WESTON	FOOT CANDLE METER		USER
758-5068-001	6625-00-880-1936	13499	ROCKWELL	T/S	RML6	12MO
759			DAYSTROM	METER LIGHT		USER
75C	NSL	00752	AIL/EATON	NOISE FIGURE METER		36MO
75P/2				AMMETER		24MO
76-02A	6625-00-892-5280	72314	LORAL/FAIRCHILD	OSCILLOSCOPE PIU VRT	TEST	XXXX
76-02A7001	6625-00-903-8100	72314	LORAL/FAIRCHILD	OSCILLOSCOPE PIU		XXXX
76-0331			K&E	METER ELEC DISTANCE		NCR
76-08		72314	LORAL/FAIRCHILD	OSCILLOSCOPE PIU		XXXX
760-16B	6660-01-431-4380	54535	PAROSCIENTIFIC	BAROMETER DIGITAL STD +/- 0.01% (+/- 0.003"	DASI	12MO
7603	6625-00-261-5127	80009	TEKTRONIX	OSCILLOSCOPE MF 100MHz		12MO
760A	6625-00-935-7002	89536	FLUKE	ANALYZER METER SOUND LEVEL		NCR
760B		24655	GENRAD	WAVE ANALYZER		NCR
7612D	6625-01-102-0062	80009	TEKTRONIX	DIGITIZER PROGRAM T		12MO
7613	6625-00-551-7851	80009	TEKTRONIX	OSCILLOSCOPE MF 100MHz STORAGE		12MO
7613/A1	6625-01-173-1963	80009	TEKTRONIX	OSCILLOSCOPE MF 100MHz STORAGE		12MO
7615	6625-01-278-3144	29964	ALLIED DEVICE	GENERATOR NOISE (ISOLATOR)		24MO
7615	6625-01-021-6651	88869	EATON CORP	GENERATOR NOISE (ISOLATOR)		24MO
762-1	6625-01-253-9698	06811	SYSTRON DONNER	ANALYZER SPECTRUM	TEST	XXXX
762-1A	6625-01-309-9163	06811	SYSTRON DONNER	ANALYZER SPECTRUM	GEN-AP-T	XXXX
7623A	6625-01-007-9416	80009	TEKTRONIX	OSCILLOSCOPE MF 100MHz STORAGE		12MO
7629426001		13499	COLLINS	COUPLER DIR		NCR
762D	NSL	28480	HP	COUPLER DIR		NCR
7633	6625-01-036-8271	80009	TEKTRONIX	OSCILLOSCOPE MF 100MHz STORAGE		12MO
766A		72314	LORAL/FAIRCHILD	OSCILLOSCOPE		XXXX
766H	6625-01-041-5592	72314	LORAL/FAIRCHILD	OSCILLOSCOPE	TEST	XXXX
766H	6625-00-924-0334	72314	LORAL/FAIRCHILD	OSCILLOSCOPE MF	TEST	XXXX
7675	6625-00-548-0127	07239	AVO BIDDLE	T/S INSULATION 200MOHMS		NCR
7675ARK	NSL	07239	AVO BIDDLE	T/S INSULATION		NCR
7675R	NSL	07239	AVO BIDDLE	T/S INSULATION		NCR

MODEL/PART NUMBER	NSN	CAGE CODE	MANUFACTURER	NAME/DISCRIPTION	EQUIPMENT APP-TO	CALIBR INTER
7676	6625-00-243-6230	07239	AVO BIDDLE	T/S INSULATION 100MOHMS		NCR
7676-1	6625-00-693-5303	07239	AVO BIDDLE	T/S INSULATION		NCR
7676ARK	6625-00-693-5303	07239	AVO BIDDLE	T/S INSULATION		NCR
767D	5985-00-299-1878	28480	HP	COUPLER DIR		NCR
7682	NSL	07239	AVO BIDDLE	T/S INSULATION		NCR
77	6625-01-168-6856	89536	FLUKE	DIGITAL MULTIMETER HANDHELD		12MO
77-M	6625-01-302-2743	64805	PROGRESSIVE ELEC	T/S TELEPHONE (TONE GENERATOR)		NCR
77/AN	6625-01-213-9354	89536	FLUKE	DIGITAL MULTIMETER HANDHELD		12MO
770	NSL		DIETRICH S	FLOWMETER		USER
7702B	6625-00-464-2957	28480	HP	RECORDER DUAL CHANN		USER
7704A	6625-00-115-2402	80009	TEKTRONIX	OSCILLOSCOPE MF 200MHz		12MO
7704A-1	6625-00-115-2402	80009	TEKTRONIX	OSCILLOSCOPE MF 200MHz	TEST	12MO
7705	6625-00-093-8189	07239	AVO BIDDLE	T/S INSULATION BREAKDOWN		NCR
774D	5985-00-819-9334	28480	HP	COUPLER DIR		NCR
776D	5985-01-201-8576	28480	HP	COUPLER DIR		NCR
776M	NSL	28480	HP	COUPLER DIR		NCR
777D	5985-00-914-0166	28480	HP	COUPLER DIR		NCR
778D	5985-01-016-8863	28480	HP	COUPLER DIR		NCR
77A	6625-01-213-9354	89536	FLUKE	DIGITAL MULTIMETER HANDHELD		24MO
77C	NSL		DIETRICH S	FLOWMETER FLUID		USER
77C			ELLISON	FLOWMETER EAGLE		USER
781		72314	LORAL/FAIRCHILD	GENERATOR TIMEMARK		12MO
781A	NSL	30669	DUMONT	GENERATOR TIMEMARK		12MO
7821			MODULAR	AMPLIFIER		NCR
7854	6625-01-251-6861	80009	TEKTRONIX	OSCILLOSCOPE MF 400MHz STORAGE		12MO
78820	6210-01-145-8034	58854	GTE PROD	DEVICE AIMING		USER
78987		58854	GTE PROD	DEVICE AIMING		USER
78A3	NSL		JC AIR	ANALYZER DISTORTION		12MO
79		58268	VISTA SCIENTIFIC	PSYCHROMETER		USER
7904	6625-00-472-3760	80009	TEKTRONIX	OSCILLOSCOPE MF 500MHz		12MO
792-001-9002	6625-01-312-9838	70210	ALLIED SIGNAL	WATTMETER RF	PCS	NCR
792-6199-001	6625-00-257-1061	13499	COLLINS	T/S RADIO	RML6	12MO
792A	NSL	30669	DUMONT	GENERATOR PULSE		NCR
793F			LAB VOLT	OSCILLOSCOPE		12MO
7969	NSL	07239	AVO BIDDLE	T/S INSULATION		NCR
7A11	6625-00-478-0596	80009	TEKTRONIX	OSCILLOSCOPE PIU VRT		12MO
7A12	6625-00-478-0595	80009	TEKTRONIX	OSCILLOSCOPE PIU VRT	TEST	12MO
7A13	6625-00-478-0594	80009	TEKTRONIX	OSCILLOSCOPE PIU DIFFERENTAL AMP		12MO
7A15A	6625-01-030-4113	80009	TEKTRONIX	OSCILLOSCOPE PIU VRT		12MO
7A15AN	6625-00-342-9370	80009	TEKTRONIX	OSCILLOSCOPE PIU VRT		12MO
7A15N11	6625-00-106-9625	80009	TEKTRONIX	OSCILLOSCOPE PIU VRT	TEST	12MO
7A16A	6625-00-217-0418	80009	TEKTRONIX	OSCILLOSCOPE PIU VRT	TEST	12MO
7A16P	6625-01-101-9572	80009	TEKTRONIX	OSCILLOSCOPE PIU VRT		12MO
7A18	6625-00-185-7817	80009	TEKTRONIX	OSCILLOSCOPE PIU VRT 75MHz		12MO

MODEL/PART NUMBER	NSN	CAGE CODE	MANUFACTURER	NAME/DISCRIPTION	EQUIPMENT APP-TO	CALIBR INTER
7A18N	6625-00-253-5009	80009	TEKTRONIX	OSCILLOSCOPE PIU VRT 75MHz	TEST	12MO
7A19	6625-00-506-1121	80009	TEKTRONIX	OSCILLOSCOPE PIU VRT 600MHz	GEN-AP-T	12MO
7A22	6625-00-478-0597	80009	TEKTRONIX	OSCILLOSCOPE PIU DIFFERENTAL AMP		12MO
7A24	6625-01-013-9322	80009	TEKTRONIX	OSCILLOSCOPE PIU VRT 400MHz		12MO
7A26	6625-00-361-5318	80009	TEKTRONIX	OSCILLOSCOPE PIU VRT 200MHz	TEST	12MO
7B50	6625-00-327-6572	80009	TEKTRONIX	OSCILLOSCOPE PIU TB	TEST	12MO
7B53A	6625-00-261-5139	80009	TEKTRONIX	OSCILLOSCOPE PIU TB	TEST	12MO
7B53AN	6625-00-270-8409	80009	TEKTRONIX	OSCILLOSCOPE PIU TB	TEST	12MO
7B53AN11/TD1085U	6625-00-106-9624	80009	TEKTRONIX	OSCILLOSCOPE PIU TB	TEST	12MO
7B70	6625-00-478-0599	80009	TEKTRONIX	OSCILLOSCOPE PIU TB	TEST	12MO
7B71	6625-00-403-1685	80009	TEKTRONIX	OSCILLOSCOPE PIU TB		12MO
7B80	6625-01-032-4343	80009	TEKTRONIX	OSCILLOSCOPE PIU TB	TEST	12MO
7B85	6625-01-032-4342	80009	TEKTRONIX	OSCILLOSCOPE PIU TB	GEN-AP-T	12MO
7B87	6625-01-096-7538	80009	TEKTRONIX	OSCILLOSCOPE PIU TB		12MO
7B92A	6625-01-027-0265	80009	TEKTRONIX	OSCILLOSCOPE PIU TB	TEST	12MO
7D01	6625-01-034-6323	80009	TEKTRONIX	OSCILLOSCOPE PIU	TEST	XXXX
7D01F	6625-01-049-6161	80009	TEKTRONIX	OSCILLOSCOPE PIU LOGIC ANALYZER		XXXX
7D10	6625-01-041-7300	80009	TEKTRONIX	OSCILLOSCOPE PIU DLY	TEST	XXXX
7D11	6625-00-506-1132	80009	TEKTRONIX	OSCILLOSCOPE PIU DLY		XXXX
7D13	6625-00-517-6880	80009	TEKTRONIX	OSCILLOSCOPE PIU MULTIMETER		XXXX
7D14	6625-00-517-6878	80009	TEKTRONIX	OSCILLOSCOPE PIU COUNTER		XXXX
7D15	6625-00-392-2604	80009	TEKTRONIX	OSCILLOSCOPE PIU COUNTER		XXXX
7L12	6625-00-558-2324	80009	TEKTRONIX	ANALYZER SPECTRUM PIU		XXXX
7L13	6625-00-538-9809	80009	TEKTRONIX	ANALYZER SPECTRUM PIU		XXXX
7M11	6625-00-364-7806	80009	TEKTRONIX	OSCILLOSCOPE PIU DELAY LINE		12MO
7S11	6625-00-489-6449	80009	TEKTRONIX	OSCILLOSCOPE PIU SAMPLING VRT		12MO
7T11	6625-00-489-6450	80009	TEKTRONIX	OSCILLOSCOPE PIU SAMPLING TB		12MO
8-3305-1			CROWN	RESISTOR		NCR
800				METER VELOCITY VTP		12MO
8000		16734	TIF INSTRU	ANALYZER HERMETIC		NCR
8000-2/HUR50/EM256	6625-01-369-6058	23207	DRANETZ	ANALYZER POWER LINE ENERGY/HARMONICS		12MO
8000A	6625-00-322-8715	89536	FLUKE	DIGITAL MULTIMETER		XXXX
8007B	6625-01-194-5248	28480	HP	GENERATOR PULSE 10Hz-100MHz		NCR
8008619G1	5985-01-003-0981	31550	ITT	TRANSMITTER SYNTHESIZER	AN/GRR 23-24	NCR
800VTP	6680-00-344-3102	21268	DATA METRIC	ANEMOMETER		USER
800VTP1	6680-00-344-3102	21268	EDWARDS HV INT	ANEMOMETER		USER
800VTP1AA		96795	GOULD	ANEMOMETER		USER
801	6625-00-805-6152	89536	FLUKE	DIFFERENTIAL VOLTMETER		XXXX
801		60741	TRIPLETT	ANALOG MULTIMETER		12MO
801	6625-01-071-8403	62875	WAVETEK	GENERATOR PLUSE	TEST	NCR
801/2		60741	TRIPLETT	ANALOG MULTIMETER		12MO
8010	NSL	89536	FLUKE	DIGITAL MULTIMETER		24MO
8010A	6625-01-018-2544	89536	FLUKE	DIGITAL MULTIMETER		24MO
8010A/01	6625-01-143-2582	89536	FLUKE	DIGITAL MULTIMETER		24MO

MODEL/PART NUMBER	NSN	CAGE CODE	MANUFACTURER	NAME/DISCRIPTION	EQUIPMENT APP-TO	CALIBR INTER
8010M	NSL	89536	FLUKE	DIGITAL MULTIMETER		24MO
8010M/01	6625-01-121-6977	89536	FLUKE	DIGITAL MULTIMETER		24MO
8011A	6625-01-022-2247	28480	HP	GENERATOR PULSE 0.1Hz-20MHz		NCR
801206-2			NPL	DATA CONVERTER AZIM		USER
8012B	6625-01-005-7144	28480	HP	GENERATOR PULSE 1Hz-50MHz		NCR
801600	NSL	89536	FLUKE	TRANSFORMER CURRENT		NCR
801A		51701	HALCYON	MONITOR MINOFOX DAT		NCR
801B		51701	HALCYON	MONITOR DATA SCOPE		NCR
802		62875	WAVETEK	GENERATOR PULSE		NCR
8020A	6625-01-063-6628	89536	FLUKE	DIGITAL MULTIMETER HANDHELD		12MO
8020B	6625-01-122-6961	89536	FLUKE	DIGITAL MULTIMETER HANDHELD		12MO
8022A	6625-01-130-2419	89536	FLUKE	DIGITAL MULTIMETER HANDHELD		12MO
8024A	6625-01-123-6604	89536	FLUKE	DIGITAL MULTIMETER HANDHELD		12MO
8024B	6625-01-131-8586	89536	FLUKE	DIGITAL MULTIMETER HANDHELD		12MO
8025	NSL		AIRCO	ANALYZER UNIT		NCR
8025	NSL	89536	FLUKE	DIGITAL MULTIMETER HANDHELD		12MO
8025-75	6675-01-313-9730	0JFS3	SUUNTO USA	CLINOMETER		USER
8025A	6625-01-147-6182	89536	FLUKE	DIGITAL MULTIMETER HANDHELD		12MO
8025B	6625-01-266-3494	89536	FLUKE	DIGITAL MULTIMETER HANDHELD		12MO
8025D	NSL	89536	FLUKE	DIGITAL MULTIMETER HANDHELD		12MO
8026-15			LIETZ	RANGEFINDER		USER
8026B	6625-01-299-0694	89536	FLUKE	DIGITAL MULTIMETER HANDHELD		12MO
802B	6130-00-978-6703	28480	HP	POWER SUPPLY		NCR
803	6625-00-709-0288	89536	FLUKE	DIFFERENTIAL VOLTMETER		XXXX
8030A-01	6625-01-065-6045	89536	FLUKE	DIGITAL MULTIMETER		12MO
8031		08125	FAA	LOAD DUMMY RF		NCR
8033		04423	TELONIC	DETECTOR RF		NCR
803A	6625-00-643-4319	28480	HP	BRIDGE IMPEDANCE		NCR
803B	6625-00-972-4046	89536	FLUKE	DIFFERENTIAL VOLTMETER		XXXX
8040-01	6625-01-054-4949	89536	FLUKE	DIGITAL MULTIMETER	ASR8	XXXX
8040A	6625-01-036-4972	89536	FLUKE	DIGITAL MULTIMETER	TEST	XXXX
805	6625-00-901-1150	07239	AVO BIDDLE	T/S INSULATION		NCR
8050	NSL	89536	FLUKE	DIGITAL MULTIMETER		12MO
8050A	6625-01-115-2141	89536	FLUKE	DIGITAL MULTIMETER	FSAS	12MO
8050A/FM	6625-01-145-2430	89536	FLUKE	DIGITAL MULTIMETER		12MO
8050A01	6625-01-145-2430	89536	FLUKE	DIGITAL MULTIMETER	GEN-AP-T	12MO
8056B	NSL	28480	HP	GENERATOR SIGNAL		12MO
805C	6625-00-225-6543	28480	HP	LINE SLOTTED COAX		NCR
8060A	6625-01-157-2246	89536	FLUKE	DIGITAL MULTIMETER HANDHELD	ACEPS	12MO
8066A	NSL	89536	FLUKE	DIGITAL MULTIMETER		24MO
808	NSL		AEROSPACE	PRESSURE STANDARD		12MO
808	6625-01-168-7930	23207	DRANETZ	ANALYZER POWER LINE DEMAND		USER
8080		70998	BIRD	LOAD DUMMY RF 25W 3.5GHz		NCR
8080		12115	SIERRA RESEARCH	T/S		NCR

MODEL/PART NUMBER	NSN	CAGE CODE	MANUFACTURER	NAME/DISCRIPTION	EQUIPMENT APP-TO	CALIBR INTER
8080A	NSL	80009	TEKTRONIX	EMULATOR PROBE FOR 8		NCR
8082A	6625-01-037-1492	28480	HP	GENERATOR PULSE 1KHz-250MHz		NCR
8085		70998	BIRD	LOAD DUMMY RF 50W 3.5GHz		NCR
8086/8087	NSL	80009	TEKTRONIX	PROBE		NCR
8087	NSL	89536	FLUKE	DIGITAL MULTIMETER		12MO
808A			SIERRA MEA	T/S VOICE FREQUENCY		NCR
808B			SIERRA MEA	T/S VOICE FREQUENCY		NCR
809-1	9066-00-256-0171	06811	SYSTRON DONNER	ANALYZER SPECTRUM PIU	762-1	12MO
8093		70998	BIRD	LOAD DUMMY RF		NCR
80A		70998	BIRD	LOAD DUMMY RF 20W 3.5GHz		NCR
80AS1		70998	BIRD	LOAD DUMMY RF		NCR
80D			CHATILLON	SPRINGT/S C/B		36MO
80H01	NSL	28480	HP	RECORDER		USER
80I-400	6625-01-397-7015	89536	FLUKE	PROBE CURRENT AC CLAMP-ON		NCR
80i-600	6625-01-062-7051	89536	FLUKE	PROBE CURRENT AC CLAMP-ON	ACEPS	NCR
80J-10	6625-01-093-4609	89536	FLUKE	SHUNT CURRENT	GEN-AP-T	NCR
80K-40	6625-01-193-1006	89536	FLUKE	PROBE HIGH VOLTAGE	ARSR4	NCR
80K6	6625-01-384-2811	89536	FLUKE	PROBE HIGH VOLTAGE		NCR
80OR805A	NSL	07239	AVO BIDDLE	T/S INSULATION		NCR
80PK -4	6685-01-284-3293	89536	FLUKE	PROBE TEMPERTURE TYPE K	ACEPS	NCR
80T-150F	6625-01-118-9479	89536	FLUKE	PROBE TEMPERTURE		NCR
80T-150U	6625-01-085-1580	89536	FLUKE	PROBE TEMPERTURE		NCR
80TK	6625-01-296-4006	89536	FLUKE	PROBE TEMPERTURE	EG	NCR
81	5895-00-809-0522	70998	BIRD	LOAD DUMMY RF 80W 4GHz		NCR
81-111	5210-00-870-4573	57163	STARRETT	INDICATOR DIAL		NCR
810			METROTECH	TRACER LINE		NCR
81000A		32186	COAXIAL DYNAMICS	WATTMETER RF		NCR
8100A	6625-00-433-4234	89536	FLUKE	DIGITAL MULTIMETER		XXXX
8100B	NSL	89536	FLUKE	DIGITAL MULTIMETER		XXXX
810A			METROTECH	LOCATOR CABLE		USER
8111A	6625-01-144-9293	28480	HP	GENERATOR PULSE/FUNCTION 1Hz-20MHz		NCR
8116A	6625-01-161-0612	28480	HP	GENERATOR PULSE/FUNCTION 1mHz-50MHz		NCR
8120A	6625-00-322-8664	89536	FLUKE	DIGITAL MULTIMETER	TEST	XXXX
812D12-2		72264	ESTERLINE	TRANSFORMER CURRENT		NCR
8130	5895-00-973-5833	70998	BIRD	LOAD DUMMY RF 50W 4GHz		NCR
8135	5895-00-773-7311	70998	BIRD	LOAD DUMMY RF 150W 4MHz		NCR
813HN		70998	BIRD	LOAD DUMMY RF		NCR
81401A	6625-01-365-8048	28480	HP	POWER SENSOR OPTICAL f/8140A	ASDE3	12MO
8140A	6650-01-365-8050	28480	HP	T/S POWER OPTICAL	ASDE3	12MO
8141	5895-00-318-6306	70998	BIRD	LOAD DUMMY RF 250W 2.5GHz		NCR
8160A	6625-01-077-4947	28480	HP	GENERATOR PULSE 50MHz		NCR
81682			WEST E-M	VOLTMETER		12MO
816A		28009	HONEYWELL	KIT CALIBRATION SEN		NCR
81A		70998	BIRD	LOAD DUMMY RF		NCR

MODEL/PART NUMBER	NSN	CAGE CODE	MANUFACTURER	NAME/DISCRIPTION	EQUIPMENT APP-TO	CALIBR INTER
81A		04901	BOONTON	MODULE ANALYZER OG		NCR
81B		70998	BIRD	LOAD DUMMY RF 80W 4GHZ		NCR
81BHN	5985-00-975-3645	70998	BIRD	LOAD DUMMY RF		NCR
81BHW		70998	BIRD	LOAD DUMMY RF		NCR
81BNH		70998	BIRD	LOAD DUMMY RF		NCR
8201		70998	BIRD	LOAD DUMMY RF 500W 2.5GHz		NCR
82037		51190	IFR SYS	WATTMETER RF PIU ELEMENT		NCR
820E313	6625-00-504-5716	32186	COAXIAL DYNAMICS	WATTMETER RF PIU ELEMENT		NCR
8210		04901	BOONTON	METER MODULATION		NCR
8211		99899	LORAL/NARDA	METER ISOTROPIC RADIATION		12MO
8221		99899	LORAL/NARDA	PROBE ISOTROPIC RADIATION		12MO
822781	7035-01-085-5011	30874	IBM	ANALYZER CE		NCR
823B-S1				VOLTMETER RF		12MO
825A	6625-00-707-3406	89536	FLUKE	DIFFERENTIAL VOLTMETER		XXXX
82A		70998	BIRD	LOAD DUMMY RF 500W 3.5GHz		NCR
82A		32242	JOHNSON	T/S TUBE CHECKER		NCR
82AD-( )		04901	BOONTON	METER MODULATION		NCR
82B		18410	RYCOM	LOCATOR CABLE FAULTFINDER		USER
830	6625-01-227-8878	08098	B&K PRECISION	ANALYZER CAPACITANCE		24MO
830		34147	BEROL	BRIDGE CAPACITANCE		NCR
8300		99899	LORAL/NARDA	METER ISOTROPIC RADIATION		12MO
8300A	6625-00-262-4072	89536	FLUKE	DIGITAL MULTIMETER		XXXX
8300AW	6625-01-015-6443	12578	3M/MINCOM	FLUTTER METER		NCR
8300AW-01	6625-00-333-3322	12578	3M/MINCOM	FLUTTER METER	TEST	NCR
8300XWB-A-H	5996-00-196-7258	21461	PRESTON SCIENTIFIC	AMPLIFIER BALANCED		NCR
8305	6625-01-020-6210	99899	LORAL/NARDA	METER ISOTROPIC RADIATION		12MO
8306-300-N	5985-01-312-6606	70998	BIRD	ATTENUATOR SET	CAT3ILS	NCR
830A			SIERRA MEA	T/S CABLE		USER
831			BELL&GOSET	TEST KIT FLUID		NCR
8310		99899	LORAL/NARDA	METER ISOTROPIC RADIATION		12MO
8315		99899	LORAL/NARDA	METER ISOTROPIC RADIATION		12MO
8315A		99899	LORAL/NARDA	METER ISOTROPIC RADIATION		12MO
8316	6625-01-040-1536	99899	LORAL/NARDA	METER ISOTROPIC RADIATION		12MO
8316B	6625-01-034-5164	99899	LORAL/NARDA	METER ISOTROPIC RADIATION		12MO
831BG			BELL&GOSET	GAUGE PRESSURE		12MO
8321	6625-01-018-1828	99899	LORAL/NARDA	PROBE ISOTROPIC RADIATION	8316	12MO
8323	6625-00-281-8784	99899	LORAL/NARDA	PROBE ISOTROPIC RADIATION	8316	12MO
833		54294	SHALLCROSS	RESISTOR DECADE		NCR
8330			TS1	ANEMOMETER		USER
8350B	6625-01-171-2075	28480	HP	GENERATOR SWEEP MF		NCR
83525B	NSL	28480	HP	GENERATOR SWEEP PIU 0.01-8.4GHz	8350B	NCR
83595A	6625-01-172-9388	28480	HP	GENERATOR SWEEP PIU 0.01-26.5GHz		NCR
835X3A	7530-00-871-0607	15566	AMPROBE	RECORDER CHART	GEN-AP-T	USER
83620A	6625-01-368-0849	28480	HP	GENERATOR SWEEP SYNTH 0.01-20GHz		NCR

MODEL/PART NUMBER	NSN	CAGE CODE	MANUFACTURER	NAME/DISCRIPTION	EQUIPMENT APP-TO	CALIBR INTER
83731A	6625-01-365-8035	28480	HP	GENERATOR SIGNAL SYNTH 0.01-20GHz	ASDE3	24MO
8401		70998	BIRD	LOAD DUMMY RF 600W 3GHz		NCR
8403A	6625-00-089-3146	28480	HP	MODULATOR PLUSE	TEST	NCR
8403A-002	6625-01-042-0926	28480	HP	MODULATOR PLUSE UHF 0.8-2.4GHz	TEST	NCR
8403A-004	6625-01-023-8026	28480	HP	MODULATOR PLUSE UHF 1.8-4.5GHz	TEST	NCR
8403A-004,H25	6625-00-089-3146	28480	HP	MODULATOR PLUSE UHF 1.8-4.5GHz	TEST	NCR
8403A-004,H34	6625-01-310-2528	28480	HP	MODULATOR PLUSE UHF 1.8-4.5GHz	TEST	NCR
8404		70998	BIRD	LOAD DUMMY RF		NCR
8405A	6625-00-929-1897	28480	HP	VECTOR VOLTMETER	TEST	12MO
8405A-H16	6625-00-525-1101	28480	HP	VECTOR VOLTMETER		12MO
8406A	6625-00-937-3525	28480	HP	GENERATOR COMB 1,10,100MHz MARKERS TO 5	TEST	12MO
84126-01			TOPAZ	POWER CONDITION SYST		NCR
8419B	6625-01-300-6148	50406	S T RESEARCH	NOISE FIGURE METER	TEST	36MO
8444A	6625-00-185-4802	28480	HP	GENERATOR TRACKING 0.0005-1.5GHz	TEST	12MO
8445A	6625-00-424-4384	28480	HP	PRESELECTOR		NCR
8445B	6625-00-253-4833	28480	HP	PRESELECTOR		NCR
84462			TOPAZ	POWER METER		12MO
8447A	6625-00-424-5266	28480	HP	AMPLIFIER RF 0.1-400MHz 20dB		NCR
8447B	6625-00-098-3864	28480	HP	AMPLIFIER RF		NCR
8447D	6625-01-065-0305	28480	HP	AMPLIFIER RF 0.1-1300MHz 26dB		NCR
845	NSL	07239	AVO BIDDLE	T/S INSULATION		NCR
845AR	6625-00-257-7561	89536	FLUKE	DETECTOR DC NULL		12MO
8472A	5961-00-098-5403	28480	HP	DETECTOR RF		NCR
8472B	6625-01-026-2737	28480	HP	DETECTOR RF	ARSR4	NCR
8477A	6625-00-450-7593	28480	HP	CALIBRATOR POWER METER		USER
8478A	NSL	28480	HP	POWER SENSOR THERMISTOR		36MO
8478B	6625-00-811-2435	28480	HP	POWER SENSOR THERMISTOR	432A/B	36MO
84811A	6625-01-166-9370	28480	HP	POWER SENSOR PEAK	8900C	12MO
84812A	6625-01-347-4904	28480	HP	POWER SENSOR PEAK	8990A	36MO
84814	NSL	28480	HP	POWER SENSOR PEAK	8990A	36MO
84815A	NSL	28480	HP	POWER SENSOR PEAK	8990A	36MO
8481A	6625-00-354-9762	28480	HP	POWER SENSOR RF .01-18GHz 1uW-100mW	TEST	36MO
8481B	6625-01-094-2364	28480	HP	POWER SENSOR RF .01-18GHz 1mW-25W	ATCBI5	36MO
8481D	6625-01-312-8743	28480	HP	POWER SENSOR RF	ASR9	36MO
8481H	6625-01-014-6695	28480	HP	POWER SENSOR RF .01-18GHz 100mW-3W	TEST	36MO
8482A	6625-01-015-4412	28480	HP	POWER SENSOR RF 100KHz-4.2GHz 1uW-100mW	TEST	36MO
8482B	6625-01-094-8263	28480	HP	POWER SENSOR RF 100KHz-4.2GHz 1mW-25W	TEST	36MO
8482H	6625-01-072-4895	28480	HP	POWER SENSOR RF 100KHz-4.2GHz 100mW-3W	ASR	36MO
8483A	6625-01-010-3467	28480	HP	POWER SENSOR RF 75 OHM		36MO
8484A	6625-01-028-2882	28480	HP	POWER SENSOR RF .01-18GHz 100pW-10uW	TEST	36MO
8484H	NSL	28480	HP	POWER SENSOR RF		36MO
8491A-( )	NSL	28480	HP	ATTENUATOR FX 12.4GHz (3,6,10-60)		NCR
8491B-( )	NSL	28480	HP	ATTENUATOR FX 18.0GHz (3,6,10-50)		NCR
8492A	5985-01-335-1751	28480	HP	ATTENUATOR FX 18.0GHz (3,6,10-60)		NCR

MODEL/PART NUMBER	NSN	CAGE CODE	MANUFACTURER	NAME/DISCRIPTION	EQUIPMENT APP-TO	CALIBR INTER
8494A	5985-01-133-9825	28480	HP	ATTENUATOR STEP 4.0GHz (11/1)		NCR
8494B	5985-01-339-4302	28480	HP	ATTENUATOR STEP 18.0GHz (11/1)		NCR
8495A	NSL	28480	HP	ATTENUATOR STEP 4.0GHz (70/10)		NCR
8495B	NSL	28480	HP	ATTENUATOR STEP 18.0GHz (70/10)		NCR
8496B	5985-01-340-2909	28480	HP	ATTENUATOR STEP 18.0GHz (110/10)		NCR
8496H	5905-01-046-9033	28480	HP	ATTENUATOR STEP 18.0GHz (110/10) PRGRM		NCR
8498A/030	5985-01-335-1752	28480	HP	ATTENUATOR FX 30dB 25W 18.0GHz	ARSR4	NCR
85-182			NAPPA	T/S BATTERY		USER
850		60741	TRIPLETT	VOLTMETER- OHM		24MO
8500	6625-01-098-3428	04237	ASSOC RESEARCH	LOCATOR CABLE FAULTFINDER		USER
8500A	6625-01-098-3428	04237	ASSOC RESEARCH	LOCATOR CABLE FAULTFINDER		USER
8500A		18658	SCANWELL	METER V RING ANTENN		USER
8501A/16936	6625-01-373-2798	23338	WAVETEK	POWER METER RF PEAK		24MO
8502	6625-01-423-6599	58900	GIGA-TRONICS	POWER METER RF PEAK	TEST	12MO
8502/16934/17071	6625-01-259-8163	58900	GIGA-TRONICS	POWER METER RF PEAK w/ sensors	TEST	12MO
85029B	6625-01-301-8261	28480	HP	KIT VERIFICATION 7MM		NCR
8502A	6625-01-126-3154	89536	FLUKE	DIGITAL MULTIMETER		12MO
85031B	5999-01-260-7350	28480	HP	KIT CALIBRATION 7mm		NCR
85032B	6625-01-267-2651	28480	HP	KIT CALIBRATION TYPE N	8753B	NCR
85033C	6625-01-301-8260	28480	HP	KIT CALIBRATION 3.5MM		NCR
85044A	6625-01-247-3963	28480	HP	T/S TRANSMISSION/REFLECTION		NCR
85046A	6625-01-262-3953	28480	HP	T/S S-PARAMETER	8753B	NCR
85047A	6625-01-300-9600	28480	HP	T/S S-PARAMETER		NCR
85054A	NSL	28480	HP	KIT ACCESSORY BNC		NCR
8505A	6625-01-126-3154	89536	FLUKE	DIGITAL MULTIMETER		12MO
85081A	NSL	28480	HP	VECTOR VOLTMETER PIU	8508A	12MO
85081B	6625-01-370-4253	28480	HP	VECTOR VOLTMETER PIU	8508A	12MO
85082A	6625-01-295-9497	28480	HP	VECTOR VOLTMETER PIU 50 OHM	8508A	12MO
8508A	6625-01-295-9442	28480	HP	VECTOR VOLTMETER		12MO
8508A-001	6625-01-311-2835	28480	HP	VECTOR VOLTMETER		12MO
8508A-801	6625-01-318-0238	28480	HP	VECTOR VOLTMETER	TEST	12MO
8508A/001/050	6625-01-329-8169	28480	HP	VECTOR VOLTMETER	TEST	12MO
8510B/C	NSL	28480	HP	ANALYZER NETWORK		12MO
8515A	6625-01-256-6501	28480	HP	T/S S-PARAMETER		12MO
8520A	6625-01-123-0028	89536	FLUKE	DIGITAL MULTIMETER		12MO
8520A/010	6625-01-134-9918	89536	FLUKE	DIGITAL MULTIMETER	GEN-AP-T	12MO
852B855A	NSL	28480	HP	ANALYZER SPECTRUM		12MO
853A	6625-01-153-2000	28480	HP	ANALYZER SPECTRUM MF		NCR
8552B	6625-00-431-9339	28480	HP	ANALYZER SPECTRUM PIU IF	TEST	XXXX
8553B	6625-00-432-5055	28480	HP	ANALYZER SPECTRUM PIU RF		XXXX
8554B	6625-00-140-0156	28480	HP	ANALYZER SPECTRUM PIU RF		XXXX
8555A	6625-00-422-4314	28480	HP	ANALYZER SPECTRUM PIU RF	TEST	XXXX
8556B	NSL	28480	HP	ANALYZER SPECTRUM		12MO
8557A	6625-01-096-3693	28480	HP	ANALYZER SPECTRUM		12MO

MODEL/PART NUMBER	NSN	CAGE CODE	MANUFACTURER	NAME/DISCRIPTION	EQUIPMENT APP-TO	CALIBR INTER
8558B	6625-01-071-4293	28480	HP	ANALYZER SPECTRUM PIU	TEST	XXXX
8558BE77	6625-01-043-0205	28480	HP	ANALYZER SPECTRUM	TEST	12MO
8559A	6625-01-096-0347	28480	HP	ANALYZER SPECTRUM PIU		XXXX
855A	NSL	28480	HP	ANALYZER SPECTRUM		12MO
8562A	6625-01-272-2797	28480	HP	ANALYZER SPECTRUM		12MO
8563A-E01	6625-01-326-8976	28480	HP	ANALYZER SPECTRUM	SCTRACON	12MO
8563A-E36	6625-01-392-5724	28480	HP	ANALYZER SPECTRUM	TEST	12MO
8563A-K01	6625-01-311-5272	28480	HP	ANALYZER SPECTRUM	TEST	12MO
85650A	6625-01-387-3330	28480	HP	ANALYZER SPECTRUM ADPT QUASI-PEAK		NCR
8565A	6625-01-093-2733	28480	HP	ANALYZER SPECTRUM		12MO
85662A	6625-01-150-2146	28480	HP	ANALYZER SPECTRUM DISPLAY		NCR
8566A	6625-01-083-3706	28480	HP	ANALYZER SPECTRUM		12MO
8566B	6625-01-176-2303	28480	HP	ANALYZER SPECTRUM		12MO
85685A	NSL	28480	HP	ANALYZER SPECTRUM PIU PRESELECTOR		XXXX
8568A	6625-01-128-7868	28480	HP	ANALYZER SPECTRUM		12MO
8569A	6625-01-128-1784	28480	HP	ANALYZER SPECTRUM		12MO
8569B	6625-01-263-9197	28480	HP	ANALYZER SPECTRUM		12MO
8578D		16665	SINGER	VOLTMETER ELECTROSTATIC		12MO
8590A	6625-01-251-6860	28480	HP	ANALYZER SPECTRUM		12MO
8590B	NSL	28480	HP	ANALYZER SPECTRUM		12MO
8592A	6625-01-300-2454	28480	HP	ANALYZER SPECTRUM		12MO
8592B	6625-01-326-1508	28480	HP	ANALYZER SPECTRUM		12MO
85RF	6625-01-131-3883	89536	FLUKE	PROBE HF		NCR
86000A900	6625-01-315-8026	12578	3M/MINCOM	ADAPTER TEST		NCR
8600A	6625-01-010-0088	89536	FLUKE	DIGITAL MULTIMETER	TEST	12MO
8600C	NSL	28480	HP	GENERATOR MARKER DIGITAL		NCR
8601A	6625-00-135-9866	28480	HP	GENERATOR SWEEP 0.1-110MHz		NCR
8609A	6625-00-298-9614	04237	ASSOC RESEARCH	LOCATOR CABLE FAULTFINDER		USER
8613B		99899	LORAL/NARDA	METER ISOTROPIC RADIATION		12MO
8614A	6625-00-872-3215	28480	HP	GENERATOR SIGNAL UHF 0.8-2.4GHz	TEST	12MO
8616A	6625-00-254-6671	28480	HP	GENERATOR SIGNAL UHF 1.8-4.5GHz	TEST	12MO
8616A-H17	NSL	28480	HP	GENERATOR SIGNAL UHF 1.8-4.5GHz		12MO
8619		99899	LORAL/NARDA	METER ISOTROPIC RADIATION		12MO
8620A	6625-00-007-6661	28480	HP	GENERATOR SWEEP OSCILLATOR MF	TEST	NCR
8620C/011	6625-01-079-5674	28480	HP	GENERATOR SWEEP OSCILLATOR MF		NCR
8621A	6625-00-773-5449	28480	HP	GENERATOR SWEEP OSCILLATOR PIU		NCR
8621D			NORDA MICR	PROBE RADIATION MON		12MO
86220A	6625-00-307-5256	28480	HP	GENERATOR SWEEP OSCILLATOR PIU 0.01-1.3GHz		NCR
86240A/001	5963-01-082-1212	28480	HP	GENERATOR SWEEP OSCILLATOR PIU		NCR
86242D	6625-01-067-3754	28480	HP	GENERATOR SWEEP OSCILLATOR PIU 5.9-9GHz		NCR
8635		99899	LORAL/NARDA	PROBE ISOTROPIC RADIATION	8316	12MO
8640A	6625-01-137-5713	28480	HP	GENERATOR SIGNAL 0.5-512MHz		24MO
8640B	6625-00-318-6304	28480	HP	GENERATOR SIGNAL 0.5-512MHz	TEST	24MO
8640B/001	6625-01-500-6525	28480	HP	GENERATOR SIGNAL 0.5-512MHz		24MO

MODEL/PART NUMBER	NSN	CAGE CODE	MANUFACTURER	NAME/DISCRIPTION	EQUIPMENT APP-TO	CALIBR INTER
8640B/001/002	6625-01-014-8426	28480	HP	GENERATOR SIGNAL 0.5-1024MHz		24MO
8640B/001/002/003	6625-01-018-8584	28480	HP	GENERATOR SIGNAL 0.5-1024MHz	TEST	24MO
8640B/001/003	6625-01-018-8583	28480	HP	GENERATOR SIGNAL 0.5-512MHz		24MO
8640B/002/003	6625-01-085-7674	28480	HP	GENERATOR SIGNAL 0.5-1024MHz	TEST	24MO
8640B/003	6625-01-045-2183	28480	HP	GENERATOR SIGNAL 0.5-512MHz	TEST	24MO
8640B/004	6625-00-566-3067	28480	HP	GENERATOR SIGNAL 0.5-512MHz		24MO
8640B/323	6625-00-115-6768	28480	HP	GENERATOR SIGNAL 0.5-512MHz		24MO
8640M	6625-00-591-8380	28480	HP	GENERATOR SIGNAL 0.5-512MHz		24MO
8644		99899	LORAL/NARDA	PROBE ISOTROPIC RADIATION	8316	12MO
8654A	6625-00-391-6432	28480	HP	GENERATOR SIGNAL 10-520MHz		24MO
8654B	6625-01-048-2112	28480	HP	GENERATOR SIGNAL 10-520MHz		24MO
8656A	6625-01-130-5649	28480	HP	GENERATOR SIGNAL SYNTH 0.1-990MHz		24MO
8656B-002	6625-01-320-1551	28480	HP	GENERATOR SIGNAL SYNTH 0.1-990MHz		24MO
86602B	6625-01-031-8853	28480	HP	GENERATOR PIU 1MHz-1.3GHz		24MO
8660A	6625-01-057-8473	28480	HP	GENERATOR SIGNAL MF		24MO
8660C	6625-01-079-0651	28480	HP	GENERATOR SIGNAL MF		24MO
86632B	6625-01-005-6848	28480	HP	GENERATOR MODULATION PIU		24MO
866A		80138	KAY ELEMETRICS	GENERATOR SWEEP		NCR
8671B	6625-01-319-3930	28480	HP	GENERATOR SIGNAL SYNTH 2-18GHz		24MO
8672A	6625-01-120-5494	28480	HP	GENERATOR SIGNAL SYNTH 2-18GHz		24MO
8673G	6625-01-312-4701	28480	HP	GENERATOR SIGNAL SYNTH 2-26GHz		12MO
8673M	6625-01-188-7441	28480	HP	GENERATOR SIGNAL SYNTH 2-18GHz		24MO
8684A	6625-01-295-6331	28480	HP	GENERATOR SIGNAL 5.4-12.5GHz		24MO
8684D	6625-01-229-5358	28480	HP	GENERATOR SIGNAL 5.4-18GHz		24MO
8690B	6625-00-442-3470	28480	HP	GENERATOR SWEEP OSCILLATOR MF		NCR
87	6625-01-312-2930	89536	FLUKE	DIGITAL MULTIMETER HANDHELD	NEXRAD	12MO
870A01		42161	CXR TELCOM	ANALYZER PROTOCOL MO		NCR
8716	6625-01-314-3553	99899	LORAL/NARDA	METER ISOTROPIC RADIATION	TDWR	12MO
8721	6625-01-324-6351	99899	LORAL/NARDA	PROBE ISOTROPIC RADIATION		12MO
8721A	5985-00-155-5991	28480	HP	COUPLER DIR 0.1-110MHz		NCR
8731B	6625-00-932-1852	28480	HP	MODULATOR PIN	8403A	NCR
8732B	6625-00-765-5708	28480	HP	MODULATOR PIN 1.8-4.5GHz 80dB	8403A	NCR
8737		70998	BIRD	LOAD DUMMY RF 10KW 1.4GHz		NCR
874GAL	5895-00-623-0255	24655	GENRAD	ATTENUATOR ADJUSTER		NCR
874IBB	6625-00-706-9205	24655	GENRAD	LINE SLOTTED COAXIAL		NCR
874LBB		24655	GENRAD	LINE SLOTTED COAXIAL		NCR
874LK20L	5985-00-185-4492	24655	GENRAD	AIRLINE 20CM ADJUSTABLE		NCR
874LTL	5985-00-922-6219	24655	GENRAD	TUNER TRANSMISSION LINE		NCR
875			PENN TECH	DYNAMOMETER		USER
8750A	6625-01-051-2367	28480	HP	DIVIDER POWER RF		NCR
8753B	6625-01-328-3049	28480	HP	ANALYZER NETWORK		12MO
8753C	6625-01-327-3123	28480	HP	ANALYZER NETWORK		12MO
8753C/002/010	6625-01-322-5296	28480	HP	ANALYZER NETWORK	MODE-S	12MO
8755B	6625-01-095-8095	28480	HP	ANALYZER NETWORK		12MO

MODEL/PART NUMBER	NSN	CAGE CODE	MANUFACTURER	NAME/DISCRIPTION	EQUIPMENT APP-TO	CALIBR INTER
8756A	6625-01-176-8505	28480	HP	ANALYZER NETWORK		12MO
875A	6625-01-386-8810	08098	TRANSMATION INC	BRIDGE IMPEDANCE		NCR
8761B	5930-01-370-4452	28480	HP	SWITCH MICROWAVE		NCR
8768C2		70998	BIRD	WATTMETER RF		NCR
88	6625-01-354-8340	89536	FLUKE	DIGITAL MULTIMETER HANDHELD		12MO
88	5895-00-017-2360	15057	GULTON	RECORDER INTERCEPT TIME		USER
8800	NSL	89536	FLUKE	POWER METER		12MO
8800		16734	TIF INSTRU	DETECTOR COMBUSTIBLE GAS		USER
880037-1	6625-01-034-4559	12909	CARDION	RECEIVER PIR FA8766 w/ ACCESORIES	ILS	USER
8801A	6625-00-900-0613	28480	HP	RECORDER PIU PREAMP		XXXX
8830	6625-01-338-8888	18410	RYCOM	LOCATOR CABLE FAULTFINDER		USER
8831	6630-00-500-4078	18410	RYCOM	LOCATOR CABLE FAULTFINDER		USER
8831-00	6625-01-419-6706	18410	RYCOM	LOCATOR CABLE FAULTFINDER		USER
8833		70998	BIRD	LOAD DUMMY RF		NCR
8840A	6625-01-217-9427	89536	FLUKE	DIGITAL MULTIMETER		24MO
8840A/AF	6625-01-196-0014	89536	FLUKE	DIGITAL MULTIMETER		24MO
885		55026	SIMPSON	T/S NOISE AND SOURCE		NCR
885A	6625-00-424-6041	89536	FLUKE	DIFFERENTIAL VOLTMETER		12MO
886		55026	SIMPSON	METER SOUND LEVEL		12MO
8890		70998	BIRD	LOAD DUMMY RF		NCR
8890-300		70998	BIRD	LOAD DUMMY RF		NCR
8900A-001	6625-00-484-6368	28480	HP	POWER METER RF PEAK		12MO
8900B	6625-00-130-5386	28480	HP	POWER METER RF PEAK		12MO
8900C	6625-01-312-7576	28480	HP	POWER METER RF PEAK	GEN-AP-T	12MO
8900D	6625-01-172-3214	28480	HP	POWER METER RF PEAK		12MO
8901A	6625-01-081-4156	28480	HP	ANALYZER MODULATION		12MO
8901B	6625-01-238-8830	28480	HP	ANALYZER MODULATION		12MO
8902A	6625-01-169-7744	28480	HP	RECEIVER MEASURING		USER
8903A	6625-01-097-5700	28480	HP	ANALYZER AUDIO		12MO
891A	6625-00-456-7459	89536	FLUKE	DIFFERENTIAL VOLTMETER		12MO
8920A	6625-01-364-2219	28480	HP	T/S COMMUNICATION	SCTRACON	12MO
8920A/002/003	NSL	28480	HP	T/S COMMUNICATION		12MO
8920A/003/K04/H04	6625-01-361-0033	28480	HP	T/S COMMUNICATION	TEST	12MO
8921		70998	BIRD	LOAD DUMMY RF		NCR
893A	6625-00-488-4039	89536	FLUKE	DIFFERENTIAL VOLTMETER		12MO
893B,C	6625-01-282-9397	09553	MARCONI	POWER METER AUDIO OUTPUT	BUEC	24MO
8966B	NSL	28480	HP	GENERATOR SWEEP OSCILLATOR PIU		NCR
8967-1			HUGH&PHILL	DEVICE AIMING		USER
8970A	6625-01-204-1221	28480	HP	NOISE FIGURE METER		36MO
8970B/A13345	6625-01-257-7152	28480	HP	NOISE FIGURE METER	ASDE3/NEXRAD	36MO
899			MULTI-ELEC	DEVICE AIMING		USER
8990A	6625-01-347-2983	28480	HP	POWER METER RF PEAK	MODE-S	12MO
8990SM	6685-00-076-4596	96662	AIRSERCO	GAUGE VACUUM		USER
89GR	6625-01-381-2781	63859	NAVAIDS/SW COMM	RECEIVER PISA	ILS	36MO

MODEL/PART NUMBER	NSN	CAGE CODE	MANUFACTURER	NAME/DISCRIPTION	EQUIPMENT APP-TO	CALIBR INTER
8AB18K13AC1	6625-00-732-2298	02446	GE	WATTMETER RF	TEST	NCR
8AK1	NSL	02446	GE	AMMETER		24MO
8AK1AAA1	NSL	02446	GE	AMMETER AC		24MO
8AK4A1A	NSL	02446	GE	AMMETER		24MO
8AK4A1AA1	6625-00-539-8695	02446	GE	AMMETER (PANEL)		24MO
8AK5A1AA	NSL	02446	GE	ANALOG MULTIMETER CLAMP-ON		12MO
8AK5A1AA1	6625-00-846-8352	02446	GE	ANALOG MULTIMETER CLAMP-ON		12MO
8CH3AY9	NSL	02446	GE	RECORDER AC VOLTMETER		USER
8CH3FY10	NSL	02446	GE	METER RECORDING FRE		USER
8CH4VY26	NSL	02446	GE	RECORDER AC VOLTMETER		USER
8CHFY10	NSL	02446	GE	METER RECORDING FRE		USER
90-0336-01			NEWBRIDGE	D4 UNIT		NCR
900	NSL	07239	AVO BIDDLE	TACHOMETER		USER
900		54647	MICROTECH	LOCATOR INTERFERENC		USER
900	6625-01-311-9278	57112	UNIVERSAL DATA SYS	T/S DATA COMMUNICATIONS	TEST	USER
900/.05-12	6625-01-156-0443	58900	GIGA-TRONIC	GENERATOR SIGNAL 0.05-12GHz		12MO
9000		16734	TIF INSTRU	METER		NCR
9000A		16734	TIF INSTRU	METER REFRIGERANT CHARGE		USER
9000AZ80	6625-01-340-3190	89536	FLUKE	INTERFACE POD		NCR
9008	6625-01-075-3761	21793	RACAL-DANA	METER MODULATION 1.5MHz-2.0GHz	TEST	12MO
9008A	6625-01-250-9779	21793	RACAL-DANA	METER MODULATION		12MO
900A			JERROLD EL	GENERATOR SWEEP		NCR
900L15		24655	GENRAD	AIRLINE 15CM PRECISION		36MO
900L30		24655	GENRAD	AIRLINE 30CM PRECISION		36MO
901		65092	WESTON	VOLTMETER DC		12MO
9010/07	6625-00-914-3619	06692	DYNASCIENCE	COUNTER/TIMER		12MO
9010A/001	6625-01-150-7304	89536	FLUKE	T/S MICROPROCESSOR		USER
9015	NSL	21793	RACAL-DANA	COUNTER/TIMER 100MHz		12MO
9015-11A		21793	RACAL-DANA	COUNTER/TIMER 100MHz		12MO
9025		06811	SYSTRON DONNER	MULTIMETER		24MO
9035	NSL	21793	RACAL-DANA	COUNTER/TIMER 100MHz		12MO
9035/11A	6625-01-165-7790	21793	RACAL-DANA	COUNTER/TIMER 512MHz		12MO
9035/12	6625-01-311-2700	21793	RACAL-DANA	COUNTER/TIMER 100MHz		12MO
9035A	NSL	21793	RACAL-DANA	COUNTER/TIMER 512MHz		12MO
904		65092	WESTON	AMMETER AC		24MO
9041903001		65092	WESTON	VOLTMETER		24MO
904C15150		65092	WESTON	METER		24MO
905A	5985-01-037-7044	28480	HP	LOAD DUMMY RF 5KW(P) 1W(A) 1.8-18GHz		NCR
906C		28009	HONEYWELL	OSCILLOSCOPE		12MO
907A	6625-00-236-8634	28480	HP	LOAD COAXIAL		NCR
9087/11	6625-01-276-4064	21793	RACAL-DANA	GEN SIGNAL 10KHz-1.3GHz		12MO
909808-10-1-916568	6625-01-230-3769	70210	AIRESEARCH	BAROMETER DIGITAL STD	DASI	12MO
909808-9-1	6625-01-147-9859	70210	AIRESEARCH	BAROMETER DIGITAL STD	DASI	12MO
91-24A		04901	BOONTON	KIT ACCESSORY		NCR

MODEL/PART NUMBER	NSN	CAGE CODE	MANUFACTURER	NAME/DISCRIPTION	EQUIPMENT APP-TO	CALIBR INTER
91-24ACG		57062	BIOMATION	KIT ACCESSORIES		NCR
9100-4205	NSL	28480	HP	T/S TRANSMISSION		12MO
9100CP			LECROY	PANEL CONTROL		NCR
9109			LECROY	GENERATOR FUNCTION		NCR
91221-1		16665	SINGER	NETWORK IMPEDANCE S		NCR
915	NSL	16842	AIRGUIDE	INDICATOR WIND		USER
91550-1		16665	SINGER	PROBE CURRENT RF		NCR
9159D	NSL	04855	ALDEN ELEC	RECORDER RBC		USER
916568-3-1	NSL	70210	AIRESEARCH	BAROMETER DIGITAL STD w/SHIPPING CASE		NCR
9167	NSL	89536	FLUKE	INDICATOR PULSE		24MO
91A	6625-00-648-9373	64959	AT&T	T/S ELECT CABLE		NCR
91D00100	6625-00-721-4698	82152	DATRON	PROBE	ATCBI4	NCR
920	NSL	09552	ATEC	DEVIATION METER		12MO
920B		94668	SIERRA ELECT	GENERATOR SIGNAL RF		12MO
920M		90073	MARCONI	POWER METER AUDIO OUTPUT		12MO
921A	6625-00-433-6477	33013	LOGIMETRIC	GENERATOR SIGNAL	TEST	12MO
922E			NU DATA	GENERATOR TEST ANALYZER		12MO
92341-1		16665	SINGER	ADAPTER MOUNTING		NCR
9261	NSL		AERO COMP	AMPLIFIER COMPRESSION		NCR
9280-01-09		04901	BOONTON	VOLTMETER		12MO
928D		04901	BOONTON	T/S RADIO FREQ		12MO
92A-S2		04901	BOONTON	METER mVOLT RF		12MO
92B		04901	BOONTON	METER mVOLT RF		12MO
92BD	6625-01-030-5260	04901	BOONTON	METER mVOLT RF	GEN-AP-T	12MO
92BD/01/09	6625-01-017-8562	04901	BOONTON	METER mVOLT RF	ARSR3	12MO
92C		04901	BOONTON	METER mVOLT RF		12MO
92D	NSL	07239	AVO BIDDLE	TACHOMETER		USER
9303B451F	NSL	04855	ALDEN ELEC	T/S GENERATOR		USER
933	5985-00-224-2430	93459	WEINSCHEL	ATTENUATOR VAR 0-114dB 2W 1-3GHz		NCR
9365	NSL	28480	dYMEC	T/S POWER RF		12MO
938A2	NSL	64959	AT&T	T/S OPTICAL		12MO
93B	6625-00-863-8751	64959	AT&T	T/S TELEPHONE		USER
9420		02446	GE	AMMETER CLAMP-ON		24MO
942D		02446	GE	METER		12MO
9440			NAVTEL	ANALYZER PROTOCAL		NCR
9450			LECROY	OSCILLOSCOPE		12MO
9472		13047	MAURY MICROWAVE	PHASER-TUNER TRANSMISSION		NCR
9472A		13047	MAURY MICROWAVE	PHASER-TUNER TRANSMISSION		NCR
95	NSL	89536	FLUKE	SCOPEMETER		24MO
95-1671	6695-00-961-3006	84027	AIW-ALTON	DEVICE AIMING		USER
95-2581	6625-00-867-8037	08125	FAA	T/S	TEST	USER
95-4679		08125	FAA	TEST KIT OIL CONDIT		USER
95175-1		16665	SINGER	METER REMOTE		USER
9585		93459	WEINSCHEL	ATTENUATOR VAR		NCR

MODEL/PART NUMBER	NSN	CAGE CODE	MANUFACTURER	NAME/DISCRIPTION	EQUIPMENT APP-TO	CALIBR INTER
960AL			DAVEN	BRIDGE IMPEDANCE		NCR
96214		96214	TEXAS INST	PROBE BOX, ANTENNA		NCR
964	6625-01-363-5272	62875	WAVETEK	GENERATOR SWEEP	TDWR	NCR
96823		96214	TEXAS INST	PROBE FIELD MAINTENANCE		NCR
97	6625-01-369-5901	89536	FLUKE	SCOPEMETER	ACEPS	24MO
970A	6625-00-288-4768	28480	HP	DIGITAL MULTIMETER		12MO
976		65092	WESTON	MULTIMETER ELECTRON		24MO
977B755G06		18323	WESTINGHOUSE	T/S ICPA		USER
978TS		65092	WESTON	T/S TUBE CHECKER		NCR
9868K11		39428	MCMAST&CAR	PYROMETER		USER
9887163G3-3	6625-00-923-2132	24446	GE	DRIVE ASSEMBLY	RVR	NCR
98A		02734	RCA	MULTIMETER		24MO
99-0116		05729	METRO TEL	LOCATOR CABLE FAULTFINDER		USER
9900385		30874	IBM	ANALYZER TELETYPE (OLSA)		XXXX
9920	6680-00-971-1241	07239	AVO BIDDLE	TACHOMETER MECHANICAL		USER
9975617	5985-00-837-8664	18876	DEPT ARMY	COUPLER DIR (HP776D)		NCR
9C	NSL	64959	AT&T	SOURCE LED		12MO
9E	NSL	64959	AT&T	SOURCE LED		12MO
9NM460	6625-01-391-1091	7X100	PANORAMEX	ANTENNA METER RESISTANCE (R-BOX)	NDB	USER
9T11Y8454		24446	GE	T/S OIL		USER
9T11YP8		05721	BECKMAN	T/S OIL		USER
9XT	6025-01-283-2043	59912	3M/DYNATEL/PHOTODYNE	SOURCE LIGHT TRANSMITTER 850,1300,1550nM		12MO
A-116	6625-01-396-9251	64520	BASIC MEAS INST	ANALYZER POWER LINE PROBE AMP CLAMP-ON		NCR
A-7550		51190	IFR SYS	ANALYZER SPECTRUM 10KHz-1GHz		12MO
A003	NSL	64520	BASIC MEAS INST	ANALYZER POWER LINE PROBE TEMP/HUMID		NCR
A007A		13047	MAURY MICROWAVE	GAUGE CONNECTOR TYP		NCR
A1	NSL	93346	AEL	PANEL MASTER SCAM-VA		NCR
A111	NSL	64520	BASIC MEAS INST	ANALYZER POWER LINE PROBE AC/DC IMPULSE		NCR
A11102	6625-01-100-0826	03691	EIL INST	METER	ATCBI5	24MO
A112	NSL	64520	BASIC MEAS INST	ANALYZER POWER LINE PROBE AMP		NCR
A12			IMPERIAL	HERMETIC UNIT & COMMUNICATION P		USER
A1204S5	6625-00-407-1049	12868	ASTROSYSTEMS	SYNCHRO STANDARD		48MO
A2-4		58505	DAVIS	ANEMOMETER		USER
A2500		57737	STICHT	TACHOMETER		USER
A2531 2D	NSL	07239	AVO BIDDLE	LOCATOR CABLE FAULTFINDER		USER
A40-0.02A	6625-01-058-4401	89536	FLUKE	SHUNT CURRENT		NCR
A40-0.2A	6625-01-058-4405	89536	FLUKE	SHUNT CURRENT		NCR
A40A-10A	6625-00-427-5149	89536	FLUKE	SHUNT CURRENT		NCR
A5	NSL	15566	AMPROBE	AMMETER AC		24MO
A55	NSL	89536	FLUKE	CONVERTER THERMAL SET		USER
A6010		72264	ESTERLINE	VOLTMETER GRAPHIC		NCR
A601CAW	6625-00-812-2114	72264	EASTERLINE	FREQUENCY METER RECORDING	TEST	NCR
A6901	6625-01-165-7211	80009	TEKTRONIX	MONITOR GROUND ISOLATION		USER
A7	NSL		ALPHA INST	COUPLER DIR		NCR

MODEL/PART NUMBER	NSN	CAGE CODE	MANUFACTURER	NAME/DISCRIPTION	EQUIPMENT APP-TO	CALIBR INTER
A8			MECH REFR	ANALYZER TEMP ANNIE		USER
A8000		51190	IFR SYS	ANALYZER SPECTRUM 10KHz-2.5GHz		12MO
A8210N	NSL			ATTENUATOR		NCR
AA08-A				GENERATOR SIGNAL		12MO
AA3E	NSL	15566	AMPROBE	AMMETER RECORDING		USER
AA568-00	NSL		BUCK ENG	KIT PSCP EXPERIMENT		NCR
AA760	NSL		LAB VOLT	VOLTMETER		NCR
AA762	NSL		LAB VOLT	DIGITAL MULTIMETER		NCR
AA766	NSL		LAB VOLT	VOLTMETER		NCR
AA771	NSL		LAB VOLT	POWER SUPPLY		NCR
AA772	NSL		LAB VOLT	POWER SUPPLY (COMBIN		NCR
AA779	NSL		LAB VOLT	GENERATOR SIGNAL		NCR
AA793F	NSL		LAB VOLT	OSCILLOSCOPE		12MO
AA82	6625-00-925-9394	15566	AMPROBE	AMMETER RECORDING		24MO
AAD			INTL COMPU	DEVICE ALIGNMENT	LLWAS	USER
AB-40		60336	YOKOGAWA	AMMETER		24MO
AC1000	6625-01-095-2525	16734	TIF INSTRU	MULTIMETER		24MO
AC60B	5950-00-678-0343	28480	HP	TRANSFORMER LINE		NCR
ACD-9	NSL	15566	AMPROBE	DIGITAL MULTIMETER		12MO
ACD1	NSL	15566	AMPROBE	DIGITAL VOLTMETER CLAMP-ON		12MO
ACD2000	NSL	15566	AMPROBE	DIGITAL MULTIMETER CLAMP-ON		24MO
ACDC1000	6625-01-259-1543	15566	AMPROBE	DIGITAL MULTIMETER CLAMP-ON		NCR
ACTT16K			REGENERATORCY	MONITOR SCANNING		NCR
AD1		09813	METCALF	DEVICE AIMING		USER
AD94-99-33		93459	WEINSCHEL	ATTENUATOR VAR		NCR
ADF344E				RECEIVER INDICATOR		USER
AEB0129				T/S AUDIO		12MO
AEB0678-1		52332	CLIMATRONICS	T/S ANEMOMETER		USER
AEB0908	6625-01-320-1976	08125	FAA	T/S ANTENNA		USER
AED0226-1	6625-01-304-1745	08125	FAA	T/S AUDIO		NCR
AED0336-1		08125	FAA	T/S		NCR
AESDN027-3		08125	FAA	SENSOR ASSEMBLY		NCR
AJ1069		57639	MISCORP	T/S W/ADAPTER		NCR
AJA94	6625-00-009-7147	00929	MICROLAB	ATTENUATOR VAR	MARK1	NCR
AK1		24446	GE	AMMETER AC		24MO
AK4-5		24446	GE	MULTIMETER 0-600 AM		24MO
AK4A1AA1		24446	GE	ANALOG MULTIMETER CLAMP-ON		12MO
AK5		24446	GE	AMMETER CLAMP-ON		24MO
AL50	6625-01-150-4330	23042	TRILITHIC/TEXSCAN	ANALYZER SPECTRUM		12MO
AM-44	6625-01-292-7689	1Z320	AMERITEC	T/S TRANSMISSION		12MO
AM-48	6625-01-304-4945	1Z320	AMERITEC	T/S TRANSMISSION	NEXRAD	12MO
AM1267		33592	MITEQ	AMPLIFIER NOMINAL GAIN		NCR
AM1839BUSM	6625-00-678-6637	80009	TEKTRONIX	OSCILLOSCOPE PIU TB		XXXX
AM3-4A	7025-01-289-5126	1Z320	AMERITEC	RESPONDER VF		12MO

MODEL/PART NUMBER	NSN	CAGE CODE	MANUFACTURER	NAME/DISCRIPTION	EQUIPMENT APP-TO	CALIBR INTER
AM3-5A	7050-01-289-3894	1Z320	AMERITEC	RESPONDER CONTROLLER	AM3-4A	NCR
AM3500			LASER PREC	POWER METER		12MO
AM4A0515N1179		33592	MITEQ	AMPLIFIER POWER SUPPLY		NCR
AM5	NSL	1Z320	AMERITEC	T/S TRANSMISSION		12MO
AM503	6625-01-038-8474	80009	TEKTRONIX	AMPLIFIER PROBE		NCR
AM5A1020N1179		33592	MITEQ	AMPLIFIER LOW NOISE		NCR
AM5XT	NSL	1Z320	AMERITEC	T/S TRANSMISSION		12MO
AM921A		33013	LOGIMETRIC	GENERATOR SIGNAL		12MO
AMB1A	NSL	15566	AMPROBE	METER MOHM		NCR
AMF5B20405		33592	MITEQ	AMPLIFIER NOMINAL GAIN		NCR
AMG4031N	NSL	24539	AVANTEK	AMPLIFIER 37DB GAIN		NCR
AN/3016			DILLON	DYNAMOMETER		USER
AN/AM6565U	6625-00-106-9625	80009	TEKTRONIX	OSCILLOSCOPE PIU VRT		XXXX
AN/APM245	6625-00-087-1227	80249	HAZELTINE	T/S TRANSPONDER		NCR
AN/FYM27	6625-00-247-2893	80058	JETDS	T/S SIMULATOR		NCR
AN/GPM40	6625-00-713-9068	80070	BELL AEROSPACE	T/S TRANSPONDER		NCR
AN/GRM-112	6625-01-034-0942	65597	WILCOX	RECEIVER PIR	ILS	USER
AN/GRM108/ 914783	6625-00-006-8682	80058	JETDS	T/S RADIO	ILS	12MO
AN/PRM10	6625-00-339-2046		STANFORD	GENERATOR SIGNAL 2-400MHz		NCR
AN/PSM2	6625-00-868-8316	19070	AIR DEVICES	OHMMETER		24MO
AN/PSM2A	6625-00-643-2250	19070	AIR DEVICES	OHMMETER		NCR
AN/PSM3	6625-00-649-5113	65092	WESTON	VOLTMETER		24MO
AN/PSM45	6625-01-139-2512	55026	SIMPSON	DIGITAL MULTIMETER		24MO
AN/TPM32	6625-00-444-4390	00752	AIL/EATON	T/S RADIO BEACON		NCR
AN/UPM137A	6625-00-086-1215	45413	TELEDYNE	T/S RADAR		USER
AN/UPM155/UPM-149	6625-01-307-0512	57057	NAVCOM	T/S RADAR (BEACON T/S)	TEST	12MO
AN/UPM15A	6625-00-682-2581	80058	JETDS	GENERATOR PULSE		NCR
AN/UPM18	6625-00-649-2814	80058	JETDS	T/S RADAR PLUSE		NCR
AN/UPM50	5985-00-519-5475	80058	JETDS	LOAD DUMMY RF 10W 2MHz (12.5 OHMS)		NCR
AN/UPM68	6625-00-583-0088	04309	DIVCO	T/S RADAR MTI	ARSR	USER
AN/URM26B	6625-00-557-0523	80058	JETDS	GENERATOR SIGNAL 4-405MHz		12MO
AN/URM26B	6625-00-648-8729	80058	JETDS	GENERATOR SIGNAL 4-405MHz		12MO
AN/URM26B	6625-01-135-0001	80058	JETDS	GENERATOR SIGNAL 4-405MHz		12MO
AN/URM43	6625-00-553-0379	70998	BIRD	WATTMETER RF		NCR
AN/URM64	6625-00-283-9621	82005	ALLARD	GENERATOR SIGNAL .9-2.1GHz		12MO
AN/URM64	6625-00-323-0272	94033	LAPOINTE	GENERATOR SIGNAL .9-2.1GHz		12MO
AN/USM193	6625-00-892-5263	28480	HP	POWER METER RF	TEST	12MO
AN/USM281A	6625-00-228-2201	28480	HP	OSCILLOSCOPE	TEST	XXXX
AN/USM281C	6625-00-106-9622	80009	TEKTRONIX	OSCILLOSCOPE	TEST	12MO
AN/USM281E	6625-00-134-1407	80009	TEKTRONIX	OSCILLOSCOPE	TEST	12MO
AN/USM323	6625-00-115-6768	28480	HP	GENERATOR SIGNAL	TEST	12MO
AN/USM323A	6625-00-591-8380	28480	HP	GENERATOR SIGNAL		12MO
AN/USM326A	6625-01-039-0467	50423	BALLANTINE	COUNTER		12MO
AN/USM33	6625-00-648-9172	95325	BRUNO	ANALOG MULTIMETER		12MO

MODEL/PART NUMBER	NSN	CAGE CODE	MANUFACTURER	NAME/DISCRIPTION	EQUIPMENT APP-TO	CALIBR INTER
AN/USM339	6625-00-115-2406	28480	HP	OSCILLOSCOPE		12MO
AN/USM398	6625-00-148-9406	50423	BALLANTINE	OSCILLOSCOPE 18MHz		XXXX
AN/USM425	6625-01-032-6914	80009	TEKTRONIX	OSCILLOSCOPE 100MHz	TEST	12MO
AN/USM425MOD WN	6625-01-032-6914	80009	TEKTRONIX	OSCILLOSCOPE 100MHz	TACAN	12MO
AN/USM426V1	6625-01-034-4783	28480	HP	OSCILLOSCOPE		12MO
AN/USM459	6625-01-061-8928	28480	HP	COUNTER UNIVERSAL		24MO
AN/USM486/U	6625-01-145-2430	89536	FLUKE	DIGITAL MULTIMETER (8050A/FM)		12MO
AN/USM488	6625-01-187-7847	80009	TEKTRONIX	OSCILLOSCOPE		12MO
ANT-1		08125	FAA	T/S ANTENNA		USER
AO	NSL	07239	AVO BIDDLE	TACHOMETER		USER
AP-123-A			ROBERTSHAW	RECORDER TEMPERATURE		USER
AP3300			LASER PREC	SOURCE LIGHT		NCR
AR1 A,B,C	NSL		ARF	DEVIATION METER		12MO
ARR48AC35F3	6130-00-141-3541	80531	C&D BATTERIES	CHARGER BATTERY		USER
AS5	5985-00-813-4396	93459	WEINSCHEL	ATTENUATOR FX 20dB 2W 12.4GHz		NCR
AS5A	5985-01-054-5579	93459	WEINSCHEL	ATTENUATOR SET 12.4GHz (3-6-10-20)		NCR
ASI11370101	NSL		AVN SYS	ANALYZER SIGNAL		NCR
AT201SR	5985-00-957-1860	12598	RCL ELEC	ATTENUATOR STEP (120/10) .5W 1GHz		NCR
AT50A		93493	NARCO	TRANSPONDER W/ANTEN		USER
AT6896	6635-00-038-3917	64959	AT&T	TENSIOMETER		USER
AT8604			DILLON	TENSIOMETER		USER
AT8604			STRAND	DYNAMOMETER		USER
ATC600A	6625-01-069-5582	51190	IFR SYS	T/S TRANSPONDER		12MO
AU5921			HUGH&PHILL	DEVICE AIMING		USER
AU6061			HUGH&PHILL	DEVICE AIMING		USER
AU6114			HUGH&PHILL	DEVICE AIMING		USER
AV3X	6625-00-939-6431	15566	AMPROBE	VOLTMETER RECORDING		12MO
AV5921			HUGH&PHILL	DEVICE AIMING		USER
AW	6625-00-643-1820	72264	ESTERLINE	AMMETER RECORDING	TEST	USER
AWDCMA	6625-00-902-1945	72264	ANGUS	AMMETER (2.5-0-2.5)	TEST	24MO
AX		13648	COLUMBIA	AMMETER		24MO
B667065	NSL	07239	AVO BIDDLE	T/S INSULATION		NCR
B670087	NSL	07239	AVO BIDDLE	T/S INSULATION		NCR
B906-66A	6625-01-316-0362	61941	WATTS ANTENNA	T/S DIPOLE ANTENNA	ILS EF	NCR
BA105A	6625-00-450-4335	16665	SINGER	METER	TEST	NCR
BB2			OMEGA	T/S TARGET		USER
BBA2PBPX		14482	WATKINS-JOHNSON	AMPLIFIER BROADBAND		NCR
BD1		93371	DELMHORST	METER MOISTURE		NCR
BE9000L2	6625-01-314-7737	58848	ALPHA SIERRA CORP	T/S TRANSMISSION	ICSS	12MO
BE9000L2	6625-01-314-7737	73546	DBA CSE VIDAR	T/S TRANSMISSION	ICSS	12MO
BETA5000			GEN/AV/ELE	TRANSPONDER ATC		USER
BF80			CORNELL	TRANSFORMER CHECKER		NCR
BM299068	NSL	00752	AIL/EATON	NOISE FIGURE METER		36MO
BP21226		58474	SUPERIOR ELECT	TRANSFORMER POWERST		NCR

MODEL/PART NUMBER	NSN	CAGE CODE	MANUFACTURER	NAME/DISCRIPTION	EQUIPMENT APP-TO	CALIBR INTER
BP34CP1886	6130-00-022-8180	23934	POWER MATE	POWER SUPPLY 34VDC 0.5A		NCR
BPA-40F	6130-01-098-5752	23934	POWER MATE	POWER SUPPLY		NCR
BST11		82386	SUN ELECT	T/S BATTERY PORT		USER
BT44P			QUANTUM	PROBE GAS LEAK		NCR
BTS50		03691	EIL INST	T/S CIRCUIT BREAKER		USER
C-891	NSL	0G2F8	AMETEK	TACHOMETER		USER
C130A		05721	BECKMAN	ANALYZER CAPACITANCE		24MO
C200		57112	UNIVERSAL DATA SYS	MONITOR GENERATORERATOR C		NCR
C200D	7025-01-353-4527	57112	UNIVERSAL DATA SYS	DISK DRIVE UNIT		NCR
C22-400HR	6625-00-716-7816	28480	HP	VOLTMETER VACUUM TUBE		12MO
C3059	NSL	07239	AVO BIDDLE	T/S EARTH		NCR
C403-2794			BRENCO	INDICATOR DIGITAL VOLTAGE		12MO
CA-12B		90435	QUEST	CALIBRATOR		USER
CA0323		24655	GENRAD	T/S IMPEDANCE		USER
CA1008	6625-00-867-2795	08125	FAA	ANTENNA METER LOOP		USER
CA1019			LENKURT	METER LEVEL VOLUME		USER
CA1024	NSL	08125	FAA	ANTENNA METER		USER
CA1048		08125	FAA	PROBE DETECTOR		NCR
CA114B		70998	BIRD	WATTMETER RF		NCR
CA1280		89554	PIONEER	ANALYZER IMPEDANCE MEASURING		USER
CA1318			TELEREGIST	MONITOR RECEIVER LE		USER
CA1336		08125	FAA	PROBE DETECTOR		NCR
CA1367			FED T&R	LINE FLUTED		NCR
CA1412		08125	FAA	PROBE VHF		NCR
CA1412A		08125	FAA	PROBE DETECTOR		NCR
CA1564		80249	HAZELTINE	GENERATOR SIGNAL		USER
CA1584		70998	BIRD	WATTMETER RF		NCR
CA1584WOEL		08125	FAA	WATTMETER RF		NCR
CA1628		30040	TELECTRO	GENERATOR SIGNAL		USER
CA1638		94518	VORON ELECT	DETECTOR PROBE VHF		NCR
CA1665		08125	FAA	GAUGE ANTENNA VOR		USER
CA1684-2			LAND-AIR	T/S SEMI-CONDUCTOR		NCR
CA1690		24655	GENRAD	LINE SLOTTED		NCR
CA1690A		24655	GENRAD	LINE SLOTTED		NCR
CA1691		28569	HICKOK	OSCILLOSCOPE		XXXX
CA1698-2		04412	TELEDYNE	POLARSCOPE		USER
CA1700-6			DICTAPHONE	RECORDER T/S		USER
CA1700-7		08125	FAA	RECORDER T/S		USER
CA1702	6625-00-867-2548	08125	FAA	T/S VOICE FREQUENCY	TEST	USER
CA1755AB		08125	FAA	T/S RADAR BEACON		NCR
CA1755B	6625-00-867-2154	5G766	ADMIRAL	T/S RADAR BEACON		USER
CA2040			CIVIL AERO	TRANSMISSION LINE FL		NCR
CA2042			RADIO FREQ	TRANSMISSION LINE FL		NCR
CA2042A		12598	R L C ELECT	TRANSMISSON LINE FL		NCR

MODEL/PART NUMBER	NSN	CAGE CODE	MANUFACTURER	NAME/DISCRIPTION	EQUIPMENT APP-TO	CALIBR INTER
CA2088	6625-00-056-6282		TELEX	ATTENUATOR AUDIO		NCR
CA2091				T/S CURRENT FL		NCR
CA2331			SCHAFFER	LOAD RESISTIVE		NCR
CA2942	NSL		AIRWAY FAC	COUPLING SECTION		NCR
CA2943		08125	FAA	DETECTOR FIELD		NCR
CA319			FEDERAL TL	LOAD DUMMY RF PHANTOM		NCR
CA323			WASHINGTON	ANALYZER IMPEDANCE		NCR
CA3441		09043	KINN ELEC	DETECTOR RF		NCR
CA3451			ZERO DDM	CALIBRATOR		USER
CA3452		08125	FAA	T/S RECEIVER		12MO
CA3462		08125	FAA	ANALYZER IMPEDANCE MEASURING		NCR
CA3552		08125	FAA	MONITOR MODULATION		USER
CA403	NSL		TELEX	ATTENUATOR AUDIO		NCR
CA406			TELETYPE	ANALYZER DISTORTION		NCR
CA4143		49956	RAYTHEON	LOAD DUMMY RF MODULATOR		NCR
CA4153		49956	RAYTHEON	LOAD DUMMY RF MODULATOR		NCR
CA4170		49956	RAYTHEON	LOAD DUMMY RF MODULATOR		NCR
CA4460			LAVOIE	GENERATOR PULSE		NCR
CA4470	6625-00-074-3756	13499	ROCKWELL	PROBE ATTACHMENT	RML4	NCR
CA4501		08125	FAA	ANALYZER POWER		30MO
CA4543		08125	FAA	FILTER 308KC STOP		NCR
CA4614		14100	STROMBERG-CARLSON	GENERATOR SIGNAL		NCR
CA4662		14100	STROMBERG-CARLSON	PIU RF TUNING		NCR
CA5021		94518	VORON ELECT	LINE PERFORATED VHF		NCR
CA5029			EPR	T/S INTERCOMMUNICATION		NCR
CA5116			WOLFE-MANN	LOAD RESISTIVE 1-4W-21KW		NCR
CA545		08125	FAA	T/S ANTENNA TUNNING (Z-BOX)		USER
CA546	6625-00-435-4108	08125	FAA	T/S ANTENNA TUNNING (Z-BOX)	TEST	USER
CA55		33347	SENCORE	ANALYZER CAPACITANCE		24MO
CA57-5000			DIXIE MFG	LOAD RESISTIVE 4W-21KW		NCR
CA780		33347	SENCORE	ANALYZER METALIC CABLE		USER
CAA9A			IDEAL PREC	TACHOMETER		USER
CAAA5116			CROWN GRAP	LOAD RESISTIVE		NCR
CAG1840A		24655	GENRAD	POWER METER AUDIO OUTPUT		36MO
CAPT6		05721	BECKMAN	ANALYZER CAPACITANCE		24MO
CAQI428BDD963	NSL	28480	HP	AMMETER		24MO
CB-22566	NSL	00426	AVO MULTI-AMP	CIRCUIT BREAKER		12MO
CB-8160	6625-01-135-0213	00426	AVO MULTI-AMP	T/S CIRCUIT BREAKER	ACEPS	12MO
CBB1-60	6625-00-086-3422	77992	SOLAR MFG	ANALYZER IMPEDANCE MEASURING		NCR
CCAS60089				METER MEGOHM VACUUM TUBE		NCR
CCUH8100	NSL	89536	FLUKE	FREQUENCY METER		12MO
CD1			PENN TECH	TENSIOMETER DEFLECT		USER
CDA770			CIRCT DATA	ANALYZER DIGITAL PA		USER
CE10452400				T/S CE I/O		NCR

MODEL/PART NUMBER	NSN	CAGE CODE	MANUFACTURER	NAME/DISCRIPTION	EQUIPMENT APP-TO	CALIBR INTER
CE15		26192	CUSHMAN	ANALYZER SPECTRUM		12MO
CE21A		26192	CUSHMAN	VOLTMETER SELECTIVE		12MO
CE23A		26192	CUSHMAN	ANALYZER SPECTRUM		12MO
CE24A	6625-01-080-0289	26192	CUSHMAN	SELECTIVE LEVEL METER		12MO
CE24B		26192	CUSHMAN	SELECTIVE LEVEL METER		12MO
CE50A1		26192	CUSHMAN	MONITOR COMMUNICATION SERVICE		12MO
CE5110		26192	CUSHMAN	MONITOR COMMUNICATION SERVICE		12MO
CE7		26192	CUSHMAN	MONITOR COMMUNICATION SERVICE		12MO
CE7		16665	SINGER	MONITOR COMMUNICATION SERVICE		12MO
CE7120		26192	CUSHMAN	MONITOR FIELD SERVICE		12MO
CEX17B		57112	UNIVERSAL DATA SYS	T/S DIGITAL DATA		NCR
CEX17C		57112	UNIVERSAL DATA SYS	T/S COMMUNICATION		NCR
CFA2		08125	FAA	T/S SIMULATOR		NCR
CFA3462			W.I.T	TUNER ANTENNA (Z-BOX)		USER
CFM80		58612	SHORTRIDGE	METER AIR BALANCE FL		USER
CFM85BP5		58612	SHORTRIDGE	FLOWMETER		USER
CG5011	6625-01-339-2429	80009	TEKTRONIX	GENERATOR CALIBRATION PIU		USER
CLB72			EMCO	COUPLER DIR		NCR
CLE801003			SQUARE D	T/S INSULATION		NCR
CM1412A		08125	FAA	PROBE DETECTOR		NCR
CM2000	6625-01-363-1892	33347	SENCORE	ANALYZER COMPUTER MONITOR	SCTRACON	NCR
CM7600	5820-01-231-3954	56282	UTEK SYS	T/S SELECTION LOGIC (BUEC)	MRCS	NCR
CMC250	NSL	80009	TEKTRONIX	COUNTER		12MO
CME110A	NSL	07239	AVO BIDDLE	T/S		NCR
CMX162C1			MAGNAVOX	MONITOR RECEIVER		NCR
CND		05083	BACHARACH	INDICATOR CO2 FYRIT		USER
CO9541			MERIDIAN	UHF PHASR		NCR
COS5060		61993	KIKUSUI	OSCILLOSCOPE		12MO
COS6100M		61993	KIKUSUI	OSCILLOSCOPE 100MHz		12MO
CP7670	4910-01-077-7396	82386	SUN ELECT	T/S TACHOMETER		USER
CP7673	4910-01-078-5420	46571	PENTRON	T/S TACHOMETER		USER
CP91			CHARLESWAT	METER STATIC LOCATER		NCR
CPM20	6625-01-448-0558	09553	MARCONI	POWER MTR/COUNTER		12MO
CR1584E		70998	BIRD	WATTMETER RF		NCR
CR70CRT		33347	SENCORE	RESTORER/T/S		NCR
CRIII		02734	RCA	T/S TUBE CHECKER		NCR
CS1044		75235	KENWOOD	OSCILLOSCOPE		12MO
CS7A				T/S PROTECTIVE RELAY		NCR
CSM1	6625-01-161-4834	00752	AIL/EATON	T/S COMMUNICATION	TEST	12MO
CT17			HOYT	T/S BATTERY		USER
CT23A			GRAYBAR	TRACER KIT		NCR
CT3000	5950-01-369-3476	23207	DRANETZ	CURRENT TRANSFORMER CLAMP-ON		12MO
CT485RS			WHITE BOX	RECORDER TEMP/HUMID		USER
CU1498U	5915-00-722-0171	28480	HP	NETWORK IMPEDANCE		12MO

MODEL/PART NUMBER	NSN	CAGE CODE	MANUFACTURER	NAME/DISCRIPTION	EQUIPMENT APP-TO	CALIBR INTER
CVS1		55814	SOLA BASIC	TRANSFORMER CONSTANT		NCR
D		72264	ESTERLINE	TRANSFORMER CURRENT		NCR
D			EXERGEN	T/S MICROSCANNER		NCR
D03-007851	6625-01-341-7443	29989	SONICRAFT	DEVICE AIMING f/FA-10147	PAPI	USER
D105		06819	NORTHEAST ELECT	DATASCOPE		NCR
D12105		55026	SIMPSON	T/S TACHOMETER		USER
D350F			EXERGEN	T/S MICROSCANNER		NCR
D424		08125	FAA	ANALYZER POWER PAC		NCR
D54		24446	GE	OSCILLOSCOPE		12MO
D550F			ENERGEN	T/S MICROSCANNER		NCR
D601B	6625-01-059-1357	56645	SPECTRON	DATASCOPE AWANS		NCR
D6290A		11837	E.S.I.	LOAD DUMMY RF		NCR
D67			TELEQUIPMENT	OSCILLOSCOPE		12MO
D855	NSL		DYNA-EMP	GAUSS METER		USER
D95-2		70998	BIRD	WATTMETER RF PIU ELEMENT		NCR
DA145				LOAD DUMMY RF		NCR
DA145U		24446	GE	LOAD DUMMY RF		NCR
DA412AU		80058	JETDS	LOAD DUMMY RF		NCR
DAS9100	NSL	80009	TEKTRONIX	ANALYZER DIGITAL		USER
DASH-IV	NSL		ASTRO-MED	RECORDER CHART		USER
DB4015-1	5915-00-309-0514	24004	DECIBEL PROD	FILTER BANDPASS 118-148MHz		NCR
DB4015-3		24004	DECIBEL PROD	FILTER TRIPLE CAVITY		NCR
DB4311-A		24004	DECIBEL PROD	ISOLATOR FERRITE		NCR
DB4311-B		24004	DECIBEL PROD	ISOLATOR FERRITE		NCR
DB4610-2A		24004	DECIBEL PROD	ISOLATOR DUAL STAGE		NCR
DB4611-2A		24004	DECIBEL PROD	ISOLATOR VHF DUAL J		NCR
DBF710-2	6625-00-318-6423	01220	SYSTRON DONNER	WAVEMETER		12MO
DBG2	6625-00-247-4712	05157	COHU	GENERATOR DOT BAR		NCR
DBH675-10		01220	SYSTRON DONNER	COUPLER DIRECTIONAL		NCR
DBH710-2		01220	SYSTRON DONNER	WAVEMETER		12MO
DBHJ018	5820-00-994-8337	01220	SYSTRON DONNER	WAVEGUIDE		NCR
DC100	6625-01-145-3862	16734	TIF INSTRU	DIGITAL VOLT/OHMIMETER		12MO
DC502/01	6625-01-010-3581	80009	TEKTRONIX	COUNTER PIU		12MO
DC503	6625-00-530-2635	80009	TEKTRONIX	COUNTER PIU 125MHz		12MO
DC504	6625-01-022-3254	80009	TEKTRONIX	COUNTER PIU 100MHz		12MO
DC505A	6625-01-035-9242	80009	TEKTRONIX	COUNTER PIU		12MO
DC508A/01	6625-01-089-2867	80009	TEKTRONIX	COUNTER PIU		12MO
DC509	6625-01-111-7054	80009	TEKTRONIX	COUNTER PIU 135MHz		12MO
DCHI	6625-00-054-7670	32590	ELECTR INSTR	VOLTMETER	TEST	12MO
DCHI	6625-00-054-7670	16665	SINGER	VOLTMETER		12MO
DCM		61535	EXTECH	AMMETER		24MO
DCP10				AMMETER		24MO
DCR1502.5A			SORENSEN	POWER SUPPLY		NCR
DDF4000			DOPPLER SY	FINDER DIRECTION		USER

MODEL/PART NUMBER	NSN	CAGE CODE	MANUFACTURER	NAME/DISCRIPTION	EQUIPMENT APP-TO	CALIBR INTER
DDX900	NSL		AMPEX	T/S		NCR
DE1900		08125	FAA	T/S POWER SUPP		NCR
DEA2669		70998	BIRD	WATTMETER RF		NCR
DED-2366-12	6625-01-070-4971	08125	FAA	T/S SCOPE MODULE	TEST	NCR
DEDU			INFO STOR	DISK EXERCISER DIAGNOSTIC		NCR
DF1	6625-01-044-9427	80009	TEKTRONIX	DISPLAY FORMATER PIU		XXXX
DF2	7025-01-081-2840	80009	TEKTRONIX	DISPLAY FORMATER PIU	TEST	XXXX
DFLH16D			L TRONICS	FINDER DIRECTION		USER
DL40-1A		52542	SYSTRON DONNER	POWER SUPPLY		NCR
DL714			METROSONIC	DATA LOGGER		USER
DLP50-60-1000	6625-01-142-1070	09004	TRANS DEVICES	T/S POWER SUPPLY (DYNALOAD)		NCR
DLP50-60-1000A	6625-01-142-1070	09004	TRANS DEVICES	T/S POWER SUPPLY (DYNALOAD)	CDC	NCR
DLRO	NSL	07239	AVO BIDDLE	OHMMETER LOW RES		NCR
DM254X			SPECTRONIS	RADIOMETER SHORTWAVE		NCR
DM27XL		05721	BECKMAN	VOLTMETER		12MO
DM330	NSL	06692	DYNASCIENCE	MULTIMETER		24MO
DM44	6625-01-323-3979	80009	TEKTRONIX	DIGITAL MULTIMETER PIU		12MO
DM501A	6625-01-112-7153	80009	TEKTRONIX	DIGITAL MULTIMETER PIU		12MO
DM502	6625-01-010-6782	80009	TEKTRONIX	DIGITAL MULTIMETER PIU		12MO
DM502A	6625-01-122-3492	80009	TEKTRONIX	DIGITAL MULTIMETER PIU		12MO
DM55L			ECG	DIGITAL MULTIMETER		12MO
DMS1A1	6625-00-199-2370	55296	BRUNSWICK	T/S TELEGRAPH		NCR
DMS303	NSL	96238	STELMA	ANALYZER TELEGRAPH DATA		XXXX
DMS303A	6625-00-214-8420	96238	STELMA	ANALYZER TELEGRAPH DATA	TEST	XXXX
DPA106	NSL		SACE INC	ANALYZER DIAL PULSE		NCR
DPM1		57112	UNIVERSAL DATA SYS	TACHOMETER DIGITAL		USER
DR3C		80138	KAY ELEMETRICS	RECORDER TEMPERATURE		USER
DR450T		28009	HONEYWELL	RECORDER TEMPERATURE		USER
DSA2007		58935	SPERRY A W	DIGITAL MULTIMETER		24MO
DST720-2		15057	GULTON	READER TIME CODE		USER
DT125		16152	DIGITECH	GENERATOR		USER
DT1300			KINEDIESE	T/S DIESEL		USER
DT5AP		7P458	SHIMPO AMERICA	CALIBRATOR TACHOMETER	LLWAS	USER
DTHI			DICKSON	INDICATOR HUMIDITY		NCR
DTO-1		96795	GOULD	OSCILLOSCOPE RECORDER		NCR
DTS531P	6625-00-318-6434		CTI	T/S DISTORTION	TEST	USER
DV85C	4310-01-008-2932	32402	JB INDUST	PUMP VACUUM		USER
DWG DE-D1900		08125	FAA	T/S		NCR
DY5636	6625-00-877-9484	28480	HP	T/S POWER RF	TEST	NCR
E1010VA	6130-00-054-7794	83008	STACO	POWER SUPPLY		NCR
E1206	NSL		ALLEN ELEC	ANALYZER COMBUSTION		USER
E14-5245L	6625-00-999-5364	28480	HP	FREQUENCY METER		12MO
E15-8616A	NSL	28480	HP	GENERATOR SIGNAL		24MO
E3611A				DC POWER		NCR

MODEL/PART NUMBER	NSN	CAGE CODE	MANUFACTURER	NAME/DISCRIPTION	EQUIPMENT APP-TO	CALIBR INTER
E623	NSL		ALLEN ELEC	ANALYZER COMBUSTION		USER
E633			CASE MFG	T/S VACUUM		USER
EBA63A	NSL	07239	AVO BIDDLE	OHMMETER		NCR
ECD100	6625-01-233-9916	30722	EMERSON/DORIC	ANALYZER CAPACITANCE		24MO
ECM53			ECM CORP.	METER MODULATION		12MO
ECM58			ECM CORP.	METER MODULATION		12MO
ECM5BMK11			ECM CORP.	METER MODULATION		12MO
ECM5BMK2			ECM CORP.	METER MODULATION		12MO
ECM5BMKII		99479	BOWMAR	METER MODULATION		NCR
ED200ABHJ			TELETYPE	ANALYZER DISTORTION		NCR
EFF1			GOODWAY	T/S ELECTRONIC E		NCR
EIL11101C	6625-01-167-9725	03691	EIL INST	WATTMETER RF	ATCBI5	NCR
EIL11101D	6625-01-105-7419	03691	EIL INST	METER PANEL	ATCBI5	NCR
ELC 3910	6625-01-312-4733	50319	HEKIMIAN	PIU TRANSMISSION T/S	3901L	12MO
ELDCTS1		64131	ELECTRODATA	T/S COMPUTER		12MO
EM100		9L975	B&B INST	METER THERMOFLOW EN		USER
EMA910-10		16665	SINGER	SELECTOR UNIT FREQUENCY		NCR
EMA910-11		16665	SINGER	EVALUATION UNIT DATA		NCR
EMC-60 MKIV	6625-01-300-4339	18581	PENRIL/ELECTRO-METRICS	METER FIELD STRENGTH 18GHz		12MO
EQ1530B	5820-01-125-0238	11650	DYNAIR	AMPLIFIER POST EQUALIZATION		NCR
ESH25	6625-00-577-5672	32590	EIS	VOLTMETER DC		12MO
ESH28		16665	SINGER	VOLTMETER ELECTROST		12MO
ESHMOO	6625-00-577-5672	32590	EIS	VOLTMETER		12MO
ESP			FISHER	T/S HOT LINE		NCR
ET3/2	NSL	07239	AVO BIDDLE	T/S GROUND RESISTANCE (MEGGER)		NCR
F02-007803	6625-01-313-1559	29989	SONICRAFT	DEVICE AIMING SET	HIWAS	USER
F1130009A2		10236	ELECTRODYNAMICS	GENERATOR MARKER		NCR
F150-4G			SINCLAIR	DUPLEXER		NCR
F1945A			PMI INC	FILTER LOW PASS		NCR
F321A	6625-01-170-2651		DATA ROYAL	T/S OSCILLATOR		NCR
F41608-82	NSL	89536	FLUKE	MULTIMETER		24MO
F420		60458	REACTEL	METER WIND DIRECTION		USER
F468		59310	TAYLOR	ANEMOMETER		USER
F7623A1	NSL	80009	TEKTRONIX	OSCILLOSCOPE STORAGE		12MO
F850A			CAR-TED	CALIBRATOR WINDSPEED		USER
F850ADR001B			LEATHERWD	CALIBRATOR WINDSPEED		USER
F855		60458	REACTEL	CALIBRATOR WINDSPEED		USER
F856A		60458	REACTEL	CALIBRATOR WINDSPEED		USER
F860				DEVICE WINDDIRECTION		USER
FA10030-1		29989	SONICRAFT	RECORDER REPRODUCER		USER
FA10030-2		29989	SONICRAFT	SELECTOR REMOTE CHAN		12MO
FA10032	6685-01-157-2273	48620	PRINCO	BAROMETER MERCURY 0-12000FT		USER
FA10043	6210-01-170-5632	51644	WEST TECH SYS	DEVICE AIMING		USER
FA10048-7	NSL	06102	AIRFLO	DEVICE AIMING		USER

MODEL/PART NUMBER	NSN	CAGE CODE	MANUFACTURER	NAME/DISCRIPTION	EQUIPMENT APP-TO	CALIBR INTER
FA10051	NSL		ASCO LAB	T/S RELAY		USER
FA10097/4		55438	GODFREY	T/S FLASHER		USER
FA10147		93190	SCHAEWITZ	DEVICE AIMING SET		USER
FA10147-3		29989	SONICRAFT	DEVICE AIMING		USER
FA10216		52332	CLIMATRONICS	CALIBRATOR WINDSPEED	LLWAS	USER
FA102651-3	6625-01-368-5807	0DYC5	AVW ELECTRONIC	DEVICE AIMING	PAPI	USER
FA10592	5825-01-382-9793	65597	WILCOX	RECEIVER PISA (TYPE 7010)	ILS MARK 20	12MO
FA1114CD		70998	BIRD	WATTMETER RF		NCR
FA1137	NSL		AVIATION S	ANALYZER RADIO RECEIVER		USER
FA1393	6625-00-867-4032	63002	VICTOR TECH	T/S SEQUENTIAL TIMER		USER
FA1438		08125	FAA	METER MODULATOR		USER
FA1516B			LOG TECH	T/S RECEIVER VHF		USER
FA1564E		70998	BIRD	WATTMETER RF		NCR
FA1584	6625-00-773-0049	70998	BIRD	WATTMETER RF	TEST	NCR
FA1584B	6625-00-773-0049	70998	BIRD	WATTMETER RF		NCR
FA1584C		70998	BIRD	WATTMETER RF		NCR
FA1684A		70998	BIRD	WATTMETER RF		NCR
FA2331			SCHAFFER	LOAD RESISTIVE 95-55		NCR
FA2414	NSL	15779	HP/DELCON	MONITOR RF		USER
FA3085			HOLLINSWTH	LOAD RESISTIVE		NCR
FA3635		80249	HAZELTINE	PANEL VOR TEST		USER
FA3683		08125	FAA	TEST KIT GLIDE SLOP		USER
FA3698	NSL	80009	TEKTRONIX	ANALYZER CARD		USER
FA3C34		09043	KINN ELEC	PROBE DETECTOR VHF		NCR
FA4082	NSL	18658	SCANWELL	ANTENNA METER		USER
FA4101		4J835	CT SYSTEMS	MONITOR MODULATION		USER
FA4717	5985-00-773-6169	00929	MICROLAB	LOAD DUMMY RF 3.2MW(P) 4.5KW(A) 2.7-2.9GH	ASR4	NCR
FA4720		96214	TEXAS INST	LOAD DUMMY RF MODULATOR		NCR
FA4918	5895-00-072-9229	96214	TEXAS INST	INDICATOR AZIMUTH RANGE		USER
FA5111		08125	FAA	GENERATOR SIGNAL		USER
FA5114		70998	BIRD	WATTMETER RF		NCR
FA5114A	6625-00-965-7051	08441	DIELECTRIC COM	T/S POWER RF (WATTMETER RF BIRD 4301)		NCR
FA5114AB		70998	BIRD	WATTMETER RF		NCR
FA5114C		70998	BIRD	WATTMETER RF		NCR
FA5114D	6625-00-965-7051	08441	DIELECTRIC COM	T/S POWER RF (WATTMETER RF BIRD 4301)		NCR
FA5128		24655	GENRAD	LINE SLOTTED		NCR
FA51282		24655	GENRAD	METER f/ SLOTTED LINE		USER
FA5131			BRKR&WMNS	T/S		USER
FA5143	NSL	95692	ARTISAN	ATTENUATOR AUDIO		NCR
FA5146		70998	BIRD	WATTMETER RF		NCR
FA5155		30040	TELECTRO	GENERATOR SIGNAL		USER
FA5159A		08125	FAA	T/S RELAY		USER
FA5163	6625-00-867-3250	08125	FAA	T/S TRANSMISSION	TEST	USER
FA5166	6625-00-777-1435	08125	FAA	T/S RADIO	TEST	USER

MODEL/PART NUMBER	NSN	CAGE CODE	MANUFACTURER	NAME/DISCRIPTION	EQUIPMENT APP-TO	CALIBR INTER
FA5167		09043	KINN ELEC	NETWORK PHASE SHIFT		USER
FA5168	6625-00-014-4488	15779	HP/DELCON	MONITOR MODULATION	TEST	USER
FA5196		04846	BENRUS	OSCILLOSCOPE VHF		XXXX
FA5196A	6625-00-678-7166	04846	BENRUS	OSCILLOSCOPE	TEST	XXXX
FA5197		24655	GENRAD	LINE SLOTTED		NCR
FA5215		94518	VORON ELECT	LINE PERFORATED VHF		NCR
FA5219	NSL		AIRWAY FAC	ATTENUATOR AUDIO		NCR
FA5241	6625-00-056-6282		TELEX	ATTENUATOR AUDIO		NCR
FA5249-3		93663	ITI ELECTRONICS	ADAPTER TEST		USER
FA52491		13499	COLLINS	AMPLIFIER TUNING AUDIO		NCR
FA5251	5915-00-682-7799	81831	FILTRON/RFI	FILTER RF INTERFERENCE		USER
FA5254		09043	KINN ELEC	INDICATOR STANDING WAVE		USER
FA5297		12598	R L C ELECT	LINE SLOTTED		NCR
FA5298-1		09043	KINN ELEC	PORTABLE MAST FOR FA		USER
FA5382			INDUST IND	T/S RADIO		USER
FA5384	6625-00-014-4488	15779	HP/DELCON	MONITOR MODULATION		USER
FA5386	NSL	95692	ARTISAN	T/S RECEIVER V		12MO
FA5394-6		08125	FAA	T/S OSCILLATOR		12MO
FA5428	6625-00-777-1400	09374	SYSTEMS INC	GENERATOR SIGNAL		USER
FA5447	NSL		COMCO	ATTENUATOR AUDIO		NCR
FA5448	6625-00-014-4488	15779	HP/DELCON	MONITOR MODULATION		USER
FA5461-2				POWER SUPPLY		NCR
FA5477		28569	HICKOK	OSCILLOSCOPE		XXXX
FA5496		28569	HICKOK	OSCILLOSCOPE		12MO
FA5497		12598	R L C ELECT	LINE SLOTTED		NCR
FA5497-2		12598	R L C ELECT	METER INDICATING		USER
FA5507-3			MATTERN	T/S SEMI-CONDUCTOR		NCR
FA5512		12598	R L C ELECT	LINE SECTION, RF		NCR
FA5516	6625-00-777-1231		LOG TECH	T/S COMMUNICATION		USER
FA5516A		08125	FAA	T/S RECEIVER V		USER
FA5524-7				RECORDER TEST JIG		NCR
FA55248		08125	FAA	GENERATOR OSCILLATOR RECORDER		USER
FA5573		08125	FAA	FINDER DIRECTION ADA		USER
FA5596		28569	HICKOK	OSCILLOSCOPE		12MO
FA5628	6625-00-777-1400	09374	SYSTEMS INC	GENERATOR SIGNAL		USER
FA5634		09043	KINN ELEC	DETECTOR PROBE		NCR
FA5647	6625-00-911-7949	16152	DIGITECH	GENERATOR	TEST	USER
FA5648	NSL	16152	DIGITECH	ANALYZER DIGITAL		USER
FA5652		08125	FAA	T/S VOICE FREQUENCY		USER
FA5657	5895-00-918-3417	18708	QUINDAR	T/S REGULATED A		USER
FA5657-4		22042	ORBITRONIC	ADAPTER TEST REGULATOR		USER
FA5658	5895-00-943-9879	18708	QUINDAR	T/S AUDIO AMP		USER
FA5662	6625-00-925-6735	08125	FAA	T/S TELEPHONE	TEST	USER
FA5662A		08125	FAA	T/S TONE RECEIVER		USER

MODEL/PART NUMBER	NSN	CAGE CODE	MANUFACTURER	NAME/DISCRIPTION	EQUIPMENT APP-TO	CALIBR INTER
FA5662B		08125	FAA	T/S TONE RECEIVER		USER
FA5662B1		08125	FAA	T/S TONE RECEIVER		USER
FA5662C			LOG TECH	T/S TONE RECEIVER		USER
FA5681	6625-00-357-1688	08125	FAA	ADAPTER TEST		USER
FA6270		11332	GEN MICRO	ATTENUATOR STEP		NCR
FA6311				GENERATOR SIGNAL IF		USER
FA6401	6625-00-247-2756	09552	ATEC	COUNTER		12MO
FA6411		70998	BIRD	LOAD DUMMY RF RTC3		NCR
FA6418	6625-00-420-4152	72314	LORAL/FAIRCHILD	OSCILLOSCOPE	TEST	12MO
FA6622	NSL	00752	AIL/EATON	OSCILLOSCOPE		12MO
FA6684	NSL	00752	AIL/EATON	POWER SUPPLY		NCR
FA7015		49956	RAYTHEON	INDICATOR RADIATION		USER
FA7143		49956	RAYTHEON	MODULATOR LOAD DUMMY MODULATOR		NCR
FA7216		30107	WHITTAKER	COUPLER DIR		NCR
FA7270	6625-00-867-2128	08125	FAA	T/S RADIO BEACON GROUP (FA7271,FA07272,FA7273)		USER
FA7270/CA1755	6625-00-867-2128	08125	FAA	T/S RADAR BEACON	ATCBI3	USER
FA7271	6625-00-867-2154	5G766	ADMIRAL	T/S RADAR BEAC		USER
FA7274		08125	FAA	T/S RADAR BEACON		USER
FA72WA3097		65092	WESTON	METER LIGHT RVR		USER
FA762			MARINE VI	LOAD BANK		NCR
FA7846		08125	FAA	AMPLIFIER		NCR
FA7867		14481	WINSLOW	TOOL ALLIGNMENT		NCR
FA7922	6625-00-264-7130			CMMN LOG UN	CDC	NCR
FA7926	6625-00-264-7158	23350	TERADYNE	T/S CIRCUIT		NCR
FA7927		49956	RAYTHEON	T/S COMPUTER ENTRY		USER
FA7928		49956	RAYTHEON	T/S CHARACTER		NCR
FA7948		08125	FAA	GENERATOR TEST FIXTURE		USER
FA7949		49956	RAYTHEON	T/S PCB JIG		NCR
FA7955			ELECT LABS	READER TIME CODE		USER
FA8094	6625-00-435-2153	08125	FAA	T/S ANTENNA	TEST	USER
FA8138		70998	BIRD	WATTMETER RF		NCR
FA8139	6625-00-162-1624		CHAIN LAKE	T/S POWER RF	TEST	NCR
FA8141		70998	BIRD	WATTMETER RF		NCR
FA8141A		70998	BIRD	WATTMETER RF		NCR
FA8165		21870	GRIM	T/S MODULATION		NCR
FA8165/B14		21870	GRIM	T/S MODULATION		NCR
FA8165A		21870	GRIM	T/S MODULATION		NCR
FA8167/3				T/S MODULATION		USER
FA8169	6625-00-463-3522	08125	FAA	T/S RADAR BEACON	TEST	USER
FA8309	6625-01-308-7822	08125	FAA	T/S RADAR (RFDU)	ARTS3A	12MO
FA8314	5840-01-301-0775	90536	UNISYS CORP	CONTROL UNIT		USER
FA8320	6625-00-451-3138	08125	FAA	INDICATOR VERTICAL	ARTS3	NCR
FA8321	6625-00-434-4332	08125	FAA	INDICATOR HORIZONTAL	ARTS3	NCR
FA8329		08125	FAA	GENERATOR SWEEP		NCR

MODEL/PART NUMBER	NSN	CAGE CODE	MANUFACTURER	NAME/DISCRIPTION	EQUIPMENT APP-TO	CALIBR INTER
FA8340		08125	FAA	BRITE ALPHA NUMERIC		NCR
FA8655		00929	MICROLAB	TEST KIT GLIDE SLOP		USER
FA8700		08125	FAA	MIXER DUMMY		NCR
FA8708	NSL		ELECT MFG	RECEIVER PIR	ILS	USER
FA8716-4/FAAE2121A	6130-01-004-9774	08125	FAA	POWER SUPPLY	TSUNIT	NCR
FA8733	6625-00-190-0346	18658	SCANWELL	METER V-RING ANTENNA	ILS	USER
FA8736			MULTI ELEC	T/S FLASHER SEQUENCE		USER
FA8736SFT1		08125	FAA	T/S FLASHER SEQUENCE		USER
FA8753				T/S RADAR		12MO
FA8761				TRANSMITTER TARGET		USER
FA8763		31550	ITT	T/S REMOTE LINK		USER
FA8766	5825-01-009-2862	12909	CARDION	RECEIVER PIR	ILS	USER
FA8768		70998	BIRD	WATTMETER RF		NCR
FA8768A		70998	BIRD	WATTMETER RF		NCR
FA8768A1	6625-00-344-3115	70998	BIRD	WATTMETER RF	ILS	NCR
FA8768A3	6625-00-344-3113	70998	BIRD	WATTMETER RF	ILS	NCR
FA8768A4	6625-00-344-3114	70998	BIRD	WATTMETER RF	ILS	NCR
FA8768A4303	6625-00-322-8063	70998	BIRD	WATTMETER RF	TEST	NCR
FA8768B	6625-01-032-8442	70998	BIRD	WATTMETER RF	BENCH AC	NCR
FA8768B1	6625-01-035-9743	70998	BIRD	WATTMETER RF	TEST	NCR
FA8768B2		08125	FAA	WATTMETER RF		NCR
FA8768B4	6625-01-037-0092	70998	BIRD	WATTMETER RF	TEST	NCR
FA8769	5915-01-029-4124	31150	MICROWAVE RESEARCH	FILTER BANDPASS 118-144MHz		NCR
FA8851		08125	FAA	LOAD V-RING		NCR
FA8857		08125	FAA	T/S LOC V-RING		USER
FA8876	6625-01-029-6607	65597	WILCOX	T/S GLIDE SLOPE (VARIOUS ADPT, CABLES, ETC)	ILS	USER
FA8878				T/S GLIDE SLOPE		USER
FA8901	6625-00-311-3357	00346	CRESCENT	METER MODULATION	TEST	USER
FA8901A	6625-00-311-3357	81341	FAA	METER MODULATION		USER
FA8913-3		31281	DISAN	DEVICE AIMING	VASI	USER
FA8920X		12909	CARDION	CALIBRATOR PIR	ILS	USER
FA8945			MICRO APPL	FILTER CAVITY UHF		NCR
FA8947	NSL		EDISON	ATTENUATOR AUDIO		NCR
FA8951	6625-00-322-8684	25778	LUCAS AUL	MONITOR MODULATION	TEST	USER
FA8951B		08125	FAA	MONITOR MODULATION		USER
FA8962-6	NSL	70210	AIRESEARCH	T/S PCB		USER
FA8966-1	NSL	59912	3M/DYNATEL/PHOTODYNE	T/S RECORDER		NCR
FA8967			WEST ACFT	DEVICE AIMING		USER
FA89988			TASKER IND	TOOL RVR RECEIVER AL		NCR
FA9231		18323	WESTINGHOUSE	T/S PULSE FORM		NCR
FA9334-17	6625-01-314-0652	21870	GRIM	T/S CIRCUIT PLUG	RCCE	NCR
FA9371		65597	WILCOX	DETECTOR ANTENNA		NCR
FA9392	5825-01-009-2862	65597	WILCOX	RECEIVER PIR	ILS	36MO
FA9392/101839	5825-01-009-2862	12909	CARDION	RECEIVER PIR	ILS	USER

MODEL/PART NUMBER	NSN	CAGE CODE	MANUFACTURER	NAME/DISCRIPTION	EQUIPMENT APP-TO	CALIBR INTER
FA9409			BENDIX	T/S RADAR BEACON		USER
FA9410	6625-01-308-6446	23667	BENDIX	T/S RADAR (BEACON VIDEO)	ATCBI5	12MO
FA9411	6625-01-308-4401	23667	BENDIX	T/S RADAR (BEACON RF)	ATCBI5	12MO
FA9426-4			SEPCO	DEVICE AIMING		USER
FA9438	6625-01-005-7139	00346	CRESCENT	METER MODULATION	ILS	USER
FA94432		94990	MOTOROLA	MANUAL CONTROL CONSO		NCR
FA9449			TASKER	CALIBRATOR TRANSMISSOMETER		12MO
FA9454			SEPCO	WALKER BAR		USER
FA9459			SEPCO	DEVICE AIMING		USER
FA9459A	6210-01-035-6377	51644	WEST TECH SYS	DEVICE AIMING		USER
FA9459A1				DEVICE AIMING		USER
FA9459A2				DEVICE AIMING		USER
FA9459B	6210-01-035-6382	51644	WEST TECH SYS	DEVICE AIMING		USER
FA9491	6625-01-313-4410		LOG TECH	T/S COMMUNICATION AUDIO	ICSS	NCR
FA9549B			CONNECTICU	DEVICE AIMING		USER
FA9559A		51644	WEST TECH SYS	DEVICE AIMING		USER
FA9600-15	6625-01-118-4639	08125	FAA	T/S RADIO	TEST	NCR
FA9618			UNIVOX COR	T/S		USER
FA9628				T/S FLASHER		USER
FA9628-5		55438	GODFREY	DEVICE AIMING	REIL	USER
FA9629-4			SEPCO	DEVICE AIMING		USER
FA9630-3			SEPCO	DEVICE AIMING		USER
FA96391		12909	CARDION	T/S TACAN	TACAN	NCR
FA9639FC	NSL	12909	CARDION	COUNTER		NCR
FA9639TPG		12909	CARDION	GENERATOR PULSE		NCR
FA9665-5		49956	RAYTHEON	T/S PCB		NCR
FA9667		08125	FAA	T/S GLIDE SLOP		USER
FA9740/3120069	5825-01-127-5729	51415	TELLINE RADIO	RECEIVER PIR	ILS	USER
FA9764-5	5840-01-111-3719	96214	TEXAS INST	PROBE ANTENNA 4 ELEMENT		NCR
FA9764-6				PROBE 4 ELEMENT		NCR
FA9766-4		96214	TEXAS INST	PROBE 4 ELEMENT		NCR
FA977			NEMS CLARK	CALIBRATOR WINDSPEED		USER
FA9772	6625-01-032-6914	80009	TEKTRONIX	OSCILLOSCOPE 100MHz		12MO
FA9793	5820-01-231-3954	56282	UTEK SYS	T/S SELECTION LOGIC (BUEC)	MRCS	USER
FA9799		08125	FAA	T/S FOCUS ALIGNMENT		NCR
FA9871		81341	FAA	INTERFACE UNIT	MALSR	NCR
FA9874		08125	FAA	DEVICE AIMING		USER
FA9900		51644	WEST TECH SYS	DEVICE AIMING	VASI	USER
FA99012		06433	GEN ELECTRODYNA	DIGITIZER	RRWDS	NCR
FA9902		55438	GODFREY	DEVICE AIMING		USER
FA9931	NSL	65597	WILCOX	RECEIVER PIR	ILS	USER
FA9945/9947	5825-01-309-9787	65597	WILCOX	RECEIVER PIR	ILS	USER
FA9990	6625-01-100-6408	52025	ADB-ALANCO	T/S FLASHER	MALSR/R	USER
FA9991	6625-01-100-9202	52025	ADB-ALANCO	DEVICE AIMING		USER

MODEL/PART NUMBER	NSN	CAGE CODE	MANUFACTURER	NAME/DISCRIPTION	EQUIPMENT APP-TO	CALIBR INTER
FA9994				DEVICE AIMING		USER
FA9996/11		65597	WILCOX	T/S RACK ENVIROMENTAL		NCR
FAA-E-2628A	6625-01-100-9202	52025	ADB-ALANCO	DEVICE AIMING		USER
FAA-L-851		18192	CROUSE HIN	DEVICE AIMING		USER
FAA1393			MULTI-ELEC	T/S SEQUENCE		USER
FAA9392/098239-0100	5825-01-009-2862	65597	WILCOX	RECEIVER PIR	ILS	USER
FAAP2485	NSL	07239	AVO BIDDLE	OHMMETER		NCR
FAAP2485A	NSL	07239	AVO BIDDLE	OHMMETER		NCR
FATC1		08125	FAA	RESISTOR LOAD BANK		NCR
FBT2-100			CIRCO FLEX	FILTER LOW PASS 100		NCR
FBT21-30			CIRCO FLEX	FILTER LOW PASS		NCR
FC2			GERTSCH	CONVERTER FREQUENCY		NCR
FC221	6625-01-122-4883	33347	SENCORE	SET CAPACITANCE/INDUCTANCE	SCTRACON	NCR
FC71	6625-01-176-8354	33347	SENCORE	COUNTER 1GHz		12MO
FDD100-8D	7025-01-151-2853	59756	SIEMENS	DISK DRIVE	5810A	NCR
FDEPTSTR		08125	FAA	T/S KEYBOARD FDEP	FDEP	NCR
FE160		33347	SENCORE	MULTIMETER		12MO
FE20	6625-01-052-6759	33347	SENCORE	MULTIMETER		36MO
FG501	6625-00-140-7817	80009	TEKTRONIX	GENERATOR FUNCTION PIU		NCR
FG502	6625-01-010-6783	80009	TEKTRONIX	GENERATOR FUNCTION PIU		NCR
FG503	6625-01-013-5225	80009	TEKTRONIX	GENERATOR FUNCTION PIU		NCR
FG50M	6625-00-043-2301	00426	AVO MULTI-AMP	T/S RELAY FREQUENCY		NCR
FIM22		24612	ELECT DATA/POTOMAC	FIELD STRENGTH METER		12MO
FIM3		16665	SINGER	PIU MONITOR		12MO
FIM71		24612	ELECT DATA/POTOMAC	FIELD STRENGTH METER VHF		12MO
FIST		61114	POLYPHASER	T/S GAS ARRESTER		USER
FIST2		61114	POLYPHASER	T/S SURGE ARRESTER		USER
FL860		89077	GOLDAK	LOCATOR CABLE FAULT		USER
FL97	NSL	89536	FLUKE	SCOPEMETER		12MO
FM/AM-1000A		51190	IFR SYS	MONITOR COMM SERVICE		12MO
FM/AM1200A		51190	IFR SYS	T/S COMMUNICATION		12MO
FM/AM1200S		51190	IFR SYS	T/S COMMUNICATION		12MO
FM/AM1500		51190	IFR SYS	T/S COMMUNICATION		12MO
FM/AM500A		51190	IFR SYS	T/S COMMUNICATION		12MO
FM/AM500AW		51190	IFR SYS	T/S COMMUNICATION		12MO
FM/AM500AW-08	6625-01-302-0578	51190	IFR SYS	T/S COMMUNICATION	LLWAS	12MO
FM10C		00752	AIL/EATON	GENERATOR SIGNAL		XXXX
FM10CS		00752	AIL/EATON	GENERATOR SIGNAL		XXXX
FM22E		74096	MUNSTON	GENERATOR SIGNAL		12MO
FM3			GERTSCH	FREQUENCY METER		12MO
FR56		23667	BENDIX	CAVITY TUNED (ECHO BOX)		NCR
FR56CPN18		23667	BENDIX	CAVITY TUNED (ECHO BOX)		NCR
FR90		00426	AVO MULTI-AMP	T/S RELAY		12MO
FSR547			CTI	ADAPTER DATA RECORD		NCR

MODEL/PART NUMBER	NSN	CAGE CODE	MANUFACTURER	NAME/DISCRIPTION	EQUIPMENT APP-TO	CALIBR INTER
FSR547A			COMCO	T/S CURRENT FDEP		NCR
FTS-300-120	6625-01-369-5885	00426	AVO MULTI-AMP	T/S FOCUS ALIGNMENT	ACEPS	12MO
FW495		08125	FAA	GENERATOR BUEC TEST		USER
G72-1P			HIGHVACUUM	VACUUM GAGE		USER
GA52B	6695-01-237-8848	02169	SCHONSTEDT	LOCATOR METAL DETECTING/TRACING		USER
GATE			ISS	DISK EXERCISER DIAGNOSTIC		NCR
GDF1			MEMCOM	FINDER DIRECTION EL		USER
GEA20354		08125	FAA	DEVICE AIMING		USER
GEA8008		55438	GODFREY	DEVICE AIMING		USER
GET030		55438	GODFREY	T/S		NCR
GIL360	6625-00-495-3447	00341	STRUTHERS	POWER SENSOR RF 0.01-10GHz		12MO
GIL360-2	6625-00-495-3447	00341	STRUTHERS	POWER SENSOR RF 0.01-10GHz		12MO
GIL360A	6625-00-495-3447	00341	STRUTHERS	POWER SENSOR RF 0.01-10GHz		12MO
GIL360A2		00341	STRUTHERS	POWER SENSOR RF 0.01-10GHz		12MO
GJ3250A				TORQWRENCH		USER
GM-873CP-04	6625-01-316-0363	53257	DYNAMCO	MONITOR	CD2	USER
GTLK			ROTRONICS	METER TEMPERATURE/HUMIDITY		USER
GX86			GAS TECH	MONITOR CHEMICAL AG		USER
H	6625-01-020-1966	05083	BACHARACH	T/S COMBUSTIBLE GAS		USER
H0-1		93459	WEINSCHEL	MIXER HETRODYNE		NCR
H0-60		08125	FAA	SET CALIBRATION WIND		USER
H0A		93459	WEINSCHEL	MIXER HETRODYNE		NCR
H10		24446	GE	DETECTOR LEAK		USER
H10B		24446	GE	DETECTOR LEAK		USER
H10B	4940-01-353-0613	60336	YOKOGAWA	DETECTOR LEAK REFRIGERANT		USER
H2685538E2	NSL	28480	HP	ANALYZER SPECTRUM		12MO
H311			WMC	HYGROMETER RD		USER
H382A	5985-00-679-0625	28480	HP	ATTENUATOR VAR 10W 7.05-10GHz		NCR
H424A	4931-01-071-4833	28480	HP	DETECTOR CRYSTAL		NCR
H4728			FEDERAL	DYNAMOMETER		USER
H487B	6625-00-532-3650	28480	HP	POWER SENSOR THERMISTOR	TEST	12MO
H7125			FEDERAL	TENSIOMETER		USER
H7396			FEDERAL	TENSIOMETER		USER
HA78			HOCHIKI	DETECTOR COMBUSTION		USER
HAT500	6625-01-251-9159	56164	WILSON LABS	T/S HEAD ALIGNMENT		USER
HB1A	6660-01-316-3652	55977	ATMOSPHERIC	BAROMETER ANEROID HANDHELD STD +/- 0.015"HGA		USER
HB44900			RFL IND	MODULE TEST		NCR
HC515A-01	6625-01-313-1626	42161	CXR TELCOM/HALCYON	T/S TRANSMISSION	TTY	12MO
HC701A		42161	CXR TELCOM/HALCYON	T/S TRANSMISSION		12MO
HD100		05721	BECKMAN	DIGITAL MULTIMETER		12MO
HD110T	6625-01-259-1544	60771	BECKMAN	DIGITAL THERMOMETER -20 to 1260C		12MO
HD7		04423	TELONIC	GENERATOR SWEEP		NCR
HI1501		52433	HOLADAY	METER ISOTROPIC RADIATION		12MO
HI1800		52433	HOLADAY	METER ISOTROPIC RADIATION		12MO

MODEL/PART NUMBER	NSN	CAGE CODE	MANUFACTURER	NAME/DISCRIPTION	EQUIPMENT APP-TO	CALIBR INTER
HI3002		52433	HOLADAY	METER ISOTROPIC RADIATION		12MO
HLD440	1290-01-077-2418	16734	TIF INSTRU	DETECTOR LEAK GAS		USER
HM102S	6625-00-914-4113	31991	SOLTEC	MULTIMETER		24MO
HMK11	6660-01-399-5314	63653	VAISALA	CALIBRATOR HUMIDITY		12MO
HMP-130Y				PROBE HUMIDITY	VORTAC	12MO
HMP-25U	6625-01-154-1306	61073	VAISDLA	PROBE HUMIDITY	VORTAC	12MO
HR40-5B	6130-00-835-2608		TRYGON	POWER SUPPLY		NCR
HR60-8COV	6130-01-021-0424	52542	SYSTRON DONNER	POWER SUPPLY		NCR
HRR410		57705	HUNTRON	T/S SEMICONDUCTOR (TRACKER)		NCR
HT10		56069	TERMIFLEX	T/S 300 BAUD		NCR
HT220W			ROTRONICS	SENSOR TEMP/HUMIDIT		USER
HTM-30		08086	WAHL INSTR	METER		12MO
HTR1005B/A	6625-01-312-2988	57705	HUNTRON	T/S SEMICONDUCTOR (TRACKER)	TEST	NCR
HTR2005B		57705	HUNTRON	T/S SEMICONDUCTOR (TRACKER)		NCR
HVP-52C			HIGH PLUSE	T/S HIGH PLUSE		NCR
HVP-56-C-115	6625-01-369-5886	00426	AVO MULTI-AMP	T/S DIELECTRIC	ACEPS	NCR
HXG-1			J & N ASSO	DETECTOR LEAK		USER
I311		65092	WESTON	TRANSFORMER POWER		NCR
I48B		14481	WINSLOW	T/S INSULATION		NCR
IC592		75376	KURZ-KASCH	T/S INTEGRATED CIRCUIT		NCR
ICA456A			DATA AIDS	ADAPTER INTERFACE		NCR
IM2D			TOPCON	FOOT CANDLE METER		USER
IM4180			HEATHKIT	DEVIATION METER FM		NCR
IMC60MKIV			ELECTRO METRIC	ANALYZER INTERFERENCE		12MO
IMU449	6625-01-315-8057	56645	SPECTRON	ADAPTER f/ 2000 AN		NCR
IMW18			HEATHKIT	VOLTMETER		NCR
IP1		26067	INDUS INST	POWER METER AUDIO OUTPUT		48MO
IR1000	NSL	76381	3M CTR	TRACER INFRARED HEAT		USER
IR15EXL3	6625-01-441-8141	76381	3M CTR	TRACER INFRARED HEAT		USER
IR1600	NSL	76381	3M CTR	TRACER INFRARED HEAT		12MO
IR500			DICKSON	INDICATOR TEMPERATURE		NCR
IT1		26067	INDUS INST	POWER METER AUDIO OUTPUT		48MO
ITE4029	NSL	64959	AT&T	T/S PULSE CHECKING		NCR
ITE4490	NSL	64959	AT&T	OHMMETER		NCR
ITE4566	NSL	64959	AT&T	T/S PULSE RECE		NCR
ITS1	6625-01-291-0907	64131	ELECTRODATA	T/S COMPUTER INTERFACE		NCR
J133C	6625-00-264-7158	23350	TERADYNE	T/S CIRCUIT (FA7926)		NCR
J16	6695-00-548-8067	80009	TEKTRONIX	METER PHOTO		NCR
J22640			KENT MOORE	T/S INJECTOR		USER
J487B	6625-00-778-0897	28480	HP	POWER SENSOR THERMISTOR	PTE2030B	12MO
J53026EW	NSL	64959	AT&T	T/S TELEPHONE		NCR
J64730B	6625-00-896-7658	64959	AT&T	T/S SIGNALING		NCR
J68323J1	NSL	64959	AT&T	BOX TRANSFER KEY		NCR
J784		58474	SUPERIOR ELECT	TRANSFORMER VAR		NCR

MODEL/PART NUMBER	NSN	CAGE CODE	MANUFACTURER	NAME/DISCRIPTION	EQUIPMENT APP-TO	CALIBR INTER
J903-1M-50-9B			TTE INC	FILTER LOW PASS		NCR
J94003C	NSL	64959	AT&T	T/S TELEPHONE		NCR
J94021A	NSL	64959	AT&T	T/S TELEPHONE		NCR
J94071A2	NSL	64959	AT&T	GENERATOR mWATT		12MO
J94730A	NSL	64959	AT&T	T/S TELEPHONE		NCR
J9787			KMTD	T/S INJECTOR		USER
J98613AY4	NSL	64959	AT&T	MONITOR		USER
K100			KIENE	INDICATOR PRESSURE		USER
K100D	6625-01-081-4960	57062	BIOMATION	ANALYZER LOGIC	TEST	NCR
K100D-T12	6625-01-304-2171	57062	BIOMATION	ANALYZER LOGIC	TEST	NCR
K105-400	6625-01-311-2713	57062	BIOMATION	ANALYZER LOGIC	GEN-AP-T	NCR
K105-401	6625-01-311-2714	57062	BIOMATION	ANALYZER LOGIC	TEST	NCR
K105D		57062	BIOMATION	ANALYZER LOGIC		NCR
K115-148		57062	BIOMATION	ANALYZER LOGIC		NCR
K3		85914	KNOPP	INDICATOR PHASE SEQUENCE		USER
K34LCF1102-409		94990	MOTOROLA	MONITOR RF		NCR
K410AF		00929	MICROLAB	METER ABSORPTION WAVE		36MO
K410FA	NSL		AIRBORNE	WAVEMETER		36MO
K450		57062	BIOMATION	ANALYZER LOGIC		NCR
K450-248F		57062	BIOMATION	ANALYZER LOGIC		NCR
K450L-248F		57062	BIOMATION	ANALYZER LOGIC		NCR
K450XLD	6625-01-311-2715	57062	BIOMATION	ANALYZER LOGIC	FSAS	NCR
K486A	6625-00-880-1217	28480	HP	POWER SENSOR THERMISTOR	TEST	12MO
K532A	6625-00-444-6085	28480	HP	WAVEMETER		48MO
KW220		16734	TIF INSTRU	POWER METER		12MO
KYC24		82205	BELFORT	ANEMOMETER		USER
L20	6625-00-919-7934	80009	TEKTRONIX	ANALYZER SPECTRUM PIU		XXXX
L3R4-40NMOV	6130-00-145-4007	52542	SYSTRON DONNER	POWER SUPPLY 40 A		NCR
L4410-10		77327	HARRIS	COUPLER DIR		NCR
L4410-30		77327	HARRIS	COUPLER DIR		NCR
L5		60336	YOKOGAWA	T/S INSULATION		NCR
L5R6-70	5950-00-799-3828	52542	SYSTRON DONNER	TRANSFORMER		NCR
L85-1		08125	FAA	DEVICE AIMING		USER
L9023		28979	WAVECOM	COUPLER DIR		NCR
L906-65A	6625-01-316-0366	61941	WATTS PROD	PROBE TEST	ILS	NCR
L9B	6625-00-257-0539	18637	YEWTEC	T/S NULL BALANCE		NCR
LA501	6625-01-029-0948	80009	TEKTRONIX	ANALYZER LOGIC PIU		NCR
LA593			LAVOIE	GENERATOR PULSE		NCR
LAA82	6625-00-925-9394	15566	AMPROBE	AMMETER RECORDING		USER
LAV3X	6625-00-939-6431	15566	AMPROBE	VOLTMETER RECORDING		12MO
LAVA83	6625-00-106-9667	15566	AMPROBE	AMMETER/VOLTMETER RECORDING		24MO
LB1AAS66		24446	GE	MONITOR RECEIVER		NCR
LB6150			PLUSKOTA	T/S BATTERY LOAD		USER
LBO-22		53714	LEADER	OSCILLOSCOPE		12MO

MODEL/PART NUMBER	NSN	CAGE CODE	MANUFACTURER	NAME/DISCRIPTION	EQUIPMENT APP-TO	CALIBR INTER
LBO-308A		53714	LEADER	OSCILLOSCOPE		12MO
LBO-308PL		53714	LEADER	OSCILLOSCOPE		12MO
LBO-308S	6625-01-240-6691	53714	LEADER	OSCILLOSCOPE DUAL TR		12MO
LBO-315		53714	LEADER	OSCILLOSCOPE		12MO
LBO-326		53714	LEADER	OSCILLOSCOPE 100MHz (9 lbs)		12MO
LBO-501		53714	LEADER	OSCILLOSCOPE		12MO
LBO-507A	6625-01-304-2183	53714	LEADER	OSCILLOSCOPE	ILS	12MO
LBO-508A	6625-01-304-2182	53714	LEADER	OSCILLOSCOPE	TEST	12MO
LBO-522	6625-01-158-3600	53714	LEADER	OSCILLOSCOPE	GEN-AP-T	12MO
LC10-02	6670-00-000-0000	59539	BREWER	CELL TORQ		NCR
LC101	6625-01-321-3993	33347	SENCORE	ANALYZER FREQUENCY DEVIATION	SCTRACON	12MO
LC102	6625-01-278-3878	33347	SENCORE	ANALYZER CAPACITANCE/INDUCTANCE		24MO
LC35		33347	SENCORE	ANALYZER CAPACITANCE/INDUCTANCE		24MO
LC53	6625-01-118-8016	33347	SENCORE	ANALYZER CAPACITANCE/INDUCTANCE	TEST	24MO
LC75	6625-01-250-9554	33347	SENCORE	ANALYZER CAPACITANCE/INDUCTANCE	TEST	24MO
LC77	5999-01-278-3878	33347	SENCORE	ANALYZER CAPACITANCE/INDUCTANCE		24MO
LCD1000			DMI	VOLTMETER		12MO
LCTCNTR1A		21870	GRIM	MONITOR LOCAL CONTR		NCR
LD250			EMC TECH	DEVICE AIMING		USER
LFG1310		53714	LEADER	GENERATOR FUNCTION		NCR
LFM60		89554	PIONEER	METER LINE FREQ		NCR
LH16D			L TRONICS	FINDER DIRECTION		USER
LIS355			MITCHELL	THERMOHYGROMETER		USER
LL50B1048	6625-00-320-8425		LECTRA	T/S LOAD BANK		NCR
LL901-0V	6130-01-278-9831	80103	LAMBDA	POWER SUPPLY		NCR
LL9020V		80103	LAMBDA	POWER SUPPLY		NCR
LLWSA		08125	FAA	TEST FIXTURE		USER
LMM391650		82199	ROHDE & SCHWAR	LINE SLOTTED		NCR
LMMBN3916				LINE SLOTTED		NCR
LP450		75376	KURZ-KASCH	PROBE LOGIC		NCR
LP531FM		80103	LAMBDA	POWER SUPPLY 5-20 V		NCR
LP575		75376	KURZ-KASCH	PROBE LOGIC C-MOS		NCR
LP610MG		75376	KURZ-KASCH	T/S DIGILOGIC		NCR
LPER			L TRONICS	LOCATOR ELT		USER
LS-25			USHIFATA	DEVICE ALIGNMENT	LLWAS	USER
LSG202				GENERATOR SIGNAL		12MO
LST2435A			LOG TECH	DIGITAL MULTIMETER		NCR
LT8100	6685-00-287-6596	15566	AMPROBE	RECORDER TEMPERATURE	9020	USER
LTC1		55457	GLOBAL	KIT LOGICAL ANALYZER YST		NCR
LTS15T				DIGITAL MULTIMETER		12MO
LTS2434A			LOG TECH	DIGITAL MULTIMETER		12MO
LTS2435A			LOG TECH	THERMOMETER DIGITAL		USER
M-27		90435	QUEST	METER SOUND LEVEL W		USER
M1		28009	HONEYWELL	QUADRANT		NCR

MODEL/PART NUMBER	NSN	CAGE CODE	MANUFACTURER	NAME/DISCRIPTION	EQUIPMENT APP-TO	CALIBR INTER
M107	6625-01-408-4664	52542	SYSTRON DONNER	VOLTAGE STANDARD DC 0-1000 VOLT		12MO
M1404	6625-01-123-7975	57639	MISCORP	METER	ATCBI4	24MO
M151		62875	WAVETEK	DETECTOR PEAK POWER		NCR
M15370			COMCO	COUPLER DIR		NCR
M1890M		28569	HICKOK	T/S SEMI-CONDUCTOR		NCR
M1950		52542	SYSTRON DONNER	GENERATOR SIGNAL		12MO
M1HK140	NSL	50290	ARGA	AMMETER		24MO
M200			FOTEC INC	T/S FIBEROPTIC		12MO
M2236A			NEGRETTI	BAROMETER DIGITAL		USER
M2430		12598	R L C ELECT	COUPLER DIR		NCR
M3096			PERKINS	POWER SUPPLY DC		NCR
M403321	NSL	50665	QUALIMETRICS INC	TERMINAL VISIBILITY DISPLAY	AWOS	NCR
M440		12115	SIERRA RESEARCH	PORTABLE AIR VELOCIT		USER
M4455-950		73569	CHANCE A B	PYROMETER OPTICAL		USER
M500			DIABLO	T/S DISK DRIVE		NCR
M6528			ISS	T/S DC-CO		NCR
M670A		54294	SHALLCROSS	T/S		NCR
M7B		90435	QUEST	DOSIMETER NOISE		USER
M7C150-10	6130-00-152-9508	52542	SYSTRON DONNER	POWER SUPPLY 10 AMP		NCR
M80		04901	BOONTON	OSCILLOSCOPE PIU		12MO
M904		65092	WESTON	VOLTMETER		12MO
MA6			RANE	AMPLIFIER MULTI CHANNEL		NCR
MAA860-4		96341	MICROWAVE ASSOC	WAVEGUIDE		NCR
MAC51		02169	SCHONSTEDT	LOCATOR CABLE		USER
MAC51B		02169	SCHONSTEDT	LOCATOR CABLE		USER
MARKIII			H.D. ELEC	VOLTMETER		12MO
MAXICHECK	NSL	61446	ASTROCOM	ANALYZER CIRCUIT		NCR
MAXIII	NSL	61446	ASTROCOM	ANALYZER DATA		NCR
MC1300/PM	NSL	0Y409	MESON FIBEROPTICS	POWER METER OPTICAL 750-1600nM		36MO
MC1300/SR	NSL	0Y409	MESON FIBEROPTICS	SOURCE LIGHT (LED) OPTICAL		36MO
MC515A01		51701	HALCYON	T/S DATA LINE		12MO
MC6000	6625-01-338-3387	61141	DYNATECH/TELECOM	ANALYZER COMMUNICATION	RCL	12MO
MC6000FIREBERD1	6625-01-338-3048	61141	DYNATECH/TELECOM	ANALYZER COMMUNICATION	RCL	12MO
MC6000PCT6001	6625-01-338-3049	61141	DYNATECH/TELECOM	ANALYZER COMMUNICATION JITTER	RCL	12MO
MC6800-8		13913	WESTERN RESERVE	RECORDER DATA 8CHANN		USER
MCA611A			REGENERATORCY	MONITOR ALERT		USER
MD1		05721	BECKMAN	T/S INSULATION BREAKDOWN		NCR
MD1A	6625-00-867-3244	34942	VAL-TRONICS	T/S INSULATION	TEST	NCR
MD400	NSL	1ES16	AEMC CORP	PROBE CURRENT		NCR
MD400	6670-00-300-9007	06433	GEN ELECTRODYNA	SCALE LOAD 0-2000LBS		NCR
MD67		70998	BIRD	LOAD DUMMY RF		NCR
MDC90033X30	5985-01-071-0510	52335	MICROWAVE DIST	ATTENUATOR FX 30dB 10W 12.4GHz		NCR
MDL178C		83490	ELEK BRAZ	T/S INSULATION		NCR
MDL4-2	NSL	07239	AVO BIDDLE	LOCATOR CABLE FAULTFINDER		USER

MODEL/PART NUMBER	NSN	CAGE CODE	MANUFACTURER	NAME/DISCRIPTION	EQUIPMENT APP-TO	CALIBR INTER
MDS-225			INTEL	MICROPROCESSOR DEVEL		NCR
ME-30A/U			DUBROW	VOLTMETER		12MO
ME-30C/U	6625-00-818-2360		DUBROW	VOLTMETER		12MO
ME-6D/U			DAVEN	VOLTMETER		12MO
ME104		32242	JOHNSON	FREQUENCY METER		NCR
ME11A		91161	ELECTRO IMPULSE	WATTMETER RF		NCR
ME11AU		91161	ELECTRO IMPULSE	WATTMETER RF		NCR
ME1206				ANALYZER COMBUSTION		USER
ME26BU		91820	JETRONICS	METER MULT AC/DC		NCR
ME30U	6625-00-376-4921		DUBROW	VOLTMETER		12MO
ME408U	6625-00-456-7459	08125	FAA	METER	TEST	24MO
ME408U	6625-00-456-7459	89536	FLUKE	DIFFERENTIAL VOLTMETER (891A)		12MO
ME425/U	6625-00-729-6907	28480	HP	VOLTMETER		12MO
ME453M	6625-01-304-2181	63380	ANRITSU	ANALYZER FREQUENCY DEVIATION	RCL	12MO
ME453M-03				ANALYZER uWAVE		12MO
ME453RX	5825-01-314-0641	63380	ANRITSU	RECEIVER RADIO	TEST	12MO
ME453TX	5825-01-314-0640	63380	ANRITSU	TRANSMITTER RADIO	TEST	12MO
ME4543M				T/S uWAVE		12MO
ME489U		60336	YOKOWAGA	MULTIMETER		24MO
ME6D/U	6625-00-643-1663	08125	FAA	MULTIMETER		24MO
ME70APSM6		95325	BRUNO	MULTIMETER		24MO
ME79A		95325	BRUNO	MULTIMETER		24MO
MEG	NSL	07239	AVO BIDDLE	T/S EARTH		NCR
MI-400				POWER METER		12MO
MI3000				LOCATOR LORAN C		NCR
MI400	NSL	00426	AVO MULTI-AMP	MULTIMETER POWER		NCR
MIDGET	NSL	07239	AVO BIDDLE	MEGGER 500VDC (HAND)		NCR
MILLTORR		32402	JB INDUST	GAUGE VACUUM		USER
MILT22493			GERIN	T/S OIL		USER
MINI500			JFD ELECT	T/S INSULATION		NCR
MJ1350T	6625-00-840-0776	95267	PHILAMON	RESONATOR TUNING FORK	TEST	NCR
MK11			ECM CORP.	METER MODULATION		12MO
MK3	NSL	07239	AVO BIDDLE	T/S INSULATION		NCR
MKIII	NSL	07239	AVO BIDDLE	T/S INSULATION METER		NCR
ML102G	6660-00-223-5073	06102	AIRFLO	BAROMETER ANEROID 745-1065 mBAR		USER
MLA5-50	6625-01-095-0215	03030	EMPRO MFG	SHUNT CURRENT 5AMP	ATCBI5	NCR
MM3881				ATTENUATOR VAR		NCR
MM703N			MC JONES	METER uMATCH		12MO
MMI3870			MERIDAN	PHASER-TUNER TRANSMISSION		NCR
MODEL 20	6625-01-238-7314	62875	WAVETEK	GENERATOR		NCR
MODEL 4101	6625-01-244-0198	62875	WAVETEK	METER MODULATION	TEST	12MO
MODEL B		59951	BLACK BOX	ANALYZER CABLE		NCR
MODEL260SYSTEM	6625-01-031-6425	96795	GOULD	RECORDER RF	TEST	USER
MONITOR 4EC			SE INT'L	DETECTOR RADIATION		USER

MODEL/PART NUMBER	NSN	CAGE CODE	MANUFACTURER	NAME/DISCRIPTION	EQUIPMENT APP-TO	CALIBR INTER
MP1	6625-00-964-7231	30646	ROSEMOUNT	POWER METER AUDIO OUTPUT	TEST	36MO
MP53	NSL	07239	AVO BIDDLE	T/S INSULATION METER		NCR
MPS620M		85604	KEPCO	POWER SUPPLY		NCR
MR52				VOLTMETER		12MO
MR53		65092	WESTON	VOLTMETER		12MO
MRC6500/003	0662-50-394-9636	52542	SYSTRON DONNER	T/S uWAVE REPEATOR 1.7-2.3GHz	LDRCL	12MO
MRC6500/008	6625-01-315-9116	52542	SYSTRON DONNER	T/S uWAVE REPEATOR 7.0-8.6GHz	RCL	12MO
MRC6520		06811	SYSTRON DONNER	T/S MICROWAVE		12MO
MRT-HLN101	NSL		BALL CORP	FREQUENCY STANDARD		NCR
MS1	NSL	00426	AVO MULTI-AMP	T/S BREAKER		NCR
MS1A	6625-00-907-4296	00426	AVO MULTI-AMP	T/S RELAY		NCR
MS1A1TA1	6625-00-949-9680	00426	AVO MULTI-AMP	T/S RELAY		NCR
MS2		26067	INDUS INST	POWER METER AUDIO OUTPUT		48MO
MS75B-MG724E	6625-01-313-4116	63380	ANRITSU	T/S uWAVE REPEATOR	RML	USER
MSI/85			LIETZ	LOGGER ELECTRONIC D		NCR
MT107EAFPEA	6625-00-755-6596	18203	KDI ELEC	T/S RADAR BEACON PIU RF TUNING	TEST	12MO
MT20BC			ELECTRO METRIC	ANALOG MULTIMETER		12MO
MT4		57112	UNIVERSAL DATA SYS	THERMOMETER		USER
MTS2400		21870	GRIM	T/S MODULE		12MO
MTS8165	6625-01-017-0859	21870	GRIM	T/S ELEC CIRCUIT PLUG	RCCE	12MO
MTS8165A		21870	GRIM	T/S ELEC CIRCUIT PLUG		12MO
MTS8165T		21870	GRIM	T/S ELEC CIRCUIT PLUG		12MO
MTSL		58854	GTE PROD	T/S		NCR
MTSMS	NSL	66346	3M/BROADCAST	T/S MULTIPLEX		NCR
MU150		33347	SENCORE	T/S TUBE CHECKER		NCR
MV823A1		85711	MILIVAC	METER mVOLT		12MO
MVM10			BERMAR	VOLTMETER SAG-DIP		12MO
MVM107			BREMAR	VOLTMETER SURGE-SP		12MO
MW920A	6070-01-297-3741	0C9M6	ANRITSU/WILTRON	METER TDR (OPTICAL)		12MO
MX-7772/U		54487	MICRONETICS	POWER SENSOR THERMISTOR		12MO
MX5		49956	RAYTHEON	EXERCISER MEMORY		NCR
MX6347U	6625-00-078-5219	80058	JETDS	PROBE SCOPE 10:1	ANUSM281	NCR
MX7772U	6625-00-495-3447	08125	FAA	POWER SENSOR THERMISTOR		12MO
MY1550MRN7		70998	BIRD	LOAD DUMMY RF		NCR
MZF		05083	BACHARACH	ANALYZER COMBUSTION		USER
N-40			LASICO	PLANIMETER DIGITAL		NCR
N140A400	6625-00-347-2857	24067	US WEATHER SERVICE	AMMETER RECORDING		24MO
N221447-1	6625-00-649-0062	06845	ALLIED SIGNAL	MONITOR RF 1.25-1.35GHz	ANFPS20	NCR
N401A		11332	GEN MICRO	POWER SENSOR THERMISTOR		12MO
N410A	6625-00-887-1933	00929	MICROLAB	FREQUENCY METER CAVITY		24MO
NA3T	NSL	07239	AVO BIDDLE	T/S INSULATION		NCR
NA60		82199	ROHDE & SCHWAR	SELECTIVE LEVEL METER		12MO
NAUS80	6625-01-038-6059	82199	ROHDE & SCHWAR	POWER METER RF	TEST	12MO
NAV 5000PLUS			MAGELLAN	RECEIVER GPS PORTAB		USER

MODEL/PART NUMBER	NSN	CAGE CODE	MANUFACTURER	NAME/DISCRIPTION	EQUIPMENT APP-TO	CALIBR INTER
NDT 133	6625-01-114-0363	29192	STAVELY	T/S ULTRASCOPE		NCR
NF105A		16665	SINGER	METER NOISE INTENSITY		USER
NF157			EMPIRE	POWER METER		12MO
NM10A			STODDART	T/S RFI METER	VOR	12MO
NM1727		16665	SINGER	METER EMI INTENSITY		12MO
NM20B		00752	AIL/EATON	T/S RADIO INTERFERENCE		12MO
NM25T		16665	SINGER	ANALYZER RADIO RECEIVER		USER
NM30A	6625-00-705-9935		STODDART	T/S RFI METER		12MO
NM37-57		16665	SINGER	FIELD STRENGTH METER		12MO
NM37/57A		00752	AIL/EATON	FIELD STRENGTH METER		12MO
NM52A	6625-00-879-9359		STODDART	T/S RFI METER		12MO
NM65		16665	SINGER	FIELD STRENGTH METER		12MO
NM65T		16665	SINGER	FIELD STRENGTH METER		12MO
NONE		12598	R L C ELECT	LINE PERFORATED VHF		NCR
NPN1	6625-01-316-0372	08125	FAA	KIT CONNECTOR/ADAPTER	RCL	NCR
NPN2	6625-01-304-3563	08125	FAA	KIT TEST CABLE	RCL	NCR
NRB/1	6625-01-098-2534	57655	NAUTEL	MONITOR RF	NDB	24MO
OIL1646388		18323	WESTINGHOUSE	T/S OIL		USER
OM700			OMEGA	DATA ACQUISITION		NCR
OP182		55814	SOLA BASIC	POWER METER AUDIO OUTPUT		36MO
OP182B			DAVEN	POWER METER AUDIO OUTPUT		36MO
OP21				CLAMP DC		NCR
OP8502		59310	TAYLOR	HYDROMETER RECORDING		USER
OPT 041131	6625-01-341-6087	61141	DYNATECH/TELECOM	ANALYZER COMMUNICATION MOD KIT	RCL	NCR
OPT 30678	6625-01-341-6088	61141	DYNATECH/TELECOM	ANALYZER COMMUNICATION MOD KIT	RCL	NCR
OPT 40202	6625-01-341-6089	61141	DYNATECH/TELECOM	ANALYZER COMMUNICATION MOD KIT	RCL	NCR
OPT 6001	6625-01-341-6090	61141	DYNATECH/TELECOM	ANALYZER COMMUNICATION MOD KIT	RCL	NCR
OPT 6004	6625-01-341-6091	61141	DYNATECH/TELECOM	ANALYZER COMMUNICATION MOD KIT	RCL	NCR
OS-100S55			SEICORE	POWER METER OPTICAL		12MO
OS-189/P				OSCILLOSCOPE		12MO
OS-189A(P)	NSL	28480	HP	OSCILLOSCOPE		12MO
OS-245	NSL	80009	TEKTRONIX	OSCILLOSCOPE		12MO
OS-245/P/U	6625-00-106-9623	80009	TEKTRONIX	OSCILLOSCOPE MF		12MO
OS-245P/U/11	NSL	80009	TEKTRONIX	OSCILLOSCOPE MF		12MO
OS-261/U, 475	6625-00-127-0079	80058	JETDS	OSCILLOSCOPE	TEST	12MO
OS-291/G	6625-01-258-0022	80058	JETDS	OSCILLOSCOPE	ARTS	12MO
OT21	6625-00-869-2399	21647	MERCIER R&D	T/S OIL		36MO
P01157			NEW BEDFORD	ANALYZER IMPEDANCE MEASURING		NCR
P1540STW			PARATRONIC	ANALYZER LOGIC		NCR
P21158	NSL	07239	AVO BIDDLE	MEGGER		24MO
P26	NSL	15566	AMPROBE	ANALYZER CIRCUIT TRACER		NCR
P3100			KAMAN	VOLTMETER DIG		NCR
P382A	5985-00-752-3222	28480	HP	ATTENUATOR VAR		NCR
P3AK6AG		24446	GE	AMPLIFIER MOBILE		NCR

MODEL/PART NUMBER	NSN	CAGE CODE	MANUFACTURER	NAME/DISCRIPTION	EQUIPMENT APP-TO	CALIBR INTER
P486A	5985-00-404-0409	28480	HP	POWER SENSOR THERMISTOR 12.4-18GHz		12MO
P532A	6625-00-691-6598	28480	HP	WAVEMETER		12MO
P6015	6625-01-040-4423	80009	TEKTRONIX	PROBE HIGH VOLTAGE		NCR
P6020	6625-00-311-6869	80009	TEKTRONIX	PROBE AMP		NCR
P6021	6625-00-172-6612	80009	TEKTRONIX	PROBE CURRENT W/011		NCR
P6156	6625-01-057-4526	80009	TEKTRONIX	PROBE		NCR
P6201	6625-01-328-8052	80009	TEKTRONIX	PROBE FET		NCR
P6401	6625-00-250-3436	80009	TEKTRONIX	PROBE LOGIC		NCR
P7		16665	SINGER	PROGRAMMER		NCR
P752A	5985-00-604-3327	28480	HP	COUPLER DIR		NCR
P752D	5985-00-562-8870	28480	HP	COUPLER DIR		NCR
P8		05721	BECKMAN	T/S OIL		USER
P810B	6625-00-752-7887	28480	HP	LINE SLOTTED		NCR
PA1	6625-01-154-8783	80009	TEKTRONIX	COMPARATOR CABLE		NCR
PA14	6625-00-982-3903	97942	WESTINGHOUSE	AMMETER AC (PANEL)		NCR
PA151	6625-00-237-9312	88725	WESTINGHOUSE	AMMETER AC		12MO
PA2	6625-00-813-4391	93459	WEINSCHEL	ATTENUATOR VAR 0-140dB 0-30MHz		NCR
PA4	6625-00-225-7657	79500	WESTINGHOUSE	AMMETER AC (PANEL)		NCR
PA5	6625-00-684-7874	79500	WESTINGHOUSE	AMMETER AC		24MO
PAC30-130B			KLM	AMPLIFIER POWER		NCR
PAC551		30917	EDO-AIRE	POWER SUPPLY		NCR
PALAS40C50		58802	DOLCH LOGIC	ANALYZER LOGIC		NCR
PAR56		08125	FAA	DEVICE AIMING		USER
PC5B	NSL		CERBERUS	T/S INSULATION METER		NCR
PDI15		26067	INDUS INST	LOCATOR CABLE FAULTFINDER		USER
PDI15PDRI	NSL	07239	AVO BIDDLE	LOCATOR CABLE FAULTFINDER		USER
PDM205		65194	NEOTRONICS	MANOMETER		USER
PDR15		26067	INDUS INST	LOCATOR CABLE FAULTFINDER		USER
PE-HA-100			HAWKEYE	SENSOR CALIBRATOR		NCR
PF16	6625-01-285-3516	22522	FRL	LOCATOR CABLE FAULTFINDER		USER
PG303		96238	DATA PROD	GENERATOR TELEGRAPH PATTERN		XXXX
PG303A	6625-00-137-7738	96238	STELMA	GENERATOR TELEGRAPH PATTERN	TEST	XXXX
PG5		32590	ELECTR INSTR	GENERATOR PULSE		NCR
PG501	6625-00-373-7275	80009	TEKTRONIX	GENERATOR PULSE PIU		NCR
PG502	6625-00-531-5135	80009	TEKTRONIX	GENERATOR PULSE PIU		NCR
PG505	6625-01-022-3285	80009	TEKTRONIX	GENERATOR PULSE PIU		NCR
PG506	6625-00-520-5158	80009	TEKTRONIX	GENERATOR PULSE PIU		NCR
PG508	6625-01-051-6639	80009	TEKTRONIX	GENERATOR PULSE PIU	TEST	NCR
PG50M				T/S PROTECTIVE RELAY		USER
PG5B		05351	PYROTRONICS	T/S PYROALARM SENSITIVITY		USER
PI540			PARATRONIC	ANALYZER LOGIC		NCR
PILOTII			NOVA TECH	FINDER DIRECTION RF		NCR
PL1186A/1801F	6625-00-234-6117	28480	HP	OSCILLOSCOPE PIU TB		XXXX
PL1186A/U	6625-00-234-6117	28480	HP	OSCILLOSCOPE PIU TB	ANUSM281	XXXX

MODEL/PART NUMBER	NSN	CAGE CODE	MANUFACTURER	NAME/DISCRIPTION	EQUIPMENT APP-TO	CALIBR INTER
PL1186U	6625-00-234-6117	28480	HP	OSCILLOSCOPE PIU TB	ANUSM281	XXXX
PL1187A/1821F	6625-00-410-2406	28480	HP	OSCILLOSCOPE PIU TB		XXXX
PL1187A/U	6625-00-410-2406	28480	HP	OSCILLOSCOPE PIU TB		XXXX
PL1187U	6625-00-410-2406	28480	HP	OSCILLOSCOPE PIU TB		XXXX
PM-2	6685-01-370-1770	30550	RAYTEK	THERMOMETER	ACEPS	USER
PM1			QUANTUM	METER LIGHT DIGITA		USER
PM3267	6625-01-187-3353	89536	FLUKE	OSCILLOSCOPE 100MHz	TEST	12MO
PM3267U	NSL	89536	FLUKE	OSCILLOSCOPE 100MHz		12MO
PM3295A/003	NSL	89536	FLUKE	OSCILLOSCOPE		12MO
PM3335	NSL	89536	FLUKE	OSCILLOSCOPE 60MHz STORAGE		12MO
PM3335/003	NSL	89536	FLUKE	OSCILLOSCOPE 60MHz STORAGE		12MO
PM3394	6625-01-359-0919	89536	FLUKE	OSCILLOSCOPE 200MHz STORAGE	GEN-AP-T	12MO
PM3394/063	6625-01-393-5058	89536	FLUKE	OSCILLOSCOPE 200MHz STORAGE	ARSR4	12MO
PM3655	6625-01-315-4128	89536	FLUKE	ANALYZER LOGIC	ARSR3	NCR
PM3655/503	NSL	89536	FLUKE	ANALYZER LOGIC		NCR
PM5			EDP TECH	THERMOMETER NON-CONTACT		USER
PM51520		0JFS3	SUUNTO USA	CLINOMETER		USER
PM6654C	NSL	89536	FLUKE	COUNTER 1.5GHz		12MO
PM6654C011	NSL	89536	FLUKE	COUNTER 1.5GHz		12MO
PM6676	NSL	89536	FLUKE	COUNTER 1.5GHz		12MO
PM6680	6625-01-370-6696	89536	FLUKE	COUNTER 225MHz		12MO
PM6680/011	6625-01-176-1269	89536	FLUKE	COUNTER 4.5GHz		12MO
PM6680/711	6625-01-364-7519	89536	FLUKE	COUNTER 4.5GHz	TEST	12MO
PM7650	6625-00-318-5972	80138	KAY ELEMETRICS	PIU	TEST	12MO
PM7650B	6625-00-407-8916	80138	KAY ELEMETRICS	GENERATOR MARKER PIU		NCR
PM7650BC		80138	KAY ELEMETRICS	PIU		12MO
POWERMASTERIII		72264	ESTERLINE	MULTIMETER		24MO
PP100			ENVIRO TEC	PSYCHROMETER		USER
PR01K1-0001	6625-01-337-7576	6R615	INFOTEC	RECEIVER PIR	ILS	USER
PR57	6625-01-124-6296	33347	SENCORE	ANALYZER AC POWER SAFTEY		NCR
PS1-1		24446	GE	POWER SENSOR RF		24MO
PS2			TECH MATRL	POWER SUPPLY		NCR
PS950-975		34160	VU-DATA	SCOPEMETER w/COUNTER		12MO
PS950-975 OP2	6625-01-304-5432	34160	VU-DATA	SCOPEMETER w/COUNTER	GEN-AP-T	12MO
PS950B		34160	VU-DATA	SCOPEMETER w/COUNTER		12MO
PSA-100-120	5998-01-369-5672	00426	AVO MULTI-AMP	METER PHASE LEVEL/DM	ACEPS	12MO
PSI8031			SPERRY	INDICATOR PHASE SEQUENCE		USER
PST-1		24446	GE	POWER SENSOR TEST KIT		USER
PST1-1		24446	GE	TEST KIT POWER SENSOR		USER
PST11		24446	GE	POWER SENSOR RF		24MO
PT770		16734	TIF INSTRU	TACHOMETER PHOTO-T		USER
PTB-100	6625-01-202-7920	55761	EFRATOM	GENERATOR TIMEBASE (TM500) PIU		12MO
PTUT		82386	SUN ELECT	T/S TUNE UP		USER
PV-1000FC		60741	TRIPLETT	INVERTER		NCR

MODEL/PART NUMBER	NSN	CAGE CODE	MANUFACTURER	NAME/DISCRIPTION	EQUIPMENT APP-TO	CALIBR INTER
PV1		03691	EIL INST	T/S HIGH VOLT PHASING		NCR
PV6442LI				LINE AD		NCR
PX5		65092	WESTON	VOLTMETER DC		12MO
Q12-15A			SORENSEN	POWER SUPPLY		NCR
Q298		94990	MOTOROLA	COMPARATOR DIGITAC		NCR
QRC40-4A	6130-00-460-2148		SORENSON	POWER SUPPLY		NCR
R-03			PRIMELINE	RECORDER MULTI-PEN		USER
R1007A	6625-01-078-1784	94990	MOTOROLA	METER MODULATION		USER
R1009A		34344	MOTOROLA	DEVIATION METER		NCR
R1032A		94990	MOTOROLA	T/S DES/DVP		USER
R1033A		94990	MOTOROLA	T/S		USER
R1099A		94990	MOTOROLA	CALIBRATOR DEVIATION		USER
R125			THERMA-AIR	PUMP VACUUM		USER
R1503	NSL	80009	TEKTRONIX	METER TDR		12MO
R1801AM	NSL	50012	MOTOROLA	ANALYZER DIGITAL CO		USER
R20013		94990	MOTOROLA	ANALYZER COMMUNICATION		12MO
R2001A		94990	MOTOROLA	ANALYZER COMMUNICATION		12MO
R2001C/HS		01537	COLEMAN	ANALYZER COMMUNICATION		12MO
R2002C		94990	MOTOROLA	ANALYZER COMMUNICATION		12MO
R2004D		94990	MOTOROLA	ANALYZER COMMUNICATION		12MO
R219280-1	6625-01-312-9840	06845	ALLIED SIGNAL	MONITOR RF	ANFPS60	24MO
R2LT	6685-01-136-5440	30550	RAYTEK	THERMOMETER INFRARED		USER
R380A		30550	RAYTEK	THERMOMETER INFRARED		USER
R380AF		30550	RAYTEK	THERMOMETER		USER
R380DF		30550	RAYTEK	THERMOMETER INFRARED		USER
R41		24655	GENRAD	TRANSFORMER ISOLATION		NCR
R432-226	5840-01-110-2033	96341	M/A COM	LINE SECTION RF 2.7-2.9GHz		NCR
R475	6625-00-270-0775	80009	TEKTRONIX	OSCILLOSCOPE 200MHz		12MO
R486A	6625-00-931-8812	28480	HP	POWER SENSOR THERMISTOR	TEST	12MO
R532A	6625-00-798-0712	28480	HP	WAVEMETER		NCR
R535M	NSL		ASTROM	POWER SUPPLY		NCR
R7613	6625-00-330-7082	80009	TEKTRONIX	OSCILLOSCOPE 100MHz STORAGE MF	TEST	12MO
R7633	6625-01-089-1888	80009	TEKTRONIX	OSCILLOSCOPE 100MHz STORAGE MF		12MO
RC115		33347	SENCORE	ANALYZER CAPACITANCE/RESISTANCE		24MO
RC167	6625-01-059-1356	33347	SENCORE	T/S SUBSTITUTION BOX (RES-CAP)		NCR
RCM6TCK			TERRACOM	T/S CABLE		USER
RCS500			IET LABS	T/S RC BOX		NCR
RCT-RCAG1A		21870	GRIM	MONITOR REMOTE CONT		NCR
RD125I		05721	BECKMAN	POWER SUPPLY SULU B		NCR
RD2-0617				ISOLATOR		NCR
RD400RXPN		61567	RADIO DETECT	LOCATOR CABLE FAULTFINDER RECEIVER		USER
RDL-0617	NSL		3DBM	ISOLATOR		NCR
RF		16665	SINGER	THERMOCOUPLE		12MO
RF/TABEL	6625-01-389-1375	32590	ELECTR INSTR	AMMETER AC/DC 0-50A 20MHz	NEXRAD	24MO

MODEL/PART NUMBER	NSN	CAGE CODE	MANUFACTURER	NAME/DISCRIPTION	EQUIPMENT APP-TO	CALIBR INTER
RF50		70998	BIRD	BRIDGE POWER		NCR
RFA1	NSL	00752	AIL/EATON	ATTENUATOR AUDIO		NCR
RFM10D		16665	SINGER	MODULE RF		12MO
RG1516		64467	WEKSLER	RECORDER TEMPERATURE		USER
RG501	6625-00-531-5136	80009	TEKTRONIX	GENERATOR RAMP		NCR
RM16	6625-00-826-2467	80009	TEKTRONIX	OSCILLOSCOPE 10MHz		12MO
RM1A			VIRGNIA EL	MONITOR PORTABLE L/		USER
RM561A	6625-01-256-6123	80009	TEKTRONIX	OSCILLOSCOPE 10MHz		12MO
RMS100		58287	CONTROL POWER	VOLTMETER DIG		12MO
RMS225		85635	N L INDUST	MULTIMETER		24MO
RP30-2P	6630-01-239-1600	1FA70	GAMA HV RESEARCH	T/S LUBRICANT		USER
RR30-2P			GAMMA	POWER SUPPLY		NCR
RS-1A	6625-01-085-2225	15566	AMPROBE	AMMETER/VOLTMETER CLAMP ON		24MO
RS1007	NSL	15566	AMPROBE	MULTIMETER 0-600 AM		24MO
RS160-3A	6130-00-161-6376	52542	SYSTRON DONNER	POWER SUPPLY 3 AMP		NCR
RS1618			INTERFACE	READER CARD		NCR
RS2	6625-01-233-3105	15566	AMPROBE	AMMETER/VOLTMETER CLAMP ON		24MO
RS2002DHS		94990	MOTOROLA	T/S		USER
RS3	6625-00-951-4472	15566	AMPROBE	MULTIMETER CLAMP ON		24MO
RS35	NSL		ASTRON	POWER SUPPLY		NCR
RS432E/1/3/7/9/12/13	6625-01-209-9779	5J927	DYNATECH CORP	GENERATOR DIGTAL WORD		NCR
RS432E/1/7/9/13	6625-01-296-8907	5J927	DYNATECH CORP	GENERATOR DIGTAL WORD		NCR
RS660	6625-01-296-3416	5J927	DYNATECH CORP	GENERATOR DIGITAL WORD 16CH		NCR
RS670	7035-01-315-1354	62072	DYNATECH/TELECOM	GENERATOR DIGITAL WORD	FSAS	NCR
RTM506	6625-01-337-2927	80009	TEKTRONIX	MAIN FRAME POWER MODULE 6 SLOT		NCR
RTP3		16152	DIGITECH	T/S RELAY		USER
RZ1			KENTWOOD	RECEIVER INDICATOR		USER
S-57		31258	WILLIAMSON	TORQWRENCH		USER
S03421	6625-00-455-5457	54331	MONITOR	TUNING UNIT RF	ATCRBS	NCR
S1			MASON ENGR	PIU VISUAL DISPLAY		NCR
S103			HELPERS SU	METER AUTOMATIC DIS		12MO
S1056B		94990	MOTOROLA	T/S		USER
S1056C		94990	MOTOROLA	T/S PORTABLE		USER
S1058B		94990	MOTOROLA	T/S		USER
S1059B	6625-00-787-6658	94990	MOTOROLA	T/S RADIO	TEST	12MO
S1059C	6625-01-205-0858	94990	MOTOROLA	T/S RADIO		NCR
S1062C		94990	MOTOROLA	FREQUENCY DEVIATION STANDARD		USER
S11A			WATERMAN	OSCILLOSCOPE		12MO
S120	6625-01-031-1982	33441	FARATRON	T/S RECTIFIER	TEST	NCR
S120B		33441	FARATRON	T/S RECTIFIER		NCR
S1344A		94990	MOTOROLA	COUNTER FREQ DEVIATION		USER
S140D481G02				T/S CIRCUIT		NCR
S2	6625-00-470-1528	80009	TEKTRONIX	OSCILLOSCOPE PIU 1GHz SAMPLING HEAD		12MO
S4	6625-00-470-1529	80009	TEKTRONIX	OSCILLOSCOPE PIU SAMPLING HEAD		12MO

MODEL/PART NUMBER	NSN	CAGE CODE	MANUFACTURER	NAME/DISCRIPTION	EQUIPMENT APP-TO	CALIBR INTER
S54A			TELEQUIPMENT	OSCILLOSCOPE		12MO
S6	6625-01-007-9481	80009	TEKTRONIX	OSCILLOSCOPE PIU SAMPLING HEAD		12MO
S784	5950-00-251-3608	58474	SUPERIOR	TRANSFORMER VAR		NCR
S825B300	NSL		ACL TECH	METER STATIC CHARGE		NCR
SACZ			SOUTH AVIA	ANALYZER IMPEDANCE		NCR
SB-1000B		60741	TRIPLETT	POWER SUPPLY		NCR
SB-2000		60741	TRIPLETT	POWER SUPPLY		NCR
SB1-12			PHOTO R C	METER		NCR
SB1-2			PHOTO R C	METER REGULATED BRI		12MO
SB7	NSL		AUTO METER	T/S BATTERY LOAD		USER
SB7C	NSL		AUTO METER	STARTER BATTERY TEST		NCR
SB7D	NSL		AUTO METER	T/S BATTERY 500		USER
SB8	NSL		AUTO METER	STARTER BATTERY TEST		NCR
SC502	6625-01-023-7092	80009	TEKTRONIX	OSCILLOSCOPE PIU 15MHz		12MO
SC504	6625-01-078-1116	80009	TEKTRONIX	OSCILLOSCOPE PIU 80MHz		12MO
SC5T	NSL	80009	TEKTRONIX	OSCILLOSCOPE PIU		12MO
SC61	6625-01-015-4656	33347	SENCORE	WAVE ANALYZER		NCR
SCU-3	6625-01-171-0792	05351	PYROTRONICS	T/S PYROALARM SENSITIVITY		USER
SCU8	6625-00-001-2383	05351	PYROTRONICS	T/S PYROALARM SENSITIVITY		USER
SCU9	6625-01-148-1832	05351	PYROTRONICS	T/S PYROALARM SENSITIVITY		USER
SD13991			FARINON	T/S		NCR
SD601	NSL	1ES16	AEMC CORP	PROBE CURRENT AC		NCR
SDC	6685-00-780-7192	05083	BACHARACH	THERMOMETER RECORDING -30 to120F		USER
SF151		33347	SENCORE	T/S SEMI-CONDUCTOR		NCR
SFT1	6625-00-867-4032	63002	VICTOR TECH	T/S SEQUENTIAL TIMER	TEST	USER
SG-89/UPM-68	6625-00-615-4490	80058	JETDS	GENERATOR PULSE		NCR
SG-90/UPM-68	6625-00-581-5982	80058	JETDS	GENERATOR PULSE		NCR
SG1146		62875	WAVETEK	GENERATOR SIGNAL		12MO
SG117				GENERATOR SIGNAL		12MO
SG1274			HEATHKIT	GENERATOR PULSE		NCR
SG339URM		30040	TELECTRO	GENERATOR SIGNAL		12MO
SG502	6625-00-520-5117	80009	TEKTRONIX	GENERATOR PIU SIGNAL		12MO
SG503	6625-00-520-5143	80009	TEKTRONIX	GENERATOR PIU SIGNAL		12MO
SG841		12909	CARDION	GENERATOR PULSE		NCR
SG90UPM68			BURTEK	GENERATOR PULSE		NCR
SH202P			THERMOFORM	TUNING HEAD ACL		NCR
SH272P	NSL	61446	ASTROCOM	HEAD TUNING RF		NCR
SL105			HELPER INS	T/S RADIO		NCR
SLN6221A		94990	MOTOROLA	GENERATOR TONE		USER
SLT		08125	FAA	T/S SLT CARD		NCR
SM101			HALON SYS	MONITOR SENSITIVITY		USER
SM322UPX14	6625-00-061-1488	18658	SCANWELL	DETECTOR RF 0.3-1.2GHz		NCR
SM400		52212	NUCLEAR INSTR	METER RADIAC		12MO
SM4180			HEATHKIT	DEVIATION METER		USER

MODEL/PART NUMBER	NSN	CAGE CODE	MANUFACTURER	NAME/DISCRIPTION	EQUIPMENT APP-TO	CALIBR INTER
SP196			SPECTOR	ANALYZER LOGIC		NCR
SP7323-C		24004	DECIBEL PROD	FILTER TRIPLE CAVITY		NCR
SPEAK 300		72314	LORAL/FAIRCHILD	MODULE AUDIO		NCR
SPECTRUM 500		01537	COLEMAN	RANGEFINDER		USER
SR-90-115	6625-01-366-5029	00426	AVO MULTI-AMP	T/S RELAY	ACEPS	12MO
SR1828		51673	HISCH	FINDER DIRECTION		USER
SR1828A		51673	HISCH	FINDER DIRECTION RF		USER
SR209-6	NSL	61446	ASTROCOM	FIELD STRENGTH METER		12MO
SR51-4	6625-00-946-5839	00426	AVO MULTI-AMP	T/S RELAY		USER
SRA88		00929	MICROLAB	SHIFTER PHASE		USER
SRIC300AMP	6625-00-716-9978	32590	ELECTR INSTR	SHUNT		NCR
SRIC3AMP	6625-00-716-9985	32590	ELECTR INSTR	SHUNT		NCR
SRL4050			SORENSON	POWER SUPPLY		NCR
SS102	NSL	84171	ARCO	CAPACITOR		NCR
SS105	NSL	84171	ARCO	CAPACITOR		NCR
SS1059A		94990	MOTOROLA	T/S		USER
SS661		2J540	IWATSU	OSCILLOSCOPE		12MO
SS700-7F		23042	TRILITHIC/TEXSCAN	GENERATOR SWEEP		NCR
SSP126		28009	HONEYWELL	BOX DECADE		NCR
SSP126C		28009	HONEYWELL	HYGROMETER		USER
ST102			MINN SCIEN	T/S SEMI-CONDUCTOR		NCR
ST2A		24446	GE	TUNING GUN		USER
ST88	6680-00-009-3510	82386	SUN ELECT	TACHOMETER		USER
STEELSIX		13145	BITRONICS	VOLTMETER AC		12MO
SX530	7035-01-220-6392	56164	WILSON LABS	T/S DISK DRIVE EXERCISER		NCR
T-101		32661	TII	T/S TUBE CHECKER		NCR
T-2500			POLAR	LOCATOR CABLE FAULT		24MO
T-86671	6625-01-293-3501	66503	WOODWARD GOVERNOR	T/S SPEED CONTROL LOOP	ACEPS	NCR
T-86671-8909-509	6625-01-369-5979	66503	WOODWARD GOVERNOR	T/S	ACEPS	12MO
T0-4	6625-00-539-8592	56289	SPRAGUE	ANALYZER IMPEDANCE MEASURING		NCR
T00377	6625-01-139-2512	55026	SIMPSON	DIGITAL MULTIMETER		24MO
T05	6625-00-772-8487	56289	SPRAGUE	ANALYZER CAPACITANCE		24MO
T06		56289	SPRAGUE	BRIDGE CAPACITANCE		NCR
T06A	6625-00-393-2526	56289	SPRAGUE	ANALYZER CAPACITANCE		24MO
T101		50338	TELCON IND	INDICATOR PRESSURE		USER
T11-101		61114	POLYPHASER	T/S SURGE ARRESTER		USER
T1200SRA		51190	IFR SYS	RECEIVER RFI		12MO
T136BSBZW		51778	WILCOM	T/S CIRCUIT		NCR
T168C			HDW ELECT	LOCATOR CABLE FAULTFINDER		USER
T1NF105A	6625-00-315-9573		EMPIRE	TUNER RF	TEST	NCR
T200-01	NSL	89536	FLUKE	TEST CLIP LOGIC (TRENDAR)		NCR
T2500		12598	R L C ELECT	LOAD DUMMY RF		NCR
T2NF105A	6625-00-315-9577		EMPIRE	TUNER RF	TEST	NCR
T3020BX		94990	MOTOTOLA	DEVICE CODING		NCR

MODEL/PART NUMBER	NSN	CAGE CODE	MANUFACTURER	NAME/DISCRIPTION	EQUIPMENT APP-TO	CALIBR INTER
T355/T319		51778	WILCOM	METER FIBER OPTIC		12MO
T4	NSL	04237	ASSOC RESEARCH	T/S INSULATION BREAKDOWN		NCR
T4E		65092	WESTON	RECORDER 3 PEN		USER
T4E3			WESTRONICS	RECORDER MINIATURE		USER
T500		12598	R L C ELECT	RESISTOR TERMINAL		NCR
T5000N		12598	R L C ELECT	LOAD DUMMY RF		NCR
T50507	6625-01-251-9168			EXTC	FSAS	NCR
T5300		12598	R L C ELECT	LOAD DUMMY RF		NCR
T6501	NSL	80009	TEKTRONIX	GENERATOR PIU		12MO
T9000		32242	JOHNSON	KIT CALIBRATION		NCR
T922	6625-01-061-4242	80009	TEKTRONIX	OSCILLOSCOPE 15MHz		12MO
T922R	6625-01-118-6639	80009	TEKTRONIX	OSCILLOSCOPE 15MHz		12MO
TA105A	6210-00-922-0774	88204	GTE/SYLVANIA	TIMER		USER
TA3500-II	6130-01-333-6849	56469	ALEXANDER	CHARGER BATTERY ANALYZER		USER
TACD2	NSL	15566	AMPROBE	DIGITAL TEST MASTER		NCR
TAR2201	NSL	04237	ASSOC RESEARCH	T/S INSULATION BREAKDOWN		NCR
TAS465	6625-01-408-9370	80009	TEKTRONIX	OSCILLOSCOPE 100MHz		12MO
TBT600	6635-01-300-2331	55719	SNAP-ON TOOLS	WRENCH TORQUE TESTER		NCR
TD1-2		55026	SIMPSON	ANALYZER COMBUSTION		USER
TD1-3	4910-01-078-5420	55026	SIMPSON	T/S TACHOMETER-DWELL		USER
TD1074G	6625-01-139-0416	10236	ELECTRODYNAMICS	GENERATOR MARKER		NCR
TD107G			GEN TIME	GENERATOR MARKER		NCR
TD1085U	6625-01-164-9372	80009	TEKTRONIX	OSCILLOSCOPE PIU TB		12MO
TD13		46571	PENTRON	TACHOMETER		USER
TD952			LASER PREC	PLOTTER DIGITAL X-Y		NCR
TD9960			LASER PREC	METER TDR		NCR
TDA2S		96238	STELMA	ANALYZER DISTORTION		NCR
TDL8630P			SIMRAD	FINDER DIRECTION PO		USER
TDS-420	6625-01-411-4617	80009	TEKTRONIX	OSCILLOSCOPE 150MHz DIGITAL	NEXRAD	12MO
TDS-520		80009	TEKTRONIX	OSCILLOSCOPE 500MHz DIGITAL	NEXRAD	12MO
TDS-620A-DSO	6625-01-396-9930	80009	TEKTRONIX	OSCILLOSCOPE 500MHz DIGITAL	TEST	12MO
TDS410	6625-01-257-2868	80009	TEKTRONIX	OSCILLOSCOPE 200MHZ DIGTIAL		12MO
TE2230	NSL	61446	ASTROCOM	T/S MAXICHECK		NCR
TE25A	5120-01-355-1765	55719	SNAP-ON TOOLS	WRENCH TORQUE 3/8"		NCR
TE352	5120-01-355-1772	55719	SNAP-ON TOOLS	WRENCH TORQUE		NCR
TER7A		94990	MOTOROLA	VOLTMETER		NCR
TF101			TESTLINE	T/S SEMI-CONDUCTOR		NCR
TF151	6625-00-100-8976	33347	SENCORE	T/S SEMI-CONDUCTOR		NCR
TF151A		21870	GRIM	T/S SEMI-CONDUCTOR		NCR
TF166		33347	SENCORE	T/S SEMI-CONDUCTOR		NCR
TF2304		51190	IFR SYS	METER MODULATION		12MO
TF30	6625-01-069-1282	33347	SENCORE	T/S SEMI-CONDUCTOR		NCR
TF46	6625-01-058-9564	33347	SENCORE	T/S SEMI-CONDUCTOR		NCR
TFP2/02/20/06/30/11/16	6625-01-392-0210	80009	TEKTRONIX	METER TDR (OPTICAL)	TEST	12MO

MODEL/PART NUMBER	NSN	CAGE CODE	MANUFACTURER	NAME/DISCRIPTION	EQUIPMENT APP-TO	CALIBR INTER
TFS2020	6625-01-326-0410	80009	TEKTRONIX	T/S CABLE OPTIC		USER
TG501	6625-00-520-5199	80009	TEKTRONIX	GENERATOR PIU TIMEMARK		12MO
TG501A	6625-01-320-8771	80009	TEKTRONIX	GENERATOR PIU TIMEMARK		12MO
TG650	NSL	04423	TELONIC	ATTENUATOR		NCR
TG950		04423	TELONIC	ATTENUATOR VAR		NCR
TG950A	5985-00-879-4477	04423	TELONIC	ATTENUATOR STEP 102dB 300MHz		NCR
TI43501		0Y5L7	TEXAS INST	AMMETER DIGITAL		12MO
TIF1000DC		16734	TIF INSTRU	MULTIMETER		24MO
TIF1000LED	6625-01-015-6072	16734	TIF INSTRU	AMMETER DIGITAL CLAMPON		12MO
TIF1000LED	6625-01-015-6072	16734	TIF INSTRU	MULTIMETER		24MO
TIF190-5-5		04423	TELONIC	FILTER		NCR
TIF300CC	6625-01-230-5136	16734	TIF INSTRU	MONITOR VOLT DEVIATION	SCTRACON	USER
TIF300HV		16734	TIF INSTRU	DETECTOR VOLT AC		USER
TIF5000	4940-01-014-6037	16734	TIF INSTRU	DETECTOR LEAK HALOGEN		USER
TIF5500	6625-01-092-6798	16734	TIF INSTRU	DETECTOR LEAK HALOGEN		NCR
TIF5600	6665-01-363-1348	16734	TIF INSTRU	DETECTOR LEAK GAS		USER
TIF9000		16734	TIF INSTRU	METER REFRIGERANT CHARGE		USER
TIF95-5-5E		04423	TELONIC	FILTER BANDPASS		NCR
TK-3A	NSL	76381	3M CTR	LOCATOR CABLE		NCR
TK-6	6625-01-302-2072	75037	3M CTR	LOCATOR CABLE		NCR
TK-6A	NSL	76381	3M CTR	LOCATOR CABLE		NCR
TK-6T	6625-01-296-4461	76381	3M CTR	LOCATOR CABLE FAULTFINDER		USER
TK-6TB			MITCHELL	TRACER CIRCUIT W/DE		NCR
TK210		75235	KENWOOD	MONITOR FM		NCR
TK9	7320-01-177-3175	79227	WATTS REGULATOR	TEST KIT BACK FLOW		NCR
TL888			SIMRAD	LOCATOR LORAN C w/DISP		USER
TLS3			TELTONE	LINE SIMULATOR		NCR
TM107A	6625-01-097-6739	54828	SYSTEC INC	METER TEMPERATURE		USER
TM1570A	6685-01-363-2747	54828	SYSTEC INC	METER TEMPERATURE		USER
TM16		24446	GE	TEST METER		NCR
TM400		54487	MICRONETICS	POWER SENSOR THERMISTOR		12MO
TM500	6625-01-314-1606	80009	TEKTRONIX	MAIN FRAME POWER MODULE 1SLOT		NCR
TM501	6625-00-500-6646	80009	TEKTRONIX	MAIN FRAME POWER MODULE 1SLOT		NCR
TM502A	6625-01-382-4898	80009	TEKTRONIX	MAIN FRAME POWER MODULE 2SLOT		NCR
TM503	6625-00-373-7528	80009	TEKTRONIX	MAIN FRAME POWER MODULE 3SLOT		NCR
TM504	6625-01-013-5160	80009	TEKTRONIX	MAIN FRAME POWER MODULE 4SLOT		NCR
TM504/02	6625-01-305-8630	80009	TEKTRONIX	MAIN FRAME POWER MODULE 4SLOT		NCR
TM506	6625-01-027-1642	80009	TEKTRONIX	MAIN FRAME POWER MODULE 6SLOT		NCR
TM515	6625-01-039-4697	80009	TEKTRONIX	MAIN FRAME POWER MODULE IEEE		NCR
TM75	6635-01-013-9877		PENN TECK	DYNANOMETER		USER
TM750			PENN TECH	DYNANOMETER		USER
TMULD100	NSL	15566	AMPROBE	AMPROBE "SOUNDSLEUTH		NCR
TR115		33347	SENCORE	T/S SEMI-CONDUCTOR		NCR
TR444			TECHNI-RIT	RECORDER CHART		USER

MODEL/PART NUMBER	NSN	CAGE CODE	MANUFACTURER	NAME/DISCRIPTION	EQUIPMENT APP-TO	CALIBR INTER
TR502	6625-01-035-8697	80009	TEKTRONIX	GENERATOR TRACKING		12MO
TR5A		89077	GOLDAK	LOCATOR CABLE & PIPE		USER
TS-21	6625-01-166-0140	12903	CHATSWORTH/DRACON	T/S TELEPHONE (BUTT SET)		NCR
TS-22		12903	CHATSWORTH/DRACON	T/S TELEPHONE		USER
TS100A		25284	HIPOTRONICS	T/S CIRCUIT BREAKER		USER
TS101			PULEO	T/S		USER
TS102	NSL	15566	AMPROBE	RECORDER TEMPERATURE		USER
TS117GP	6625-00-643-1498	80058	JETDS	WAVEMETER	TEST	12MO
TS118AAP	6625-00-649-5399	70998	BIRD	WATTMETER RF w/ELEMENTS		NCR
TS147DUP	6625-00-649-4524	80058	JETDS	T/S RADAR	TEST	NCR
TS15		18479	FW BELL	GAUSS METER		USER
TS155UP			LEWYT MFG	GENERATOR SIGNAL		NCR
TS15AAP			MARION	FLUX METER		NCR
TS15CAP			TLG ELECT	FLUX METER		NCR
TS172AUP		99872	ENTRON	T/S RADAR		NCR
TS172BUP	6625-00-967-9761	80058	JETDS	CAVITY TUNED (ECHO BOX)	TEST	NCR
TS172UP	6625-00-539-9658	80058	JETDS	T/S RADAR	TEST	NCR
TS2086U	6625-00-902-9562	14558	ABBEY ELEC	T/S SEMI-CONDUCTOR		NCR
TS268DU	6625-00-352-0097	80058	JETDS	T/S SEMI-CONDUCTOR		NCR
TS270		52212	NUCLEAR INSTR	CAVITY TUNED (ECHO BOX)		NCR
TS270A		52212	NUCLEAR INSTR	CAVITY TUNED (ECHO BOX)		NCR
TS270AUP	6625-00-643-8508	52212	NUCLEAR INSTR	CAVITY TUNED (ECHO BOX)	TEST	NCR
TS270B	6625-00-240-3954	80058	JETDS	CAVITY TUNED (ECHO BOX)		NCR
TS270B/UP	6625-00-240-3954	80058	JETDS	CAVITY TUNED (ECHO BOX)		NCR
TS270UP		32242	JOHNSON	CAVITY TUNED (ECHO BOX)		NCR
TS32277G			GEN TIME	T/S FOCUS ALIGNMENT		NCR
TS3277G		10236	ELECTRODYNAMICS	T/S ALIGNMENT		NCR
TS340L1			NE ELEX	T/S		NCR
TS340U		65092	WESTON	VOLTMETER ANALYZER OG		12MO
TS359AU	6625-00-697-1470		PRESS WIRE	VOLTAGE DIVIDER 35KV PEAK PULSE		NCR
TS3640			THOMPSON	T/S TUBE CHECKER		NCR
TS3640G		96214	TEXAS INST	T/S TUBE CHECKER		NCR
TS3662/U	6625-01-061-8929	28480	HP	COUNTER		12MO
TS3662U/5328A-H42	6625-01-061-8929	28480	HP	COUNTER UNIVERSAL 1.3GHz		12MO
TS390-1		00752	AIL/EATON	T/S CRYSTAL		NCR
TS403A/U	6625-00-392-7005	80058	JETDS	GENERATOR SIGNAL		12MO
TS403U	6625-00-392-7005	80058	JETDS	GENERATOR SIGNAL		12MO
TS419U	NSL	80009	TEKTRONIX	GENERATOR SIGNAL		12MO
TS488AU		80058	JETDS	CAVITY TUNED (ECHO BOX)		NCR
TS583A	6625-00-669-0254	80058	JETDS	POWER METER AUDIO OUTPUT		36MO
TS585U	6625-00-151-4230	24655	GENRAD	POWER METER AUDIO OUTPUT	TEST	36MO
TS5885/8412A	6625-00-161-4174	28480	HP	ANALYZER NETWORK PIU	ASDE3	12MO
TS7221	6625-00-197-8443	28480	HP	KIT ACCESSORY VECTOR VOLTMETER		NCR
TS723AU	6625-00-668-9418	28480	HP	ANALYZER DISTORTION		12MO

MODEL/PART NUMBER	NSN	CAGE CODE	MANUFACTURER	NAME/DISCRIPTION	EQUIPMENT APP-TO	CALIBR INTER
TS723CU	6625-00-852-3853	99395	SENTINAL	ANALYZER SPECTRUM 10Hz-20KHz		12MO
TS805U			USNAVY	STROBOTAC		USER
TSC510			TECHNI-RIT	CONDITIONER SIGNAL		NCR
TST7185	NSL	28480	HP	T/S ELECTRICAL		NCR
TST95	NSL	07239	AVO BIDDLE	LOCATOR CABLE FAULTFINDER		USER
TSTAR1500			COMCO	ANALYZER SIMULATOR		NCR
TT22	6625-00-902-9562	14558	ABBEY ELEC	T/S SEMI-CONDUCTOR		NCR
TT259C	NSL	93346	AEL	T/S SEMI-CONDUCTOR		NCR
TTG29	5820-01-140-4939	82199	POLARAD	GENERATOR TONE TWO		NCR
TTR190-3EE		04423	BERKLEY/TELONIC	FILTER TUNABLE BAND		NCR
TTR315-3EE	5915-01-087-0257	04423	BERKLEY/TELONIC	FILTER TUNABLE BAND SUPPRESSION		NCR
TTR95-3EE	5915-01-420-4370	04423	BERKLEY/TELONIC	FILTER TUNABLE BAND PASS		NCR
TTS26B	6625-00-402-2281	06819	NORTHEAST ELECT	T/S TRANSMISSION		12MO
TTS37B	6625-00-918-5721	06819	NORTHEAST ELECT	T/S AUDIO	TEST	XXXX
TTS37BAQ	6625-01-020-9995	06819	NORTHEAST ELECT	T/S AUDIO	TEST	XXXX
TTS37BAQ/CN		06819	NORTHEAST ELECT	T/S AUDIO		XXXX
TTS37BR		06819	NORTHEAST ELECT	T/S AUDIO		XXXX
TTS44	6625-01-103-6524	06819	NORTHEAST ELECT	T/S TRANSMISSION	TEST	12MO
TTS44B		06819	NORTHEAST ELECT	T/S TRANSMISSION		12MO
TTS44R		06819	NORTHEAST ELECT	T/S TRANSMISSION		12MO
TTS4ANH	6625-00-999-7870	06819	NORTHEAST ELECT	T/S TRANSMISSION		12MO
TTS58A		06819	NORTHEAST ELECT	COUNTER IMPULSE NOISE		12MO
TTS58C		06819	NORTHEAST ELECT	METER SOUND LEVEL		USER
TU312H		94990	MOTOROLA	RESONATOR		NCR
TV7AU	6625-00-649-3294	80058	JETDS	T/S TUBE CHECKER		NCR
TV7B		00641	FORWAY IND	T/S TUBE CHECKER		NCR
TV7BU		28569	HICKOK	T/S TUBE CHECKER		NCR
TV7U		80058	JETDS	T/S TUBE CHECKER		NCR
TW5			FISHER	LOCATOR CABLE & PIPE		USER
TW6			FISHER	LOCATOR CABLE & PIPE		USER
TX3			BERNZOMATI	T/S HALIDE		USER
TYPE30		18708	QUINDAR	T/S		NCR
UM72B1		13499	COLLINS	T/S MICROWAVE		NCR
V100			ORION ELEC	DECIBEL METER		12MO
V711			NUCULAR CHICAGO	METER RADIAC		USER
V8100	NSL	89536	FLUKE	PROBE AMP		NCR
VA1		65092	WESTON	AMMETER		24MO
VA105			T.I.F.I	MACHINE AIR VELOCITY		USER
VA62	6625-01-187-5516	33347	SENCORE	ANALYZER UNIVERSAL		NCR
VAT33		82386	SUN ELECT	T/S BATTERY		USER
VCT233		05721	BECKMAN	TRANSFORMER CURRENT		NCR
VGE260				INCLINEOMETER		USER
VM-01/8010A	6625-01-216-4431	89536	FLUKE	DIGITAL MULTIMETER		12MO
VM103		13648	COLUMBIA	METER VIBRATION		NCR

MODEL/PART NUMBER	NSN	CAGE CODE	MANUFACTURER	NAME/DISCRIPTION	EQUIPMENT APP-TO	CALIBR INTER
VM2		14758	CALENCO	AUDIO LEVEL METER		24MO
VM2A	6625-00-018-6059	14758	CALENCO	AUDIO LEVEL METER	BUEC	24MO
VM3		93459	WEINSCHEL	CALIBRATOR ATTENUATOR		XXXX
VO-40		94518	VORON ELECT	ANALYZER CAPACITANCE		24MO
VO-41	6625-00-014-4489	94518	VORON ELECT	ANALYZER CAPACITANCE/RESISTANCE		24MO
VR6114	5950-00-956-0391	49956	RAYTHEON	TRANSFORMER		NCR
VS81		62875	WAVETEK	GENERATOR SWEEP		NCR
VS81VOSC	6625-01-313-1587	23042	TRILITHIC/TEXSCAN	CALIBRATOR FREQUENCY	TEST	12MO
VTC4414J2		99313	VARIAN ASSO	AMPLIFIER 4-8 GHZ		NCR
VTU4490J7	5960-00-591-1675	99313	VARIAN ASSO	AMPLIFIER 12-18 GHZ		NCR
VTX4415J1		99313	VARIAN ASSO	AMPLIFIER 8-12 GHZ		NCR
W10G3M		24655	GENRAD	POWER TRANSFORMER		NCR
W10MT3		24655	GENRAD	TRANSFORMER VAR		NCR
W10MT3A			VARIAC	TRANSFORMER VAR AUTO		NCR
W111			W MEASURE	INDICATOR WIND DIRECTION		USER
W20G3M	6120-00-725-2859	24655	GENRAD	TRANSFORMER VAR 3PHASE		NCR
W5MT		24655	GENRAD	TRANSFORMER POWER		NCR
W5MT3	5950-00-617-9242	24655	GENRAD	TRANSFORMER VAR		NCR
W64-4478			MARELCO	CALIBRATOR WINDSPEED		USER
WA-641C			TOA	AMPLIFIER w/ MICROPHONE		NCR
WDA940	6625-00-150-6341	16786	FEL CORP	WAVEMETER 0.9-4.2GHz		36MO
WE633A2		65092	WESTON	AMMETER AC CLAMP-ON		24MO
WFA71		00929	MICROLAB	LOAD DUMMY RF	ARSR	NCR
WJ500-4260		14482	WATKINS-JOHNSON	AMPLIFIER 2-4 GHZ		NCR
WJ5030-47		14482	WATKINS-JOHNSON	AMPLIFIER		NCR
WJ5300-452		14482	WATKINS-JOHNSON	AMPLIFIER		NCR
WJ6007		14482	WATKINS-JOHNSON	AMPLIFIER SOLID STATE		NCR
WJ6007-029		14482	WATKINS-JOHNSON	AMPLIFIER		NCR
WJ737133		14482	WATKINS-JOHNSON	AMPLIFIER 1-2 GHZ		NCR
WJ739-85		14482	WATKINS-JOHNSON	AMPLIFIER LOW NOISE		NCR
WJ739-92		14482	WATKINS-JOHNSON	AMPLIFIER SOLAR KIT		NCR
WJ8617A			WAL-JOHNSN	FINDING DIRECTION EQ		USER
WJ8971A	5999-01-167-9397	14482	WATKINS-JOHNSON	SET DIRECTION FINDING		USER
WP708A			VIZ KAPPA	POWER SUPPLY DC		NCR
WR3101-2		62614	W GRAPHTEC	RECORDER SIGNAL TWO		USER
WR501	6625-01-069-5095	80009	TEKTRONIX	WORD RECOGNIZER		NCR
WSD301			ELEC SPEED	ANEMOMETER		USER
WT333A		02734	RCA	REJUVINATOR T/S		NCR
WT4333		02734	RCA	T/S PIC		NCR
WTS201		22447	PLANTRONIC	T/S TELEPHONE		NCR
WV77		02734	RCA	MULTIMETER		24MO
WV98A		02734	RCA	MULTIMETER		24MO
X200-148		32242	JOHNSON	TEST KIT PNEUMATIC		USER
X200173		32242	JOHNSON	KIT CALIBRATION		NCR

MODEL/PART NUMBER	NSN	CAGE CODE	MANUFACTURER	NAME/DISCRIPTION	EQUIPMENT APP-TO	CALIBR INTER
X371	6625-00-735-1081	18323	WESTINGHOUSE	FREQUENCY METER PANEL	EG	NCR
X902538900			SPERRY	DGNOSTIC UNIT W/CE A		NCR
Y8100	6625-01-131-3882	89536	FLUKE	PROBE CURRENT		NCR
YRF		05083	BACHARACH	INDICATOR PRESSURE		USER
YRF4RF		05083	BACHARACH	INDICATOR PRESSURE		USER
YUK		05083	BACHARACH	T/S DIESEL COMPRESSION		USER
Z25A			MITCHELL	DETECTOR/RECORDER M		USER
Z80	NSL	80009	TEKTRONIX	PROBE CONTROL		NCR
ZBOX	NSL		ASO	ANALYZER IMPEDANCE MEASURING		NCR
ZHL2-8N			MINCKT LAB	AMPLIFIER POWER		NCR
ZM11BU		00346	CRESCENT	BRIDGE CAPACITANCE		NCR
ZM14APSM2	6625-00-451-7747	19070	AIR DEVICES	OHMMETER		NCR
ZM3A/U	6625-00-618-5671	80058	JETDS	ANALYZER CAPACITANCE/RESISTANCE		24MO
ZM3AU	6625-00-229-1060	00901	AKELEY	ANALYZER CAPACITANCE/RESISTANCE		24MO
ZM3U	6625-00-557-0399		FED T&R	ANALYZER CAPACITANCE/RESISTANCE		24MO
ZM69U	6625-00-444-6084	24655	GENRAD	BRIDGE IMPEDANCE	TEST	NCR
ZM75U		31922	L & N	BRIDGE RESISTANCE		NCR
ZT488		58589	ZIATECH	ANALYZER GB1B		NCR
	8200-00-120-8164			ANALYZER SPECTRUM	ASDE3	12MO
	9000-00-200-2217			CCRS 3,1&2 ALS	CCRS	NCR

APPENDIX 2. RESPONSIBILITY FOR PROCUREMENT OF TEST EQUIPMENT

	Procurement of	Responsibility of
(1)	Standard test equipment for support of new systems, for additional quantities of existing items, and for support of systems modified by headquarters projects.	PM/FAALC
(2)	Standard test equipment made necessary by changes in headquarters-specified maintenance policies.	Office issuing the change.
(3)	Standard test equipment for support of headquarters-managed special maintenance projects (SMP)	SMP/FAALC
(4)	Special test equipment acquiring or modifying the supported system.	PM/FAALC
(5)	Test equipment to support systems that have been modified under the cognizance of ASM-600	FAALC
(6)	Test equipment to replace obsolete test equipment in use in the field.	FAALC
(7)	Test equipment to replenish E&R stocks.	FAALC
(8)	Test equipment to replace lost, stolen or destroyed test equipment.	FAALC
(9)	Test equipment to meet unusual local requirements.	The region concerned
(10)	Test equipment for regionally managed SMP's.	The region concerned (in some cases AML-640 or a PM)

APPENDIX 3. RESPONSIBILITY FOR FUNDING OF TEST EQUIPMENT

Related Items of Appendix 2	Test Equipment Category	Funding Responsibility	Budget Category[1]
(1) and (4)	Test equipment to support new systems, additional quantities of existing systems, or systems modified under FAA headquarters management.	The cognizant PM	F&E
(2)	Test equipment procured as a result of headquarters-specified changes in maintenance policies.	AML-640	F&E
(3)	Test equipment to support headquarters-managed SMP's.	SMP PM	O&M
(5)	Test equipment to support systems that have been modified under the cognizance of ASM-600.	ASM-600	O&M/F&E
(6)	Test equipment to replace obsolete test equipment in use in the field.	AML-640	O&M/F&E
(7)	Test equipment to replenish E&R stocks.	AML-640	O&M[2]
(8)	Test equipment to replace lost, stolen, or destroyed test equipment.	AML-640	O&M[2]
(9)	Test equipment to meet unusual local requirements.	The region concerned/ AML-640	O&M[2]
(10)	Test equipment required by regionally managed SMP's.	The region concerned/ AML-640	O&M[3]

[1]In the usual case. Exceptions sometimes arise.

[2]In some cases, these items may be funded by AML-640 or a PM under either the operations and maintenance (O&M) or F&E budget.

[3]This funding usually is sub-allocated from the headquarters-justified O&M budget.

APPENDIX 4. ACRONYMS

The following acronyms and abbreviations are used throughout this order.

ADP	Automated data processing
AF	Airway Facilities
APM	NAS Program and Financial Management
APML	Associate Program Manager for Logistics
AML	FAA Logistics Center
ATE	Automated test equipment
BIT	Built-in test
BITE	Built-in test equipment
DOD	Department of Defense
E&R	Exchange and repair
F&E	Facilities and equipment
FAALC	FAA Logistics Center, Oklahoma City, OK
GSA	Government Services Administration
ILSP	Integrated logistics support plan
LIS	Logistics Inventory System
LRU	Lowest/line replaceable unit
LSA	Logistics support analysis
LSAR	Logistics support analysis record
MDT	Maintenance data terminal
MIL-HB	Military handbook
MIL-Q	Military quality standard
MIL-STD	Military standard
MIL-T	Military technical standard
MMS	Maintenance Monitoring System
NAILS	National Airspace Integrated Logistics Support
NAILSMT	National Airspace Integrated Logistics Support Management.Team
NAS	National Airspace System
NCR	No calibration required
NIST	National Institute of Standards and Technology (Formerly NBS, National Bureau of Standards)
NPCR	No Periodic Calibration Required
NTEDB	National Test Equipment Database
O&M	Operations and maintenance
PM	Program manager
PML	Project material list
PPIMS	Personal Property Inventory Management System
PSR	Project Status Report
R&R	Repair and return
RMM	Remote Maintenance Monitoring
RTEPM	Regional Test Equipment Program Manager
SERD	Support equipment recommendation data
SMO	System Management Offices
SMP	Special maintenance project
SOW	Statement of work
SSC	System Support Centers
TDR	Time-domain reflectometer

APPENDIX 5. REFERENCES

The following military standards and FAA orders are referenced throughout this document. All orders are to be the latest edition.

1. FAA Documents:

a. Order 1800.58, National Airspace Integrated Logistics Support (NAILS) Policy.

b. Order 4250.9, Field Inventory Management and Replenishment Handbook.

c. Order 4630.3, Survey of Lost, Damaged, or Destroyed Government Personal Property.

d. Order 4650.7, Management of NAS F&E Project Materiel.

e. Order 4650.21, Management and Control of In-Use Personal Property.

f. Order 4680.1, Depot Customer Service Evaluation System.

g. Order 4800.2, Utilization and Disposal of Excess and Surplus Personal Property.

h. Order 6000.15, General Maintenance Handbook for Airway Facilities.

i. DI-ILSS-80040A, Support Equipment Candidate List.

j. DI-ILSS-80118B, Support Equipment Recommendation List.

2. DOD Documents:

a. MIL-E-17555H, Packaging of Electronic and Electrical Equipment, Accessories, and Provisioned Items (Repair Parts).

b. MIL-HDBK-217E, Reliability Prediction of Electronic Equipment.

c. MIL-HDBK-472, Maintainability Prediction.

d. MIL-HDBK-52, Evaluation of Contractor's Calibration System.

e. MIL-Q-9858A, Quality Program Requirements.

f. MIL-STD-1388-1A, Logistic Support Analysis.

g. MIL-STD-1388-2A, DOD Requirements for a Logistics Support Analysis Record.

h. MIL-STD-45662A, Calibration Systems Requirements

i. MIL-T-28800D, General Specification for Test Equipment for Use with Electrical and Electronic Equipment.

j. TB 43-180, U.S. Army Technical Bulletin: Calibration and Repair Requirements for the Maintenance of Army Material.

k. TO 33K-1-100, U.S. Air Force Technical Manual: TMDE Interval, Calibration and Repair, Technical Order Reference Guide, and Work Unit Code Manual.

3. Other Publications: ANSI/NCSL Z540-1-1994, Calibration Laboratories and Measuring and Test Equipment General Requirements.